

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Date: 28.11.2025

To

The Director

Ministry of Environment, Forest and Climate Change,

Integrated Regional Office, Kolkata

IB – 198, Sector-III, Salt Lake City, Kolkata – 700106

**Sub:** Submission of Half-Yearly Compliance Report (April, 2025 to September, 2025) for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited

**Ref.: Environmental Clearance File No.: IA-J-11011/207/2020-IA-II(I) dated 05/10/2021**

Dear Sir

With reference to the aforesaid subject and above cited reference matter, this is to apprise you that company has obtained Environmental Clearance vide letter No IA-J-11011/207/2020-IA-II(I) dated 05<sup>th</sup> October, 2021 for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited.

We are hereby submitting the Half Yearly Compliance Report (April, 2025 to September, 2025) of the conditions stipulated in our Environment Clearance letter issued by Ministry of Environment Forest and Climate Change, New Delhi.

This is for your kind consideration and records.

Thanking you and with regards,

Yours faithfully,

M/s Alcograin Distillers Private Limited

(Authorized Signatory)



Enclosed: Half Yearly Compliance Report (April, 2025 to September, 2025)

Cc – The Director,

Ministry of Environment, Forest & Climate Change (MoEFCC)

Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110003

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

**Name of Project:** Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited

**Environmental Clearance File No.:** - IA-J-11011/207/2020-IA-II(I)

**Date of Issue EC – 05.10.2021**

**Period of Compliance: October, 2024 to March, 2025**

**Status of project:**

Alcograin Distillers Private Limited has obtained Environmental Clearance vide letter No IA-J-11011/207/2020-IA-II(I) dated 05/10/2021 for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal.

The company has obtained Consent to Establish from West Bengal Pollution Control Board vide Memo No. 52-2N-13/2021 (E) dated 21.01.2022 and as amended on 11.02.2022.

The plant has started its manufacturing operations after obtaining Consent to operate from West Bengal Pollution Control Board vide consent Letter No. CO144038 and Memo Number 544-7/WPBDCont (8058) /23 dated 27.09.2023 and as amended on 05.04.2024.

**SPECIFIC CONDITIONS**

S. No.	Conditions	Compliance status
(i)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	The company has started construction activities after obtaining Consent to Establishment from West Bengal Pollution Control Board vide Memo No. 52-2N-13/2021 (E) dated 21.01.2022 and as amended on 11.02.2022. Copy of the CTE is enclosed as <b>Annexure 1</b> . The plant has started its manufacturing operations after obtaining Consent to operate from West Bengal Pollution Control Board vide consent Letter No. CO144038 and Memo Number 544-7/WPBD Cont (8058) /23 dated 27.09.2023 and as amended on 05.04.2024. Copy of the CTO is enclosed as

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		<p><b>Annexure 2.</b></p> <p>All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project have been implemented.</p> <p>For existing distillery and Co-generation power plant the environmental protection measures and safeguards have been adopted. These include Integrated MEE, Decanters, Dryer, WWTP, CPU, ESP, Stack along with online monitoring system, Green Belt Development, Paved Roads, Covered Fuel yard, covered conveyer belt, Grain Silo Storage, Fire-fighting system, Occupation Health Centre, Lab Equipment, Water Sprinklers, Environmental Management Cell etc. which have been provided with respect to the environmental management plan.</p> <p>Photograph of the environmental protection measures and safeguards is enclosed as <b>Annexure 3.</b></p>
(ii)	<p>The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.</p>	<p>The plant is being based on <i>Zero Effluent Discharge</i> completely. The spent wash/Grain Slops is being passed through Centrifuge Decanters for separation of suspended solids separated as Wet Cake (also known as DWG Distillers Wet Grains). Thin Slops from the Decanter Centrifuge is being partly recycled to process and the balance will be fed to Thin Slop Evaporation Plant for concentration of remaining solids to form Slop Syrup and partly recycled. These is being combined and</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		<p>sent for drying in a Dryer. The Wet Cake and Syrup mixture is being dried in Steam Tube Bundle Dryer for producing Dried Distillers Grains Soluble (DDGS)/Animal Feed Supplement (AFS). The AFS is being /will be utilized as Cattle, poultry and fish feed ingredients.</p> <p>The process condensate, Cooling tower blow down, DM/RO reject and boiler blow down is being recycled back in the process after treatment in Effluent Treatment Plant and Condensate Polishing Unit.</p> <p>No waste or treated water is being discharged outside the premises.</p> <p>Photograph of the Centrifuge Decanters, MEE, Dryer, CPU, WWTP, RO Plant, DDGS godown, STP Plant is enclosed as <b>Annexure 4.</b></p>
(iii)	<p>Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard and renewed from time to time. No ground water recharge shall be permitted within the premises.</p>	<p>Groundwater permission has been obtained from SWID, West Bengal Groundwater Resource Development Authority (Paschim Burdwan) vide Permit No. P2216086001950000001TLE, P2216086043480000001TME, P2216086001170000001TME, P2216086004240000001TME, P2216086000930000001TME. Copy attached as <b>Annexure 5.</b></p> <p>No ground water recharge has been permitted within the premises.</p>
(iv)	<p>The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.</p>	<p>The spent wash/Grain Slops is being passed through Centrifuge Decanters for separation</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		<p>of suspended solids separated as Wet Cake (also known as DWG Distillers Wet Grains). Thin Slops from the Decanter Centrifuge is being partly recycled to process and the balance will be fed to Thin Slop Evaporation Plant for concentration of remaining solids to form Slop Syrup and partly recycled. These is being combined and sent for drying in a Dryer. The Wet Cake and Syrup mixture is being dried in Steam Tube Bundle Dryer for producing Dried Distillers Grains Soluble (DDGS)/Animal Feed Supplement (AFS). The AFS is being /will be utilized as Cattle, poultry and fish feed ingredients. Photograph of the Centrifuge Decanters, MEE, Dryer, DDGS godown is enclosed as <b>Annexure 6.</b></p>
(v)	<p>CO<sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.</p>	<p>CO<sub>2</sub> scrubbers have been installed in the fermentation section. Since there is no demand for CO<sub>2</sub> in nearby areas, hence the CO<sub>2</sub> plant has not been installed. However, the company is exploring the market for CO<sub>2</sub> and when the demand for the same is identified; the company shall install the CO<sub>2</sub> plant.</p>
(vi)	<p>Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers &amp; employees shall be provided with required safety kits/mask for personal protection.</p>	<p>The plant is operational at present and Occupational Health surveillance is being/will be done. Records of the Occupational Health surveillance programmes organized for the workers working at project site is being/will be maintained. Health data of workers along with photographs of regular checkup is</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		<p>enclosed as <b>Annexure 7</b>. All workers and employees are provided with required PPEs like ear muffs, ear plugs etc. exposed to high noise level and safety kits/mask for personal protection.</p> <p>Photograph of Worker with PPEs is enclosed as <b>Annexure 8</b>.</p>
(vii)	<p>Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.</p>	<p>The company is providing training facilities on safety and health aspects of chemicals handling for all the employees regularly. Safety training record and photographs are enclosed as <b>Annexure 9</b>.</p>
(viii)	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.</p>	<p>The unit has made necessary arrangements for protection of possible fire hazards during manufacturing process in material handling along with proper Fire-fighting system. Photographs of installed fire-fighting and safety systems in the plant is attached as <b>Annexure 10</b>.</p> <p>The company has obtained Fire Safety Certificate for Existing industry from West Bengal Fire and Emergency Services, Government of West Bengal vide Memo no. FSR/0125186229100236 dated 02.10.2023. Copy of NOC is attached as <b>Annexure 11</b>.</p> <p>Fire License has been also obtained by the company from Govt. of West Bengal, Fire License Section, Kolkata vide License No. FL0125182239100425 dated 07.12.2023. Copy of the same is enclosed as <b>Annexure 12</b>.</p> <p>PESO certificate has been obtained by the</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		company from Govt. of India, Ministry of Commerce and Industry, PESO, Nagpur vide S. No. P/HQ/WB/15/2689 (P534173) dated 25.04.2023. Copy of the same is enclosed as <b>Annexure 13.</b>
(ix)	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Used oil and grease generated from plant machinery/gear boxes as hazardous waste is being given Authorized Re-processors /Recyclers by SPCB/CPCB. ETP sludge generated is used as manure in greenbelt development inside plant. Company has obtained Authorization under Hazardous and Other Wastes (Management & Transboundry Movement) Rules, 2016 from Punjab Pollution Control Board vide Ref No. - WBPCB/4522332/2023 dated 24.04.2025. Copy is enclosed as <b>Annexure 14.</b>
(x)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	During operation phase, the company will comply all the statements. <ul style="list-style-type: none"><li>• The Flow meters is being installed in effluent line which is going to ETP to minimize/controlling the waste.</li><li>• CO<sub>2</sub> scrubbers have been installed in the fermentation section</li><li>• Spent wash is being dried to form DDGS to be used as cattle feed.</li><li>• Automated filling is proposed to minimize spillage.</li><li>• The MEE is being integrated with distillation for vapour recovery.</li><li>• High pressure hoses for equipment cleaning</li></ul>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		have been proposed to reduce the waste water generation.
(xi)	<p>The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.</p>	<p>The company has earmarked 33 percentage of total plant area to be developed under greenbelt and plantation.</p> <p>The green belt of at least 5-10 m width is being developed, mainly along the plant periphery.</p> <p>Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed.</p> <p>Records of tree canopy shall be monitored through remote sensing map.</p> <p>Photographs of greenbelt development are enclosed as <b>Annexure 15</b>.</p>
(xii)	<p>As committed allocated fund of Rs 2.0 crores for social developmental activities shall be spent on improving infrastructure of educational institutions nearby.</p>	<p>The company has allocated Rs. 2.0 Crore to be spent towards social developmental activities in nearby villages. The company has started CER activities and implemented in consultation with Local administration and village Pradhan and rest funds are being spent. Details and photos of the same are enclosed as <b>Annexure 16</b>.</p>
(xiii)	<p>There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.</p>	<p>The company has earmarked adequate space inside the plant premises for parking of vehicles for raw materials and finished products and vehicles are parked at designated places only. No vehicles are parked on public places outside plant.</p> <p>Parking area photographs are enclosed as <b>Annexure 17</b>.</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

(xiv)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	The company is being/will be store all raw materials either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions. Biomass is also stored in covered sheds. Paving of all internal roads shall be done in due course. Photographs of Grain Silo, fuel covered sheds, RCC Roads and covered conveyer belt are enclosed as <b>Annexure 18</b> .
(xv)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	The company has installed Continuous online (24x7) monitoring system for stack emissions and data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit has installed web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises. Photographs of instrument of Continuous online (24x7) stack and Effluent monitoring system is enclosed as <b>Annexure 19</b> .
(xvi)	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell has been created by the company. A full-fledged laboratory facility has also been setup to carry out the Environmental Management and Monitoring functions. EMC head is being/will be directly report to Head of Organization/ Director/CEO as per company hierarchy. Details of Environmental Management Cell and photographs of in-house laboratory are

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		enclosed as <b>Annexure 20.</b>
<b>GENERAL CONDITIONS</b>		
(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and agreed.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	The company already installed LED for lighting purpose. The company is actively inclined towards energy conservation and environment betterment and adequate measures are being/will be followed for the same. Photographs of LED Lights installed within plant is enclosed as <b>Annexure 21.</b>
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Proper noise control measures are/will be followed inside the plant. Noise quality monitoring data of plant has been done by the company through third party. Test report for the same are enclosed as <b>Annexure 22.</b> The results are within standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time). Acoustic enclosures are provided with DG

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

		Sets.
(iv)	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Total capital cost earmarked towards environmental pollution control measures is Rs. 70.0 Crores and the Recurring cost (operation and maintenance) will be about Rs. 0.80 Crores / annum.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	A copy of the Environment clearance letter has been sent by the company to the Pradhan, Gram Panchayat. Receiving Copy of the same is enclosed as <b>Annexure 23</b> .
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data	The Company is / will be submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

	<p>(both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&amp;CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&amp;CC, the respective Zonal Office of CPCB and SPCB.</p> <p>The company has uploaded the EC and compliance status of EC conditions along with result of monitoring data at company website <a href="http://www.alcograin.in">http://www.alcograin.in</a></p>
(viii)	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&amp;CC by e-mail.</p>	<p>Copy of environmental statement of Form-V for FY 2024-25 is attached as <b>Annexure 24</b>.</p>
(ix)	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned</p>	<p>The company has advertised public notice regarding Environment Clearance in two local newspapers dated 10.10.2021. The copy of advertisement is attached herewith as <b>Annexure 25</b>.</p>

**Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant**

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

**EC Compliance report**

	and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted. The date of financial closure is 31st March of every year as submitted
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.



Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

To,

The Director  
ALCOGRAIN DISTILLERS PRIVATE LIMITED  
552, Sector 18 B, Chandigarh,,Chandigarh,Chandigarh-160018

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/173288/2020 dated 06 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

1. **EC Identification No.** EC21A022WB155228
2. **File No.** IA-J-11011/207/2020-IA-II(I)
3. **Project Type** New
4. **Category** A
5. **Project/Activity including Schedule No.** 5(g) Distilleries
6. **Name of Project** Proposed 660 KLPD Grain based Distillery, 10 KLPD Malt Spirit Plant and 22 MW Cogeneration Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by Alcograin Distillers Private Limited
7. **Name of Company/Organization** ALCOGRAIN DISTILLERS PRIVATE LIMITED
8. **Location of Project** West Bengal
9. **TOR Date** 30 Sep 2020

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/10/2021

(e-signed)  
A.K Pateshwary  
Director  
IA - (Industrial Projects - 2 sector)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*



This has reference to your online proposal No. IA/WB/IND2/173288/2020, dated 06<sup>th</sup> September, 2021 for environmental clearance to the above mentioned project.

**2.** The Ministry of Environment, Forest and Climate Change has examined the project proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited.

**3.** All Molasses based distilleries >100 KLPD & Non-Molasses based distilleries >200 KLD are listed at S.N. 5(g) of Schedule of Environment Impact Assessment (EIA) Notification dated 14.9.2006 and as amended on 13.6.2019 under category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC). It was informed that no litigation is pending against the proposal.

**4.** Standard ToR has been issued by Ministry of Environment, Forests & Climate Change vide letter IA-J-11011/207/2020-IA-II(I) dated 20<sup>th</sup> September, 2020. Public Hearing for the proposed project has been conducted by the West Bengal Pollution Control Board on 29<sup>th</sup> July, 2021 presided by Additional District Magistrate, Paschim Bardhaman district. The main issues raised during the public hearing are related to employment and environmental pollution mitigation measures.

**5. The details of products and capacity are as under: -**

<b>Unit</b>	<b>Capacity</b>	<b>Product</b>	<b>By-product</b>
Grain Based Distillery Plant	660 KLPD	Ethanol/Rectified Spirit (RS) /Extra Neutral Alcohol (ENA) /Industrial alcohol (IA)/ Denatured Spirit (DS)/ Specially Denatured Spirit (SDS)/ Udenatured Ethyl Alcohol of an alcoholic strength by volume of 80% or higher	Animal Feed Supplement (AFS) & CO2
Malt Spirit Plant	10 KLPD	Malt Spirit	
Co-generation Power Plant	22 MW	Power	-
IMFL/CL Bottling Plant	6.0 lakh Cases/month	IMFL/CL Bottled Liquor	-

**6.** The total area for the proposed distillery project is 9.27 ha (92700 m<sup>2</sup>). Industry will develop greenbelt in an area of 33% i.e. 3.06 Ha (30600 m<sup>2</sup>) out of total area of the project.

**7.** The estimated project cost is Rs. 265 Crores. Total capital cost earmarked towards environmental pollution control measures is Rs. 70.0 Crores and the Recurring cost (operation and maintenance) will be about Rs. 0.80 Crores / annum. Total Employment will be 200 persons (Permanent 150 & temporary 50) during operation phase. Industry proposes to allocate Rs. 2.0 Crores @0.75 % of total project cost towards Social developmental activities.

**8.** There are No National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors, lies within 10 km radius of the project site. Bilaspur PF (~0.2 km in North direction), Baradoba PF (~4.2 km in ENE direction), Khandari PF (~5.0 km in ESE direction), Premganj PF (~6.5 km in ENE direction), Ramnagar PF (~8.0 km in East direction), Kuldhiha PF (~9.0 km in ENE direction), Radhaballabpur PF (~9.0 km in ESE direction), Babuisol PF (~9.8 km in ENE direction); River/ Canal i.e. Panagarh Branch Canal (~2.0 km in South direction), Left Bank Main Canal (~3.4 km in SW direction), Kukal Nadi (~4.5 km in SSE direction), Damodar Branch Canal (~5.5 km in NW direction), Kunur River (~5.7 km in NNE direction), Damodar River (~7.0 km in SSW direction) are found within 10 km radius.

**9.** Ambient air quality monitoring was carried out at 8 locations during October to December, 2020 and the baseline data indicates the ranges of concentrations as: PM10 (61.5 to 95.6 µg/m<sup>3</sup>), PM2.5 (28.3 to 52.4 µg/m<sup>3</sup>), SO<sub>2</sub> (5.7 to 17.6 µg/m<sup>3</sup>) and NO<sub>2</sub> (13.2 to 34.5 µg/m<sup>3</sup>). AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.30 µg/m<sup>3</sup>, 0.12 µg/m<sup>3</sup>, 1.01 µg/m<sup>3</sup> and 1.13 µg/m<sup>3</sup> with respect to PM10, PM2.5, SO<sub>x</sub> and NO<sub>x</sub>. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

**10.** Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Effluent process of 620 KLPD (Boiler blowdown, DM / RO Reject & CT blowdown) will be treated through WWTP of 1000 KLPD capacity and MEE condensate of 2332 KLD will be treated through CPU of 2800 KLPD Capacity. The plant will be based on Zero Liquid discharge system.

**11.** Total power requirement for Ethanol plant will be 12.0 MW, which will be sourced from the 22.0 MW Co-Generation Power Plant Construction power / standby power connection shall be taken from West Bengal State Power Corporation Limited. Unit will be having D.G. Sets of 4 x 1250 KVA which will be used as standby during power failure. Adequate Stack height (8 m) will be provided as per CPCB norms. Boiler of 160 TPH with ESP as Air Pollution Control Equipment and a stack height of 82 m will be installed for controlling the particulate emissions within the statutory limit of 50 mg/Nm<sup>3</sup>.

**12. Details of Process emissions generation and its management:**

CO<sub>2</sub> (460 TPD) generated during the fermentation process will be recovered by CO<sub>2</sub> Scrubbers and sold to authorized vendors.

**13. Details of Solid waste/Hazardous waste generation and its management:**

- Grain Slops (Spent Wash) and Malt Spirit Slops will be passed through centrifuge decanters for separation of suspended solids separated as Wet Cake DWGS (570 TPD) and dried to obtain Animal Feed Supplement AFS (290 TPD) to be used as cattle, poultry and fish feed ingredients.
- Ash (270 TPD) generated from the boiler will be Coal or various biomass based. Coal based ash will be supplied to brick/cement manufacturers and biomass-based ash will be used for soil amendment.
- Used oil & grease (2.0 KL/Annum) generated from plant machinery/gear boxes as hazardous waste will be sold out to the CPCB authorized recyclers.

**14.** During deliberations EAC suggested that Rs. 2.0 crores allocated for social developmental activities shall be spent on improving infrastructure facilities in nearby educational institutions. PP has agreed for the same and submitted an undertaking in compliance for the same.

**15.** The proposal was considered by the EAC in its 40<sup>th</sup> meeting held during 14<sup>th</sup>-16<sup>th</sup> September, 2021 in the Ministry, wherein the project proponent and their consultant M/s. J.M. EnviroNet Pvt. Ltd presented the EMP report as per the ToR. The Committee found the EMP report complying with the PFR and recommended the project for grant of environmental clearance.

**16.** The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

**17.** The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of environmental clearance.

**18.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

**19.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and

Climate Change hereby accords environmental clearance for to the project proposed project 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:

-

**A. Specific Conditions:**

(i) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(ii) The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.

(iii) Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.

(iv) The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.

(v) CO<sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.

(vi) Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.

(viii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.

(ix) Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.

(x) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery

system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

(xi) The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.

(xii) As committed allocated fund of Rs 2.0 crores for social developmental activities shall be spent on improving infrastructure of educational institutions nearby.

(xiii) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.

(xiv) Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

(xv) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(xvi) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

## **B. General Conditions:**

(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.

(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**20.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the

said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

**21.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

**22.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**23.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

**24.** This issues with the approval of the competent authority.

**(Ashok Kumar Pateshwary)**  
**Director**

**Copy to: -**

1. The Principal Secretary, Department of Environment & Forest, 5<sup>th</sup> Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata - 700 106
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kolkata IB - 198, Sector-III, Salt Lake City, Kolkata - 700106
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhawan 10A, Block-LA, Sector-III Bidhannagar, Kolkata-700 106
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
6. District Collector, Paschim Bardhaman, West Bengal
7. Guard File/Monitoring File/ Parivesh Portal /Record File

**(Ashok Kumar Pateshwary)**  
**Director**  
**E-mail: ak.pateshwary@gov.in**  
**Tel. No. 24695290**

# **ANNEXURE 1**

**SPEED POST**



NOCNO171957

# WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan  
10A, Block - LA, Sector III, Bidhannagar  
Kolkata - 700 106

Memo No. 52 - 2N-13/2021(E)

Dated 21.01.2022

From :  
Member Secretary,  
West Bengal Pollution Control Board

To : **M/s. Alcograin Distillers Private Limited,**  
**552, Sector 18B, Chandigarh, PIN - 160018.**

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : i) Your letter No. ADPL/PANAGARH/2022/01 Dated 05.01.2022  
ii) **Environmental Clearance issued by MOEF&CC vide File No. IA-J-11011/207/2020-IA-II(I), EC Identification No. EC21A022WB155228 dated 05.10.2022.**

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s **Alcograin Distilleries Private Limited**

for manufacturing/storage/installation of **660KLPD Grain based Distillery, 10KLPD Malt Spirit Plant and 22MW Co-generation Power Plant. Details are given in Annexure - A.**  
at **Plot NO. A22, Panagarh Industrial Park, Panagarh, Block-Kanksa, Dist.- Paschim Bardhaman.**  
this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

*M. B. B. B.*  
21/01/2022  
Chief Engineer  
W. B. Pollution Control Board  
Dept. of Environment, Govt. of W.B.

NO171957

7. You shall comply with
- Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
  - Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
  - Environment (Protection) Act, 1986
  - Environment (Protection) Rules, 1986
  - Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
  - Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
  - Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
  - The Public Liability Insurance Act, 1991 and Amended Act, 1992
  - The Public Liability Insurance Rules, 1991 and Amended Rules 1993
  - Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
  - Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
  - Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable
8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

**SPECIAL CONDITION :**

**Total Capital Investment : Rs.265 Crores.**

**please refer to Annexure - B.**

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

*[Signature]*  
Member Secretary / Chief Engineer  
West Bengal Pollution Control Board (EIM CELL)

Dated: 21/01/2022  
Chief Engineer  
W. B. Pollution Control Board  
Dept. of Environment, Govt. of W.B.

Memo No. 52 - 2N-13/2021(E) dt. 21.01.2022

Copy forwarded for information to :

- Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
- Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
- Guard file, West Bengal Pollution Control Board.
- Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan Delhi Road, Dankuni Dist. Hooghly	Vill, Panpur Kalyani Expressway P.O. Narayanpur Dist. 24 Pgs. (N)	Sahid Khudiram Sarani City Centre, Durgapur-16 Dist. Burdwan	10, Camac Street 2nd Floor Kolkata-700 017
---	--	--	--

Paribesh Bhawan 10A, LA-Block, Sector-III Salt Lake City, Kolkata - 700 098	Block-05 at 40 Flats Complex Adjacent to Priyambada Housing Estate P.O. : Khanjanchak, P.S. Durgachak Haldia-721602 Dist. : Purba Medinipur	Paribahan Nagar Matigara, Siliguri Dist.-Darjeeling
--	--	---

Satya Chowdhury Indoor Stadium Balurchar Bandh Road Malda-732101	Asansol Sub-Regional Office ADDA Commercial Market (2nd Floor) Opposite Asansol Fire Station G.T. Road, Asansol-713 301
---	--

*[Signature]*  
Member Secretary / Chief Engineer  
West Bengal Pollution Control Board (EIM CELL)  
Chief Engineer  
W. B. Pollution Control Board  
Dept. of Environment, Govt. of W.B.

Annexure - A to NOC Sl. No. **NO171957**

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

The details of the products and capacity are as under :-

<b>Unit</b>	<b>Capacity</b>	<b>Product</b>	<b>By-product</b>
Grain Based Distillery Plant	660 KLPD	Ethanol/Rectified spirit (RS) / Extra Neutral Alcohol (ENS) / Industrial Alcohol (IA) / Denatured Spirit (DS) / Specially Denatured Spirit (SDS)/ Undenatured Ethyl Alcohol of an alcoholic strength by volume of 80% or higher	Animal Feed Supplement (AFS) & CO2
Malt Spirit Plant	10 KLPD	Malt Spirit	--
Co-Generation Power Plant	22 MW	Power	--
IMFL/CL Bottling Plant	6.0 lakh cases/month	IMFL/CL Bottled Liquor	--

*Dmk*  
*21/01/2022*

**Member Secretary/Chief Engineer (EIM Cell)**  
**West Bengal Pollution Control Board**

*Chief Engineer*  
**W. B. Pollution Control Board**  
**Dept. of Environment, Govt. of W.B.**

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

A) **Emission:-**

1. Boiler - 1 no. (Capacity – 160 TPH)
2. D.G. Set - 4X1250 KVA
3. Stack –
  - i) For boiler 82 mtr from G.L. to be provided with properly designed ESP and ID fan of adequate capacity to control particulate emission within the limit of 50 mg/Nm<sup>3</sup>.
  - ii) For DG sets individual stacks at least 8 m as per CPCB norms.

Stacks to have sampling port, platform, ladder as per the emission regulation part –III of CPCB.

B) **Effluent :-**

Total fresh water requirement will be 3000 KLPD which will be sourced from ground water. Effluent process of 620 KLPD (boiler blowdown, DM/RO rejects and cooling tower blowdown) will be treated through WWTP of 1000 KLD capacity and MEE condensate of 2332 KLD will be treated through CPU of 2800 KLPD capacity. The plant shall be based on zero liquid discharge system.

C) **Solid / Hazardous Waste :-**

1. Grain Slops (Spent Wash) and Malt Spirit Slops will be passed through centrifuge decanters for separation of suspended solids separated as Wet Cake DWGS (570 TPD) and dried to obtain Animal Feed Supplement AFS (290 TPD) to be used as cattle, poultry and fish feed ingredients.
2. Ash (270 TPD) generated from the boiler will be Coal or various biomass based. Coal based ash will be supplied to brick/cement manufacturers and biomass-based ash will be used for soil amendment.
3. Used oil & grease (2.0 KL/Annum) generated from plant machinery/gear boxes as hazardous waste will be sold out to the CPCB authorized recyclers.

D) **Specific Conditions :-**


- i. The company shall comply with all the environmental protection measures and safeguards. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- ii. The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.
- iii. Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- iv. The spent wash shall be concentrated and dried to form DOGS to be used as cattle feed.
- v. CO generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- vi. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- viii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- ix. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

- reduce wastewater generation.
- x. The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
  - xi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
  - xii. Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
  - xiii. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server.

E) **General** :-

1. Noise Control – Ambient noise level and D.G. Set noise level should not exceed the permissible limits. Every care to be taken for noise control.
2. The unit should obtain 'Consent-to-Operate' from this Board before starting manufacturing process activities.
3. Under no circumstances molasses to be used as raw material.
4. Adequate control measures shall be taken to control fugitive dust emission from all vulnerable sources within the plant premises.
5. The project proponent should take all possible measures to avoid any kind of nuisance during transportation of raw materials and products to and from the premises. All kinds of transportation should be carried out in covered vehicles and should not cause public discomfort.
6. No additional machineries / equipment can be installed without prior permission from this Board. No change in raw materials, products, production capacity and manufacturing process shall be made without prior permission from this Board.
7. Adequate provision for rain water harvesting should be made. Recharging of Ground water is not permitted.
8. Adequate dust suppression and extraction system should be provided in material storage areas, material unloading and transfer points for controlling fugitive emission.
9. All internal roads should be paved.
10. Raw materials should be stored within covered area.
11. NOC may be revoked by the State Board, in case of failure of implementation of the above conditions.
12. All conditions as imposed by MoEF, GoI through their Environmental Clearance issued vide EC Identification No. EC21A022WB155228 File no. IA-J-11011/207/2020-IA.II (I) dated 05.10.2021 shall be strictly complied with.
13. This Consent to Establish is valid up to **31.01.2029** for setting up of the project.

  
Member Secretary/Chief Engineer (EIM Cell)  
West Bengal Pollution Control Board

Chief Engineer  
W. B. Pollution Control Board  
Dept. of Environment, Govt. of W.B.



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan, 10A, Block - LA, Sector-III

Bidhannagar, Kolkata-700 106, India

Tel : 2335 - 9088 / 7428 / 8211 / 6731 / 0261 / 8861 / 5868 / 1625

Fax : 2335 - 5868 / 2813

City Code : 33, Country Code : 91

Website: [www.wbpcb.gov.in](http://www.wbpcb.gov.in)

Memo No. 75 -2N-13/2021(E)

Dated : 11 .02.2022

To

M/s. Alcograin Distillers Private Limited  
552, Sector 18B, Chandigarh, PIN - 160 018.

**Sub :** Change in configuration of the Boiler along with Co-Generation Power Plant at Plot No. A22, WBIDC, Panagarh Industrial Park, Panagarh, Block - Kanksa, Dist - Paschim Bardhaman, West Bengal - 713148.

**Ref :** i) Your letter vide Ref. no. ADPL/PANAGARH/WBPCB/2022/02 dated 09.02.2022.  
ii) Consent to Establish (CTE) issued by WBPCB vide Memo No. 52-2N-13/2021(E) dated 21.01.2022.

Sir,

With reference to the above, it is noted that the change in configuration of the proposed distillery project is as follows:

Capacity of Boiler along with Co-Generation Power Plant & stack height as per CTE issued vide No. 52-2N-13/2021(E) dated 21.01.2022	Capacity of Boiler along with Co-Generation Power Plant & stack height as per proposed change in configuration
Boiler - 1x160 TPH	Boiler - 1x120 TPH
Co-Generation Power Plant - 22 MW	Co-Generation Power Plant - 15 MW
Stack Height - 82 mtr.	Stack Height - 45 mtr.

This is to be treated as an Annexure to the CTE issued vide No. 52-2N-13/2021(E) dated 21.01.2022. Please note that all other conditions of the above mentioned CTE shall remain unchanged.

Chief Engineer (EIM Cell)  
West Bengal Pollution Control Board

Memo No. 75(1-2)-2N-13/2021(E)

Dated : 11 .02.2022


Copy to:

1. Chief Engineer (O&E), WBPCB
2. Environmental Engineer, Durgapur Regional Office, WBPCB

Chief Engineer (EIM Cell)  
West Bengal Pollution Control Board

# **ANNEXURE 2**

Application No. 3906827  
**WEST BENGAL POLLUTION CONTROL BOARD**



'Paribesh Bhawan'  
Bldg. No. - 10A, Block - LA, Sector-III  
Salt Lake City, Kolkata-700 098

Consent Letter Number : C0144038

Memo Number : 544-7/WPBD-Cont(8058)/23.

Date : 27/09/2023.

**Consent to Operate**

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and  
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to :

M/s. Aleognain Distillers Pvt. Ltd.

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Plot No. A22, Panagarh Industrial Park,  
Gate No. - 1, P.O. - Panagarh Bazar, P.S. - Kankra, Dist. - Paschim Bardhaman,  
Pin - 713148

(Detailed address of the manufacturing unit)

for a period from Date of issue to 31/08/2028

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



For and on behalf of the State Board

(Member Secretary/Chief Engr./Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer  
W. B. Pollution Control Board  
Operation & Execution Cell

27/09/2023

## ANNEXURE

Consent to M/s. Aleognain Distillers Pvt. Ltd.  
 for its unit at Plot No.- A22, Panagarh Industrial Park, Gate No.- 1,  
P.O.- Panagarh Bazar, P.S.- Kanksa, Dist.- Paschim Bardhaman, Pin-713148

**Conditions :**

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Ethanol	660 KL/Day
02	Carbon-di-oxide	470 Ton/Day
03	Animal Feed Supplement (DDGS)	285 Ton/Day
04	Co-Generation Power Plant	15 MW
05	<del>Other</del>	
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03. Daily discharge of industrial liquid effluent shall not exceed ..... KL.
04. Daily discharge of domestic liquid effluent shall not exceed ..... KL.
05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed ..... KL.
06. The Applicant shall discharge liquid effluent to ..... (place of discharge)  
 through ..... nos. outlets / outfalls. *Zero effluent discharge shall be maintained.*
07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

*Reshma* 27/09/2023  
 (Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)


Environmental Engineer  
 W. B. Pollution Control Board  
 Operation & Execution Cell

C0144038

(3)

Consent to M/s. Aleognain Distillers Pvt. Ltd.  
 for its unit at Plot No. - A22, Panagarh Industrial Park, Gate No. - 1,  
P.O. - Panagarh Bazar, P.S. - Kanksa, Dist. - Paschim Bardhaman, Pin - 713148

Table-I

Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling
01	Domestic	pH	Between : 5.5 to 9.0	Quarterly
		Total Suspended Solids	Not to exceed : 100mg/l.	
		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed : 30 mg/l.	
		Chemical Oxygen Demand	Not to exceed : 250 mg/l.	
		Oil & Grease	Not to exceed : 10 mg/l.	
<i>Zero discharge shall be maintained</i>				
WEST BENGAL				
				

09. The *Applicant* falls in the ..... Category of the Water (Prevention and Control of Pollution) Cess Act, 1977 and Rules made thereunder and the *Applicant* shall comply with the provisions of the said Act and Rules made thereunder.

10. **Daily water consumption** for the following purposes should not exceed :-

- Industrial cooling, spraying in mine pits and boiler feed water → ..... 3380 ..... KL  
 (Water used for gardening should be included in this category of use)
- Domestic purpose → ..... 10 ..... KL
- Processing whereby water gets polluted and the pollutants are easily biodegradable → ..... 3010 ..... KL
- Processing whereby water gets polluted and the pollutants are not easily biodegradable → ..... KL

The *Applicant* shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

*Rsaha 27/09/2023*  
 (Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer  
 W. B. Pollution Control Board  
 Operation & Evaluation Cell



**LiFE**  
Lifestyle for  
Environment

**WEST BENGAL POLLUTION CONTROL BOARD**

(Department of Environment, Government of West Bengal)

Paribesh Bhawan, 10A, Block – LA, Sector III, Bidhannagar

Kolkata – 700 106, Ph.: 2202-3028

Website: [www.wbpcb.gov.in](http://www.wbpcb.gov.in), Email: [net.wbpcb-wb@bangla.gov.in](mailto:net.wbpcb-wb@bangla.gov.in)

Memo No. 3098-7/WPBD-Cont(8058)/23

Date 05/04/2024

To

M/s. Alcograin Distillers Pvt. Ltd.

Plot No. A22, WBIDC, Panagarh Industrial Park,

Gate No.-1, P.O.- Panagarh Bazar, P.S.- Kanksa

Dist. – Paschim Bardhaman, Pin- 713148

**Sub:** Amendment of the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023

**Ref:** i) Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023

ii) Consent to Establish issued vide Memo no. 52-2N-13/2021(E) dt. 21.01.2022

iii) EC accorded by MoEF & CC,GoI vide no.IA-J-11011/207/2020-IA-II(I) dt. 05.10.2021

Sir,

With reference to the above, the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023 with validity upto 31.08.2028 is hereby amended as follows:

Name and quantity of products & by-products			
As per existing CTO		Amended as	
Name of products & by-products	Quantity	Name of products & by-products	Quantity
Ethanol	660 KL/Day	Ethanol/ Rectified Spirit (RS)/ Extra neutral alcohol (ENS)/ Industrial Alcohol(IA)/ Denatured Spirit (DS)/ Specially Denatured Spirit (SDS)/ Udenatured Ethyl Alcohol of an Alcoholic strength by volume of 80% or higher	660 KL/Day
Carbon di oxide	470 Ton/Day	Carbon di oxide	470 Ton/Day
Animal Feed Supplement(DDGS)	285 Ton/Day	Animal Feed Supplement(DDGS)	285 Ton/Day
Co-Generation Power Plant	15 MW	Co-Generation Power Plant	15 MW
		Malt Spirit	10 KL/Day
		IMFL/CL Bottled Liquor	6.0 lakh cases/month

Contd..P/2

This is to be treated as an annexure to the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023. All other terms & conditions of the above mentioned Consent to Operate will remain unchanged.

Thanking you,

Yours faithfully,

*Rishu* 05/04/2024

Sr. Environmental Engineer  
Operation & Execution Cell

**Sr. Environmental Engineer  
W. B. Pollution Control Board  
Operation & Execution Cell**

# **ANNEXURE 3**

**Photograph of the environmental protection measures and safeguards**



**Grain Silo**



**MEE**



**Decanters**



**Dryer**











**STP Plant**



**RO Plant**



**Ethanol Storage**

# **ANNEXURE 4**

**Photograph of the Centrifuge Decanters, MEE, Dryer, CPU, WWTP, RO Plant,  
DDGS godown, STP Plant**



**MEE**



**Decanters**



Dryer











**STP Plant**

# **ANNEXURE 5**

FORM 4

[See Rules 9(3) and 10(5)]

68049

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]


PERMIT NO

P22J6086001950000001 TLE

- 1. (a) Name of the applicant (user) : Shri/Smt.
- (b) Son / Daughter of :                      Agrograin Distillers Pvt. Ltd.
- (c) Address of the applicant : NA
- (d) Category of farmer (Please tick) :  Small Farmer  Marginal Farmer  Others  Paschim Bardhaman
- (e) Serial No. of application Form and date of submission : PPA-0509 S1-83, Dt: 06/07/2022
- (f) Specimen signature of the user :
- 2. Location particulars---
  - (a) District : Paschim Bardhaman
  - (b) Block, Mouza, J. L. No., Plot No. : Konksa, Konksa, JL-86, Plot-195
  - (c) Municipality / Corporation Ward No. / Borough No., Holding No. : NA
- 3. Particulars of the proposed well and pumping device---
  - (a) Type of the well : Tube well
  - (b) Approx. depth of the well (m) : 250 m
  - (c) Purpose of the well : Industrial use X mm.
  - (d) Assembly size (for tube well) : 300 m. 200
  - (e) Approx. strainer length (for tube well) : 12 m.
  - (f) Diameter (for dug well) : NA
  - (g) Type of pump to be used : Submersible
  - (h) H. P. of the pump : 5 HP
  - (i) Operational device : Electric motor
  - (j) Rate of withdrawal (m<sup>3</sup> / hr.) : 45 m<sup>3</sup>/hr
  - (k) Maximum allowable running hours per day : NA

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf


Place : Burdwan  
Date : 31-08-2023



*(Signature)*  
M. S. Ghosh  
Ground Water Resources Development Authority  
Paschim Bardhaman

Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.




\* Please turn over leaf of the permit for condition.

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b)/7(4)(b)/7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P221608604348000001TME**

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED  
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018  
c) Category of farmer :  
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 85, 25-02-2021  
e) Speciman Signature of the User : 
2. Location Particulars  
a) District : Paschim Burdwan  
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,  
Mouza - kanksa  
J.L. No.- 86,  
Plot No.- A-22  
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


**3. Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan

**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

**NB- Please See Reverse**

**Conditionality for operating this Tubewell**

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well

*[Signature]*  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan


END

arks :

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P221608600117000001TME**

- a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED  
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018  
c) Category of farmer :  
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 86, 25-02-2021  
e) Speciman Signature of the User : 
4. Location Particulars
- a) District : Paschim Burdwan  
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,  
Mouza - kanksa  
J.L. No.- 86,  
Plot No.- A-22  
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


5. Particulars of the proposed well

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan

Conditions:

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

**NB- Please See Reverse**

**Conditionality for operating this Tubewell**

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well

*[Signature]*  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan


END

emarks :

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P221608600424000001TME**

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED  
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018  
c) Category of farmer :  
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 87, 25-02-2021  
e) Speciman Signature of the User : 
2. Location Particulars  
a) District : : Paschim Burdwan  
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,  
Mouza - kanksa  
J.L. No.- 86,  
Plot No.- A-22  
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


**3. Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan


**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

**NB- Please See Reverse**

**Conditionality for operating this Tubewell**

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan


END

Remarks :

**PERMIT FOR SINKING OF NEW WELL**

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources  
(Management, Control and Regulation) Act 2005.]

**PERMIT NO : P2216086000930000001TME**

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED  
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018  
c) Category of farmer :  
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 88, 25-02-2021  
e) Speciman Signature of the User : 
2. Location Particulars  
a) District : : Paschim Burdwan  
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,  
Mouza - kanksa  
J.L. No.- 86,  
Plot No.- A-22  
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,  
Ward No.- ,Borough No.- , Holding No.- ,Plot No.-. A-22


**3. Particulars of the proposed well**

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal ( m <sup>3</sup> /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan


**Conditions:**

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

**NB- Please See Reverse**

**Conditionality for operating this Tubewell**

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well

  
Geologist, SWID & Member Secretary,  
District Level Ground Water Resources Development  
Authority (DLA), Paschim Burdwan

END

Remarks :

# **ANNEXURE 6**

**Photograph of the Centrifuge Decanters, MEE, Dryer, DDGS godown**



**Decanters**



**MEE**



**Dryer**









# **ANNEXURE 7**



OCCUPATIONAL HEALTH  
CENTRE  
कार्मिक स्वास्थ्य  
केंद्र



317 Nand Lal Karmar

318	Rinta Bauri	Debasis	01.04.25	10 AM.	पुत्र मरुति	T. Calpat 1 citrazine. 1	Cold. & Headache.
319	Kanu Mahali	Driver.	01.4.25	12.35 PM	Kanu Mohan	T. Zerodal 1. Ome2. D. 1	Headache.
320	Agnadev Bauri	Security	01.4.25	3 PM.	Agnadevi	T. Citrazine 2.	Cold
321	Rahul Shiger	Ge	01.4.25	4.45 PM	Rehman	T. Calpat 2.	Headache.
322	Rabi Singh	HR.	02.4.25	11.25 AM		Cap ome2. D. 2.	Acidity
323	Rinta Bauri	Driver.	02.4.25	12.5 PM	पुत्र मरुति	T. Zerodal 2.	Cut injury to Thumb. (Pressing Betadine ant. oint.)
324	Rahul Sh.	Tiger.	03.4.25	10-10 AM	Rahul Sh	T. Zerodal 1	Cut injury (Pressing - Betadine Col. oint.)
325	Dobi Sh	NB57E3783 Driver.	03.4.25	3.5 PM		T. Metrogyl 2.	Loose motion
326	Sezior. Munnu.	Sweeper	03.4.25	3.40 PM			Cut injury in foot (Pressing & Betadine ant.)
327	Kanu Mahali	Driver.	04.4.25	9.50 AM	Kanu Mohan	Uni-zyme 1 Zerodal 1	Headache.
328	Birash. Basdi	B. Nandi	04.4.25	1.40 PM	पुत्र मरुति	T. Zerodal 1	Cut injury - Rt index (Pressing)
329	Dilip Bora	Security	04.4.25	3.30 PM	Dilip Bora	Cap ome2. 2	Acidity
330	Sukdet Sankar	NB894934 Driver	04.25	4.45 PM		T. Calpat 2	Fever

S.No	Worker Name	Department	Date	Time	Sing	Medicine Issued	Diagnosis
331	Omprakash	S.K. Injan	05.4.25	10:10 AM	Sudhakar	Bandaid	Diagonosis cut injury finger
332	Mr Bidyut Ray	HR.	05.4.25	10:15 AM		T. Zerodal 3. Cap omez 3.	Pain in foot.
333	Loko Hembaran	Boiler	05.4.25	11:5 AM	2/2/2/2/2/2	T. Metrogyl 2.	Loose motion
334	Chandasakar	Dryer	05.4.25	1:30 PM		T. Calpal 2. Bacosul 1	Fever
335	Rahul SK	Tiger	07.4.25	10:20 AM	Rahul SK		Dressing Rt Thumb
336	Abijit Sinha	HR	07.4.25	10:40 AM		T. Montina LC 2.	Cold.
337	Sourav Bauri	Canteen	07.4.25	10:50 AM		T. Zerodal 2	Headache.
338	Prasanta Kumar Mondal	Accounts	07/04/25	3 PM	RK Mondal	T. Pin - 1 T. unicym 2 Pan - 1	Fever
339	Rabi Marmu		7.4.25	5 PM		T. Metrogyl 3.	Loose motion.
340	Raghubir Yadav	Dryer	8.4.25	12:25	रघुबीर यादव	T. Zerodal 2.	cut injury Lt Ham. (Dressing)
341	Rabi Singh	HR.	8.4.25	1:45 PM		Omez 2	Acidity
342	Chandan Yadav	Ele.	8.4.25	2 PM	Chandan	Omez 2.	Indigestion
343	Raja Bagdi	Process	8.4.25	2:10 PM		T. Zerodal 1 Omez 1	Pain in Shoulder. o fogel apply
344	Arabind Thakur	Store	8.4.25		Arabind	T. Zerodal 1	Bodyache
345	Raghubir Yadav	Mill	9.4.25		रघुबीर यादव	T. Calpal 2.	Fever & body pain
346	Julu Mirdya	Driver	9.4.25	5 PM	वैजयंती	T. Metrogyl 2. Protin 1	Loose motion.
347	Bijay Singh	Welder	9.4.25		vijay	T. Calpal 2.	Fever

Ab  
07/10/25

Sino	Worker Name.	Department	Date	Time	Singh	Medicine Used.	Diagnosis
348	Raghubir Yadav.	Mill.	10.4.25	10.45 AM	रघुबीर यादव	T. Zerodal 2.	Pain on Rt Hand
349	Shim Mondal	WB 51 B 54 96 Driver	11.4.25	9.35 AM	शिम मंडल	T. Drotion 1	Pain Abdomen
350	Kamal Yadav	Mill	11.4.25	10.30 AM	कमल यादव	T. Zerodal 2	Cut injury on forehead. (Dressing & ant)
351	Balaram Yadav.	Dryer.	11.4.25	11 AM	बलराम	T. Citrazine 2.	Cold
352	Prasanta Bauri		11.4.25	11.5 PM	प्रसन्त	cap Breosol 6	Weakness <span style="float: right;">Ate 11/04/2025</span>
353	Roshan Kumar.	Process.	11.4.25	12 noon	रोशन कुमार	T. Zerodal 2.	Cut injury on Rt Thumb. (Dressing)
354	Anil Kr. Yadav.	Filter.	12.4.25		अनिल कुमार	T. Calpal 2.	Bodyache.
355	Sukumar Lahar	T. Mondal	14.4.25	10.35 AM	सुकुमार लोहार	T. Zerodal 2	Cut injury Leg (Dressing; Betadine lot)
356	Tapas Dey	Banker	15.4.25	9.35 AM	तापस देव	Bandaid 2.	Cut injury index <span style="float: right;">2 P.O.M 14/04/25</span>
357	Hasan Raja	Intermit	15.4.25	10.10 AM	हासन राजा	Bandaid 1	Cut injury Middle finger.
357	Anjan Lal.	Rebasis	15.4.25	10.30 AM	अंजन लाल	T. Zerodal 2	Cut injury Lt Middle toe (Dressing)
358	Sukumar Lahar	T. Mondal	15.4.25	11.50 AM	सुकुमार लोहार		Cut injury Rt Leg (Dressing & Betadine ant)
359	Prasanta Kumar Mondal	A/c	15.4.25	3.30 PM	P.K. Mondal	T. Calpal 2.	Fever
360	Abdul Salam Sir	WB 52 B 1693 Driver	15.4.25	3.55 PM	अबुल सलम	T. Calpal 1	Back Pain (P.F. gel applied.)
361	Somyaj Maji	Driver	16.4.25	9.45 AM	सोमयज मजी	T. Calpal. 1 Ondem 1. Unizyme	Headache & Vomiting.
362	Sribas Yadav.	Dryer	17.4.25	9.40 AM	सुरिबास	T. Calpal 2	Headache.
363	Kanchan Bauri	Boiler	17.4.25	10.45 AM	कंचन बौरि	T. Unizyme 2	Indigestion

Sl. No	Worker Name	Department	Date	Time	Sign	Medicine Issued	Diagnosis
364	Chandan Singh	Elec	18.4.25	2.10 PM	[Signature]	T. Unizyme 2.	Indigestion. <span style="float: right;">18/04/2025</span>
365	Jaiadddin	Secur	18.4.25	4.10 PM	[Signature]	T. Calpal 2	Fever.
366	Jamadar Mandal	Semrise	19.4.25	11 AM	[Signature]	T. Calpal 2.	Fever.
367	Dr. Salam	B. e Lab	19.4.25	12.0 PM	[Signature]	T. Calpal 2	Fever & headache.
368	Rinu Ankure	Sweeper	19.4.25	8 PM.		T. Metrogyl 3.	Loose motion
369	Swapan Mishra	Stee	19.4.25	4.10 PM	[Signature]	T. Calpal 2	Fever & Body ache
370	Pradip Bagdi		21.4.25	1 PM	[Signature]	T. Unizyme 1	Indigestion.
371	ANURUPA YADAV	Ac Repair	21.4.25	3:30 PM	[Signature]	T. CALPOT (650), UNIZYME (1)	D Accidental Injury <span style="float: right;">B.Pok 21/04/25</span>
372	Umesh Singh	C.Pu	22.4.25	10.5	[Signature]	T. Calpal 1	Throat Pain.
373	Dilip kr. Borral	Security	22.4.25	3 PM.	[Signature]	T. Unizyme 2.	Indigestion.
374	Swapan Mishra	Elec	23.4.25	10.30 AM	[Signature]	Bandaid 1 @ Montina L.e	Cut injury Lt index.
375	Rabi Hembram	B. Nandi	23.4.25	10.55 AM	[Signature]		Cut injury Lt index Corrosive Betadine
376	Bikash Bagdi	B Nandi	23.4.25	10.40 AM	[Signature]	T. Montina L.e 2	Body allergy.
377	Nandlal Hembram.	Sweeper	23.4.25	11.35 AM	[Signature]	T. Metrogyl 3.	Amble dysentery.
378	Upender Kumar.	Mak Stone	23.4.25	1.15 PM	[Signature]	T. Calpal 2	Pain on Leg.
379	Bikash Bagdi	B Nandi	24.4.25	10.10 AM	[Signature]	T. Unizyme 2.	Body allergy.
380	Kanu Mahali	Driver	24.4.25	10.20 AM	[Signature]	T. Unizyme 2.	Indigestion.

Sr no	Worker Name	Department	Date	Time	Sign
381	Rabin Kumar	Dormi	24.4.25	10.30 AM	
382	Rahul Diger	Ge	24.4.25	12.45 PM	Rahul Diger
383	Mangal Handa	Store	25.4.25	9.50 AM	Mangal Handa
384	Mithelish Kr Yadav	Mechanical	25.4.25	11 AM	
385	Nanda Lal Hembram	Store	25.4.25	4 PM	
386	Amit Singh	HR	26.4.25	10.40 AM	
387	Aakash Sribastav	Elc	26.4.25		Aakash
387	Basant Mandal	A/c	26.4.25	11.10 AM	Basant Mandal
388	Dabir SK	Driver	28/04/25	2:30 PM	DABIR SK
389	Kanchan Bauri		28/04/25	4:30 PM	Kanchan Bauri
390	Kuldip Singh	Process	28.4.25	5.40 PM	
391	Aakash Anand	Canteen	28.4.25	5.50 PM	
392	Anbaz Raja	Mechanical	29.4.25	10 AM	ANBAZ
393	Sajed Thappa	Driver	29.4.25	10.20 AM	
394	Subrata Maity	Mechanical	29.4.25	11 AM	Subrata
395	Sourav Bauri	Canteen	30.4.25	10.20 AM	Sourav Bauri
396	Kanu Mahali	Driver	30.4.25	12 Noon	Kanu Mahali

Medicine Issued	Diagnosis
T. Calpal 2.	Throat Pain
T. Calpal 2.	Headache
T. Calpal 2.	Pain in wrist (Drogeal applied)
Bandaid 1	Cut injury Lt Ring finger (Dress)
T. Doctin 1	Pain abdomen
T. Calpal	Nose Pain
Bandaid 1	Cut injury Rt Middle finger
T. Flexon NR 1. Unizyme 1	Throat Pain
1. T. Pen (500) - ①	Headache
T. Unizyme ② + T. metronid ③	Loose stool
Bandaid - 2.	Cut Rt toe
T. Calpal 2.	Bodyache
T. Calpal 2	Fever
Tab. Unizyme 1	Indigestion
Tab-calpal 2. Unizyme 1	Pain Lt hand. (Drogeal applied)
T. Calpal 2.	Headache
T. unizyme 2.	Indigestion

Ab  
28/04/2025

S. No	Worker Name	Department	Date	Time	Sign	Medicine Issued	Diagnosis
397	Anil Kr. Yadav	Driver	30.4.25	2.40 PM	Chhotu Kumar	T. Calpal 2.	Bodyache
398	Munna Choudhary	Amar	30.4.25	3.20 PM	Munna Choudhary	T. Calpal	Cut injury forehead.
399	Shivkr Yadav	Driver	01.05.25	9.40 AM	Shivkr Yadav	T. Calpal - 2.	Headache
400	Rasan Bhogal	Security	01.05.25	9.50 AM	R. Bhogal	Calpal. 2	Bodyache
401	Rabi Hembram	B. Nandi	01.05.25	11.35 AM	रवि हेमब्रम	T. Calpal 2.	Fever.
402	Rakesh Bagdi	Debasis	01.05.25	12.35 PM	Rakesh Bagdi	T. Metrogyl 3.	Loose motion.
403	Srikanta Bagdi	T. Mandal	01.5.25	2.30 AM	सुरि कान्त	T. Metrogyl 3. Drotin 1	Loose motion.
404	Urmila Hembram	B. Nandi	02.05.25	10 AM	उर्मिला हेमब्रम	T. Calpal 2.	Fever & Headache
405	Sangita Soren	B. Nandi	02.05.25	10.5 AM	संगिता सोरेन	T. Calpal 2.	Fever & Headache.
406	Shyamal Lehar	Debasis	02.05.25	10.10 AM		T. Calpal 1.	Headache.
407	Jappu Chandra	Concave	02.05.25	10.40 AM	Pappa	T. Flexon 2. Clavam 4. Unizyme 2	Throat pain & inflammation
408	Anbind Singh	Machanical	02.05.25		Anbind	T. Calpal 1. Bandaid 1	Cut injury. Rt Thumb. Dressing.
409	Nandalal Hembram	Store	02.5.25	4 PM	नंदलाल हेमब्रम	T. Flexon 4	Tooth pain
410	Sahadev Lehar	Debasis	02.5.25	4.5 PM	सहदेव लेहर	T. Citrizyme 4	Cold.
411	Nahid Rahaman	Security	02.5.25	5.15 PM		T. Unizyme 1	Indigestion.
412	Kanu Mehale	Driver	02.5.25	5.20 PM	Kanu Mehale	T. Flexon 1. Unizyme 2.	Throat pain
413	Raj Kumar Yadav	D. D S	03.5.25	9.45 AM	Raj Kumar	T. Metrogyl 2. Flexon 2. Unizyme 1	Rt Ring finger core pain & inflammation.

Dr  
02/05/25

Sno	Worker Name	Department	Date	Time	Singh	Medicine Used	Diagnosis
414	Amar nath Yadav	Mill	03.05.25	11.45 AM	Amernoth	T. Zerodol 2	Pain on foot
415	Pappu Chandra	Canteen	03.05.25	12.10 PM	✓	T. Flexon 2. Unizyme 2.	tooth pain
416	Kanu Mahali	Driver	03.05.25	4.20 PM		T. Flexon 4 Unizyme 4	Throat pain
417	Bidyut Ray	HR.	03.05.25	5 PM	-	T. Unizyme 2.	Indigestion
418	Amit Dey	Outside Driver	03.05.25	5.40 PM	✓	T. Zerodol 2. Bandaid 1	Wt injury Rt foot. (Dressup)
419	Kanchan Bauri	Boiler	05.5.25	10.45	Kan Kan	T. Unizyme 1	Indigestion <sup>Ab</sup> 05/05/25
420	Ujjal Lahar	Driver	05.5.25	12.5 PM		T. Calpal 2 Unizyme 1 T. Clavam 2. T. Montal LC 1	Fever & Bodyache.
421	Pappu Chandra	Canteen	05.5.25	4 PM	Pappu	T. Flexon 1	Throat pain
422	Aakash Anand	Canteen	05.5.25	5.20 PM		T. Clavam 2. Montal LC 2.	Cough & cold.
423	Buddadev Mele	T-Mondal	06.5.25	10.10 AM	Sangit	<del>T. Metrogyl</del> Metrogyl 3. Drotin 1	Loose motion Pain abdomen
424	Nandalal Hembram	Sweeper	06.5.25	11 AM	Nandalal Hembram	T. Flexon 1. Unizyme 1	Tooth pain
425	Pradip Bagdi	Canteen	06.5.25	11.30 AM	Pradip Bagdi	T. Zerodol 1	Bodyache.
426	Mangal Hansda	Store	06.5.25	12.5 PM		T. Metrogyl 1. Drotin 1	Pain abdomen. Loose motion.
427	Ravi Kant Pal	Electrical	06/5/25	2:10 PM	Ravi	T. Unizyme 1 T. Calpal 3.	Fever
428	Surendra Kumar	WTP	06/5/25	4:20 PM	S. Kumar	T. Calpal 4.	Fever.
429	Saxed Thappa	Driver	07.8.25	9:55 AM		T. Unizyme 1	
430	Hamid Mandal	Security	07.8.25	10 AM	Hamid Mandal	T. Unizyme. T. Drotin 1	Indigestion & Pain abdomen

Srno	Worker Name	Department	Date	Time	Sing	Medicine Used	Diagnosis
431	Santanu Shit	Elec	07.5.25	10.5 AM	Sing	T. Zerodal 1	Tooth Pain
432	Sourav Bauri	Canteen	07.5.25	11.50 AM		T. Clavam 4. Calpal 4. Unizyme	Cough & cold & Headache
433	Rahul Diger	Sc Lab	07.5.25	3.30 AM	Rahul Diger	T. Calpal 1	Headache
434	Rohit Bauri	HR Boy	07.5.25	4 PM	Rohit	T. Calpal 1 Montina LC	fever & cold
435	Sanjay Mondal	WB 32/E 24.85 Driver	07.5.25	4.20 PM	Sanjay Mondal	T. Zerodal 2	Tooth Pain
436	Bijay Nandi	WB 32/E 24.85 Driver	07.5.25	4.25	Bijay Nandi	T. Calpal	Headache
437	Saiful Islam	Tiger	07.5.25	6.55	Saiful	T. Zerodal 2	cut injury Rt Hand Palm
438	Sourav Bauri	Canteen	08.5.25	11.15 AM		T. Calpal 1. Unizyme 1	Headache
439	Parimal Lahar	Bailar	09.5.25	9.45 AM	Parimal	T. Zerodal 1 Bandaid	cut injury forehead (Pressure)
440	Shibam Tewary	Dryer	09.5.25	9.50 AM	Shivam Tewari	T. Calpal 2	Headache
441	Subham Tripathy	Dryer	09.5.25	10 AM	Subham	T. Unizyme 2	Indigestion
442	Bidyut Ray	HR	9.5.25	10 AM		T. unizyme 2	Indigestion
443	Sanjay Maji	Driver	9.5.25	10 PM		T. Montina LC 1	Cough & cold
444	Kanu Mahal	Driver	9.5.25	10.10 AM		T. unizyme 1	Indigestion
445	Bharam Yadav	Mechanical	9.05.25	11.30 AM	Bharam	T. Montina LC 2	Cold
446	Rakesh Prasad	Process	9.05.25	12.30 PM		T. Drotin 2. Unizyme 1	Pain abdomen
447	Chandan Singh	Elec	9.05.25	2 PM		T. unizyme 1	Indigestion

07/25/25

Sl. No	Worner Name	Department	Date	Time	Sign	Medicine Issued	Diagnosis
448	Pradip Dasgupta	A/c	09.5.25	2.30 PM	Sing	T. Calpal 1	Fever
449	Jiteem Singh	Sec	10.5.25	12 noon	<del>Sing</del>	T. Unisyn 1	Indigestion
450	Sourav Chosal	B. Ward	10.5.25	1 PM		Bandaid 1	cut injury Rt little finger
451	Arbind Thakur	HR	10.5.25	2.30 PM		T. Zerodal 1	Bodyache
452	Sourav Bauri	Canteen	12.5.25	11 AM		T. Drotin 3, Unisyn 1	Pain abdomen
453	Abijit Bauri	HR office	12.5.25	11.20 AM	Roh	T. Calpal 1	Bodyache
454	SK Babul	WB WIP 38 GS Driver	12.5.25	12.5 PM		T. Drotin 1, unisyn	Pain abdomen
455	Pupi Soren	Mill	12.5.25	2.30 PM	Rup. Soren	T. Metrogyl 2	Aminibic dysentery
456	SK Sabar	Tiger	12.5.25	5 PM	310 333	T. Flexon 2, unisyn 1	cut injury Lt index (pressing)
457	Sunil Hembram	Mill Tractor	13.5.25	9.35 AM	SUNIL	T. Ondem 1, cap omez 1	vomiting
458	Jyoti SK	WB STB 67 V6 Driver	13.5.25	9.45 AM	IGAVU/SK	T. Ondem 2, Calpal	Bodyache & vomiting
459	Kradip Kumar	Dryer	13.5.25	12.10 PM	Parke	T. Moxima LC 1	Cold
460	Dilip Boral	Security	13.5.25	12.45 PM	Subj Boral	T. Calpal 2, Rantae 2	Fever & Headache
461	Rabi Sakina	HR	13.5.25	12.50 PM		Cap omez 0 1	Acidity
462	Subhasit	Store	13.5.25	1.55 PM	Subhasit	Bandaid 2	cut injury Lt index
463	Grammay Goswami	Medical	13.5.25	5 PM		T. Zerodal 2, Omez 2	Back Pain
464	Subash Bauri	T. Mandal	13.5.25	5.45 PM	Subash Bauri	T. Calpal 2	Bodyache
465	Arjun Khetrapati	T. Mandal	14.5.25	9.45 AM	Arjun Khetrapati	T. Rantae 2	Acidity

14/05/25

Srno	Worker Name	Department	Date	Time	Sing	Medicine Issued	Diagnosis
466	Anam Kr Yadav	Dryer	14.5.25	11 AM	312/01/1/49		
467	Jaijit Mirdya	Dryer	14.5.25	11:15	Jaijit Mirdya	T. Moulina LC	Bite by insect
468	Ranjit Mishra	Process	14.5.25	2:50 PM	Ranjit	T. Zerodal 2. Rantae, 2.	Pain Rt Leg.
469	S.K. Saddam	Tiger	14.5.25	5:15 PM	853/513/1/97	T. Zerodal 1. Rantae 1	Cut injury lt hand (Dressing)
470	Dilip Boral	Security	15.5.25	9:55 AM	Dilip Kumar Boral	T. Calypal 2 Rantae 2. Claran 4.	Fever & cold.
471	Manas Ganguly	Tiger	15.5.25	10:10 AM	Manas Ganguly	T. Zerodal 1. Rantae 1	Headache.
472	Nandlal Hembram	Caricin	15.5.25	10:20 AM	Nandlal Hembram	T. Flexon 1 Rantae 1	Tooth Pain
473	Chattu Kumar	Dryer (Mill)	15.5.25	12:15 PM	Chattu Kumar	T. Zerodal 1	Cut injury. Rt Hand (Dressing)
474	Shib Kumar Yadav	Dryer	15.5.25	12:10 AM	Shib Kumar Yadav	T. Flexon 1. Rantae 1	Headache.
475	Bidyut Ray	HR	15.5.25	5 PM	2	Cap omeprazole 20.	Acidity
476	Indradeb Yadav	Mill	16.5.25	9:35 AM	Indradeb	T. Zerodal 1	Cut injury lt toe.
477	Firoz Khan	Dryer	17.5.25	10:55 AM	Firoz Khan	T. Dootin 1 Rantae 1	Pain abdomen
478	Kanchan Bauri	Boiler	17.5.25	11 AM		T. Rantae 1	Acidity
479	Anam Kr Yadav	Mill	17.5.25	11:55 AM	312/01/1/49	T. Flexon 1 Rantae 1	Bodyache.
480	Prasanta Mandal	A/c	17.5.25	12:45 PM	Prasanta Mandal	P. Muzyme 1	Indigestion
481	Ramjan SK	Tiger	17.5.25	4:15 PM	Kil for	T. Zerodal 1. T. Rantae 1	Cut injury. Rt foot (Dressing)
482	Om Kumar Bisideb	Mill	19.5.25	9:40 AM	Om Kumar	T. Calypal 1. Rantae 1	Fever.

BRP  
21/05/25

Sno	Worrior Name	Department	Date	Time	Sign.	Medicine Admin.	Diagnosis
499	Bilal Ray	HR.	21.5.25	5.30 AM	✓	Cap omeprazole 6.	Acidity & Indigestion
500	Purbati Soren	B. Nandi	22.5.25	10.55 AM	✓	T. Xerodal 1. Rantac 1	cut injury Rt foot (pressure - inflammation)
501	Ramoni Murmu	B. Nandi	22.5.25	11 AM	✓	T. Metogyl 3.	Prostomatia
502	Dinu Anand	Sweeper	22.5.25	2.30 PM		T. Calpal 1 Citriane 1+1	Bodyache & Cough.
503	Samar Anand	Balarambat	22.5.25	4 PM	Samrat Kuse	T. Flexon 2. Rantac 2.	Back Pain
504	Kanu Mahali	Driver	22.5.25	4.10 PM		T. Calpal 1. Rantac 1	Headache.
505	Anu kr. Yadav	Mill.	22.5.25	4.30 PM	21/5/25	T. Flexon 1. Rantac 1	Throat Pain
506	Angadeep <del>Bani</del> Bani	Secretary	22.5.25	5 PM	Agneesh	T. Citriane 1	Cough & Cold
507	Ujjal Lehar	Driver	23.5.25	11 AM		Cap omeprazole 1	Acidity
508	Volun Yadav	Driver	24.5.25	12.35 PM	✓	T. Calpal 2. Citriane 1	Fever & Cough
509	Samar Kishor Mahata	Driver	24.5.25	12.35 PM	✓	T. Flexon 1.	Back Pain (D.P. ointment applied)
510	Bikash Yadav	@ A/c	24.5.25	1 PM	24/5/25	T. Calpal 2. Rantac 2.	Fever
511	Balaram Yadav	Mechanical	24.5.25	1.10 PM	3/4	T. Drotin 4. Omeprazole 1	Pain abdomen.
512	Mritunjay Sharma	Balarambat	24.5.25	1.20 PM	Mr. Sharma	T. Flexon 1. Rantac 1	Bodyache.
513	Rabi Sankar	HR.	26.5.25	1 PM		T. Monticel 2.	Cold.
514	Surya Lehar	Bani	27.5.25	11.10 AM	27/5/25	T. Rantac 2.	Acidity
515	Shanujay Kumar	Driver	27.5.25	12.5 PM	Dhanujay K	Cap omeprazole 2.	Indigestion.

Slno	Workman name	Department	Date	Time	Sing.
516	Ujjal Lahar	Driver	27.5.25	12.10 AM	
517	Jaydeep Bairagya	Bailar	27.5.25	2.5 PM	Bairagya
518	Pradip Bagdi	Inspector	27.5.25	2.10 PM	
519	Ramesh Bauri	Security	27.5.25	4.30 PM	
520	Ashok Bauri	Process	27.5.25	4.45	Ashok
521	Anwar Khan	Trucker Driver	27.5.25	5.35 PM	310122
522	Ashut	S.C.	27.5.25	5.40 PM	Rudra
523	Omar Yadav	Mill	28.5.25	9.35 AM	310122
524	Arun Km. Yadav	Mill	28.5.25	9.45 AM	312001214
525	Chandan Yadav	Elec	28.5.25	2 PM	
526	Kanu Mahali	Driver	29.5.25	9.40 AM	
527	Ms. Anwar	Driver	29.5.25	10.20 AM	
528	Akhilash Kumar	S.C.	29.5.25		Akhilash Kumar
529	Akshit	S.C.	29.5.25	4 PM	Rudra
530	Sahman Khan	Process	28.5.25	10.55 AM	Sahman
531	Loknath Bagdi	P. Control	28.5.25	2.15 PM	Loknath
532	Anjan Pal	Security	28.5.25	2.30 AM	Anjan

Medicine Issued	Diagnosis
Cap: Omez 1 Zerodal 1	Headache.
T. clavam 1.	Burn Lt foot (Silveran applied).
T. Citriagne 2.	Body allergy
Cap Omez 1	Indigestion.
T. Metrogyl 2.	Loose motion.
T. Flexon 1. Rantac 1	Neck Pain
Cap Omez 1 Zerodal 1	Throat Pain
T. Zerodal 1. Rantac 1	Wrist Pain.
T. Citriagne 1	Off.
T. Zerodal 1 Rantac 1	Headache.
Cap Omez 1	Acidity <span style="float: right;">29/05/25</span>
T. Zerodal 1.	cut injury on Head. (Dressing)
Bandaid 1	cut injury hand (Dressing)
T. Flexon 1. Omez 1	Tooth Pain
T. Calpal 1 Omez 1	Bodyache.
T. Citriagne 2.	Cough & Cold.
T. Zerodal 1. Rantac 1	Headache.

Sno	Workman Name	Department	Date	Time	Sing.	Medicine Issued	Diagnosis
533	Sourav Bauri	Canteen	30.5.25	3.30 PM	Sourav Bauri	Volini gel applied + Zerodal 1	Pain in Shoulder arm.
534	Gourav Raj	IT	31/5/25	10:35 AM	Gourav Raj	T. Calpat 2. Omez 2.	Fever & Bodyache.
535	Ajay Kumar	Grain mill	31.5.25	11.30 AM	<del>AKAS</del>	T. Calpat 1. Omez 1.	Bodyache.
536	Mr. Sanjib Sen	A/c	31.5.25	11.35 AM	✓	Bandaid 2.	Cut injury Rt index (Dressing)
537	Shyamdeb Yadav	Fitting	31/05/25	12:30 PM	<del>Shyam</del>	T. Pm (2) + T. Montek-LC (2) + Rantac 2.	Fever 31/05/25
538	Chunnu Singh	Dryer	31.5.25	2.55 PM	CHUNNU	T. Calpat 2. Rantac 2.	Fever & Bodyache.
539	Kanu Mahali	Driver	31.5.25	3 PM	✓	Cap Omez 1	Indigestion
540	Mr Rabi Samsina	HR	31.5.25	3 PM	✓	Cap. Omez 1.	Indigestion
541	Sourav Bauri	Canteen	31.5.25	3.20 PM	✓	T. Calpat 1 Rantac 1	Volini spray applied Pain in arm
542	Kanchan Bauri	Boiler	31.5.25	4.20 PM	Kanchan Bauri	T. Rantac 2	Acidity
543	Morish Sharma	Process	31.5.25	4.35 PM	✓	T. Zerodal 5 Omez 2.	Neck Pain.
<u>Month of June</u>							
544	Sukha Ruidas	Sunrise	02.6.25	10.30 AM	Sukha Ruidas	T. Drotin 1 Rantac 2	Pain abdomen
545	Sa Dalam	T. Mental	02.6.25	11 AM	S. Dalam	T. Calpat 1. Rantac 1	Bodyache
546	Prasanta Mandal	A/c	02.6.25	12. Noon	Prasanta Mandal	T. Ondem 1 Rantac 1	Vomiting.
547	Mitansy Sharma	Mechanical	02.6.25	1.5 PM	Mitansy Sharma	T. Zerodal 1 Rantac 1	Pain in Rt Leg.
548	Aman Lahori	Mechanic	02.6.25	11.30 AM	Aman Lahori	T. Flexon 1. Rantac 1	Cut injury Lt Middle finger (Dress)
549	Sandip Joyprakash	A/c	03.6.25	11.55 AM	Sandip	T. Mebragyl 3.	Loose motion

Sl. No	Workshop Name	Department	Date	Time	Singh	Medicine Issued	Diagnosis
550	Asmit Kumar	O.C.	03.6.25	12:30 PM	Rahidiga	T. Flexon 1 Omez 1	Headache.
551	Sr. Samuel Bague	Plumber	03.6.25	2:55 PM	Amil	T. Flexon 1 Rantac 1	cut injury Lt Index (pressing)
552	Govind Pandey	Boiler	03.6.25	4:30 PM		T. Zerodol 1 Omez 1	Headache.
553	Loknath Bagdi	P. Control	03.6.25	5 AM	✓	T. Calpol 1	Fever.
554	Balaram Yadav	Womework	04.6.25	10:20 AM	✓	T. Calpol 1 Rantac 1	Headache.
555	Ujjal Lahar	Driver	04.6.25	10:25 AM		T. Calpol 1 Rantac T. Montinale	Fever & Cough.
556	Sahab Sarkar	Token	04.6.25	2:30 AM	us	T. Zerodol 1 Rantac	Headache.
557	Birash Yadav	Steel	4.6.25	4 PM	✓	Bandaid 1	cut injury Rt Middle finger (pressing)
558	Marshid Modliak	S.M.T.	4.6.25	5:20 PM	M.D. S.K.D	T. Flexon 1 Rantac 1	cut injury Rt foot (pressing) i Betadine Band
559	Aktab Senh	Boiler	5.6.25	9:40 AM	by Pashirap	T. Calpol 1 Rantac 1	Fever.
560	Satbir	O.C.	5.6.25	11:30 AM	Rahidiga	T. Calpol 1 Rantac 1	Headache.
561	Anil Kumar Ojha	Process	5.6.25	12:45 PM	Anil	T. Metrogyl 3 Omez 2	
562	Chandran Singh	Steel	5.6.25	1:10 PM	✓	T. Flexon 1 Omez 1	
563	Balaram Yadav	Mechanical	5.6.25	1:20 PM	✓	T. Citricane 1	Cold.
564	Santano Sit	Steel	5.6.25	1:30 AM	✓	T. B. Montina L.C 1	Cold.
565	Birash Yadav	Steel	5.6.25	1:35 PM		Bandaid	cut Rt middle finger
566	Pitram Maity	Mechanical	5.6.25	5:35 PM	Pitram Maity	T. Calpol 1	Fever.

Sno	Workor Name	Department	Date	Time	Single	Medicine Issued	Diagnosis
567	Tapan Mandal	Int.	6.6.25	12.55 PM	✓	T. Calpal 1 Rantac 1	Fever 06/06/25
568	Kanu Mahali	Driver	6.6.25	1 PM	✓	Cap omez 1	Indigestion
569	Sourav Bauri	Canteen	6.6.25	1.10 PM		T. Flexon Max 1/2 x 1/2 2day 2.	Pain in Rt arm
570	Arbind Thakur	Supervisor	7.6.25	10 AM		T. Flexon 1 Rantac 1	Headache
571	Subrata Mukunder	Civil	7.6.25	11 AM		cap omez 3.	Acid Reflux
572	Rabi Sarsina	HR	7.6.25	11 10 AM		T. Fluconazole 2.	Body allergy
573	Avishan Kr Yadav	Instructor	7.6.25	3.10 PM			Dressing: Betadine & Bandage. LT under cut injury
574	Bikash Yadav	Sec.	7.6.25	2.15 PM	✓	Bandaid 1	Handwound - cut injury Rt Ankle
575	Sijan Mukamu	Sawyer	7.6.25	3.45 PM		T. Flexon 1	Headache
576	Rabi Sarsina	HR	7.6.25	5.40 PM		cap omez 3	Indigestion
577	Sourav Bauri	Canteen	9.6.25	10 AM		Volini Spray Locally applied	Pain in Rt arm
578	Tapas Das	Canteen	9.6.25	10.10 AM		Volini Spray Locally applied	Neck Pain
579	Anand Kumar	Cont Labour	9.6.25	11 AM	✓	T. Zerodal 1. Rantac	Headache
580	Ritvik Bauri	Driver	9.6.25	11.40 AM		T. Calpal 1 Rantac 1	Fever 09/06/25
581	Ajit Mandal	Debaris	9.6.25	3 PM	✓	T. Flexon 1 Rantac 1	Pain Rt Middle finger
582	Mangal Hausta	Stone	9.6.25	5.15	Mangal	T. Clarax 2. Calpal 1 Rantac	Cut injury Lt hand. (Dressings)
583	Rajamush Hausta	Ti. Mandal	10.6.25	10.55 AM	✓	T. Flexon 1, Rantac 1	Headache

Sino	Work on Name	Department	Date	Time	Singh	Medicine Issued.	Diagnosis
584	Arun Kr Yadav.	Doyer.	10.6.25	12.30 PM	312 V/11/22	T. Flexon 1.	Log Pain
585	Prallad Choudhary	Mechanical	10.6.25	2.20 PM	USM/21/22	T. Flexon.	Pain in head.
586	Abhijit Sinha	HR.	10.6.25	5.45 PM	Dr.	T. Calpal 2. Omez. 2.	Fever.
587	Tapas Ray	Canteen	11.6.25	9.30 AM		T. Rantac 2.	Acidity
588	Kanchan Bauri	Boiler.	11.6.25	9.25 AM	Kanchan	T. Metrogyl. Rantac	Loose motion.
589	Lalu Das.	WB 59261 29 Driver	11.6.25	1.5 PM	Lalu das	T. Metrogyl 3. Protin 1	Loose motion 2 Pain abdomen.
590	SK Mofijal	AK Painting	11.6.25	2.10 PM	SK Mofijal	T. Flexon 1 Rantac 1	Log pain
591	Bikash Bagdi	B. Nandi	12.6.25	10.10 AM	Pranab	T. Flexon 1 Rantac 1	Back Pain.
592	Ujjal Lahar.	Driver.	12.6.25	10.15		Cap omez.	Acidity
593	Pradip Bagdi	Canteen.	12.6.25	10.30 AM		T. Calpal 1+1 Rantac 1	Fever.
594	Tapas Ray	Canteen	12.6.25	10.30 AM		Cap. Omez 1. Calpal. 1	Fever.
595	Chandan Singh	Elec.	12.6.25	2.5 PM	Dr.	T. Flexon 1 Omez. 1	Headache.
596	Babai Sen	Driver.	12.6.25	4.45 PM	Dr.	T. Flexon 2. Rantac. 2.	Neck Pain
597	Somnath Nandi	Contractor	12.6.25	5.30 PM	Nandi	T. Calpal 1 Rantac. 1	Fever.
598	Kanu Mahali	Driver.	12.6.25	5.35 PM		Cap. - omez. 1	Indigestion.
599	Rabi Hembram	B. Nandi	13.6.25	10 AM	Dr. (25/22)	T. Calpal 1 Rantac 1	Fever.
600	Hamid Mondal	Security	13.6.25	10.10 AM	Hamid Mondal	T. Calpal 1. Rantac 1	Fever.
601	Souman	Hamban Boiler	13.6.25	11.55 AM	Souman Hembram	T. Metrogyl 2. Protin 1	Loose motion

Dr  
13/06/25

Worner Name	Department	Date	Time	Sign	Medicine Issued	Diagnosis
602 Swapan Mishra	Elec.	13.6.25	12.20 PM	<del>Signature</del>	T. Calpal 1. Rantac 1	Bodyache.
603 Abhinav Tripathi	Process	13/06/25	2 PM	<del>Signature</del>	T. Calpal (4) + T. Montekel (2)	Fever
604 Sarbanat Shaw	Driver. MS-15-5764	13.6.25	3.30 PM		T. Etopan 1 Rantac 1	Red injury foot
605 Sadra Aman Khan	Driver NB 1169558	13.6.25	3.45 PM		T. Drofin 1. Op Omepr 1 T. Ondem 1	Pain abdomen & vomiting
606 Anil Kr Yadav	Rajesh Singh Staff	14.6.25	10.45 AM	<del>Signature</del>	T. Flexon 1. Rantac 1	Pain on Rt Toe. volimigel applied
607 Namanyan Yadav	Rajesh Singh	14.6.25	10.50 AM	<del>Signature</del>	T. Rantac 1	Acidity
608 Dilip Borsal	Security	14.6.25	11.55 AM	<del>Signature</del>	T. Calpal 2. Rantac 1	Fever
609 Sukumar Hembram	T. Mandal	17.6.25	12.15 PM	<del>Signature</del>	T. Rantac 1	Acidity
610 Anun Kr. Yadav	Mill	17.6.25	2 PM	<del>Signature</del>	T. Calpal 2. Citrisum 1	Fever & cold
611 Ritick Bauri	Driver	17.6.25	2.10 PM		T. Zorodal 2 Rantac 1	Throat Pain
612 Kalam SK	Coal	17.6.25	2.45 PM	<del>Signature</del>	T. Ondem 2. Rantac 2	Vomiting
613 Sailesh Kumar	C.P.E	17.6.25	3 PM	<del>Signature</del>	T. Zorodal 2.	Bodyache.
617 Amit Kamal	Process	17.6.25	4.15 PM	<del>Signature</del>	T. Flexon 1. Omepr 1	Ear Pain
618 Mr Aloke	Guest	17.6.25	4.20 PM		Cap Omepr 1	Acidity
619 Dipankar Mete	Balaram	18.6.25	9.45 AM	<del>Signature</del>	T. Citrisum 2.	Cough & cold.
620 Bachan Bauri	T. Mandal	18.6.25	10.45 AM	<del>Signature</del>	T. Calpal 1	Bodyache.
621 Rajesh Pasawan	Process	18.6.25	12.45 PM		T. Calpal 1. Rantac 1	Bodyache.
622 Anash Anume	Canteen	19.6.25	1 PM	<del>Signature</del>	T. Calpal 2. Rantac 2. Montel 1	fever & headache.

Sno	Workman Name	Department	Date	Time	Sing
623	Syamdeb Yadav	Fixed PDS	19.6.25	2:15 PM	Syam
624	Suman Bauri	Canteen	19.6.25	5 PM	Suman Bauri
625	Mr Rahul Dutta	A.G.M.	19.6.25	5:10 PM	
626	Ranjan Bagdi	Driver	19.6.25	3:20 PM	R. Bagdi
627	Sailesh Kumar	OPIC	19.6.25	3:30 PM	S. Kumar
628	Kanu Mahali	Driver	19.6.25	4:30 PM	R. Mahali
629	Dudkumar Meete	Power Plant	20.6.25	10:05 AM	D.K. Meete
630	Baechan Bauri	Driver	20.06.25	10:30 AM	B. Bauri
631	Debu Bauri	Driver	20.06.25	10:30 AM	D. Bauri
632	Suman Sinha	Josh	20/06/25	12:20 PM	S. Sinha
633	Rakesh Singh	Store	21/06/25	11:20 AM	R. Singh
634	Bikash Kumar	Selai	21.06.25	12:40 PM	B. Kumar
635	SK. Majhi	D.K. Painter	23.06.25	9:50 AM	S.K. Majhi
636	Prabhat Majhi	Driver (NB4119659)	23.06.25	11:00 AM	P. Majhi
637	Pappu Pandey	(NB1935900)			P. Pandey
638	Debasish Bagari	CHP	24/06/25	10:50 AM	D. Bagari
639	SK. Mahibul	NB4159043	24/06/25	11:07 AM	S.K. Mahibul
640	Mipza Tudu	NB6804	24/06/25	11:52 AM	M. Tudu
641	Doyamoy Mondal	Driver BN	24/06/25	1:21	D. Mondal

Medicine Issued	Diagnosis
T. Flexon 1, Rantac 1	Back Pain
T. Calpal 2, Montrol 2, Rantac 2	Fever & Cold
Cap: Omez 2, Unizyme 2	Acidity & indigestion
Flexon-1, Rantac-1	Fever, cold High dob body Pain.
Calpal-2, Azithral-2, Rantac-2 Omez-2	Fever from 3 days, cold BP=98/64 mmHg
Zerodol-1, Rantac-1	open injury, left leg
Flexon-1 Rantac-1	Body Pain
Flexon-1 Rantac-1	Body Pain
T. Flexon ① T. Rantac ①	cut injury
Dressing	Minor injury in finger
Flexon-1, Rantac-1	Body Pain
Zerodol-1, Rantac-1	Leg injury
Zerodol 1, Omez-1, Volini Spray	Finger injury
metrogyl-1, Rantac-1	Abdomen Pain With Less motion
Flexon-1, Rantac-1	Open injury leg
ondem-1, montrol, omez	vomitting, cold fever
montrol-1, Rantac-1	Fever, cold
Flexon-1, Rantac-1	Injury Finger

20/06/25

23/06/25

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
642	Tapan Mondal	Main Plant	25/06/25	10:10am	T. Mondal	metformin 1, OMEZ-AD	Loose motion, Abdomen Pain
643	Raju Kumar	Dishrany	25/06/25	10:12am	R. Kumar	calpol-1, montek LC-1, Pantoc-1	Fever, cold
644	Bikram Kumar		25/06/25	11:30am	B. Kumar	P. Zerodol-2, Pantoc-2	Leg injury
645	Sitanam Mehe	Garden	25/06/25	12:12pm	S. Mehe	calpol-1, montek LC-1, OMEZ-1	Fever, Headache, with body pain
646	Hamid Mondal	Parking	26/06/25	10:05am	H. Mondal	vozet-2, Pantoc-2, calpol-2	Fever, Headache.
647	Sanjay	driver	26/06/25	10:10am	S. Sanjay	Azithromycin 2, montek LC-2,	Fever from 3 days
648	Vikram Kumar	Dishrany	26/06/25	10:15am	V. Kumar	Flexon-1, Pantoc-1	Leg injury
649	Bikash Yadav	Electrical	26/06/25	1:50pm	B. Yadav	Flexon-1, Pantoc-1	Headache
650	Shyamal Soren	friger	27/06/25	10:12am	S. Soren	Zerodol 2, Pantoc-2	Back pain
651	Hamid Mondal	Parking	27/06/25	11:12am	H. Mondal	Azithromycin-3, calpol-2, Pantoc-3	Fever for 3 days with cough
652	Kanchan	Boiler	27/06/25	1:40pm	K. Kanchan	Z. Tab - Zerodol 1, Pantoc-1	Pain in leg
653	Prakash Kumar	Process	27/06/25	2:05pm	P. Prakash	Tab. Flexon-1, Pantoc-1	
654	Dharanajay Bauri	Garden	28/06/25	10:10am	D. Bauri	Flexon-1, montek LC-1, Pantoc-1	Cough, cold, headache
655	Kanchan Bauri	Boiler	28/06/25	10:30am	K. Bauri	Zerodol 2, Pantoc-2	Pain in left knee.
656		Helper	28/06/25	2:15pm		calpol-1, Pantoc-1	
657	SK Mahibul	HB4179043	28/06/25	4:19pm	S. Mahibul	drofin-1, OMEZ+1, montek LC-1	Abdomen pain with cold
658	SK Alladdin	driver	28/06/25	4:20pm	S. Alladdin	ONDZIME-1, OMEZ-1, montek LC-1	Dysfunction in digestion.
659	Gabinda Bauri	driver	29/06/25	10:51am	G. Bauri	Flexon-1, montek LC-1, Pantoc-1	Fever cold with body pain.

26/06/25

Sl-	Name	Department	Date	Time	Signature	Treatment	Diagnosis
660	Santunu Shit	Electrical	30/06/25	10:50 AM	Santunu Shit	Flexon-1, Rantac-1	Pain in Teeth
661	Sandeep Sahani	Equipment	30/06/25	11:00 AM	Sandeep Sahani	Dressing, Handyclot	Minor leg injury
662	Hamid Mondal	Parking	30/06/25	1:28 PM	Hamid Mondal	Azithromycin-2, Rantac-2	Fever, cough
663	Milon Kumar Patra	SCB	01/07/25	10:30	M.K. Patra	Flexon-2, Rantac-2	Pain in hand
664	Lallan Thakur	Mechanical	01/07/25	11:00	Lallan Thakur	Flexon-1, Rantac-1	Pain in Eye
665	Prasanta K Mondal	Account	02-07-25	10:05 AM	Prasanta Mondal	Rantac-150-1, Metrogyl 400-1 pill	Loose motion
666	Dinu Ankure	Sweeper	02-7-25	03:08 PM	Dinu Ankure	Calpol-1 pill	Fever
667	Sijen MURMU	Housekeeping	02-7-25	04:50 PM	SIJEN MURMU	Rantac-150-1 pill, Calpol-1 pill	Headache
668	Arbind	Mechanical	03/07/25	11:43 AM	Arbind	Zenodol-1, Omez-1, Silver-X oint	Burn in hand
669	Ravi Kumar	Instrument manager	03/07/25	2:00 PM	R. Kumar	PCM-2, Rantac-2	Fever, Headache
670	Bikram Kumar		04/07/25	9:35 AM	VIKRAM	Flexon-2, Rantac-2	Open finger injury
671	Kanchan Bauri	Discharge	04/07/25	9:40 AM	K. Bauri	Zenodol-1, Rantac-1	Leg Pain
672	Milon KV Patra	SCB	04/07/25	10:33 AM	M.K. Patra	Zenodol-2, Rantac-2	Leg Pain
673	Bikash Kumar	BKLC	04/07/25	11:00 AM	Bikash Kumar	PCM-2, Rantac-2, Montek-1	
674	Hemant Kumar	Driver	05/07/25	1:40 PM	Hemant Kumar	PCM-1, Rantac-1, Montek-1	Fever with cold
675	Lakhiram MUMMU	Driver	07/07/25	10:52 AM	L. MUMMU	metrogyl-1, Omez-1	
676	Himant	Driver	07/07/25	11:57 AM	Hemant Kumar	Montek-1, Rantac-1	cold, sneeze

	Name	Department	Date	Time	Signature	Treatment	Diagnosis
678	Saddam	Driver	07/07/25	1:00pm	Saddam M. SK	VOZET-1, Calpol-1, Rantac-1	FEVER, cold, Sneeze
679	ISASUJ SK	Driver	07/07/25	2:00pm	ISASUJ	Calpol-2, Rantac-2, Montek-1	High Fever Cold, body Pain
680	Chandan Singh	Electrical	07/07/25	2:10pm	CS	Flexon-2, Rantac-2	Headache,
681	Souvik Mondal	CPL	07/07/25	2:52pm	Souvik	Flexon-2, OMEZ-2	Body Pain
682	Ramzan Bagdi	Driver	07/07/25	3:09pm	Ramzan	VOZET-1, Rantac-1	OPD cough
683	Pappu Hansda	Driver	07/07/25	3:50pm	Pappu Hansda	Clavom-2, Flexon-1, OMEZ-2	Open Leg injury
684	Sibu Karmokar	Driver	09/07/25	11:25	Sibu Karmokar	Zerodol-1, Rantac-1	Pain in Neck
685	Souvik Mondal	CPU	09/07/25	4:00pm	Souvik	Calpol-1, Rantac-1	Fever
686	Rabi Hembaram	B. Nandi	09/07/25	4:50pm	Rabi Hembaram	Metrogyl-1, OMEZ-1	Loose motion
687	Santunu Sifh Shit	Electrical	10/07/25	2:09	Santunu	Zerodol-1, Rantac-1	Pain in Shoulder.
688	Arbind Mishra	Equipman	10/07/25	11:04	Arbind	Unizyme-1, Rantac-1, Flexon-1, Omepr-1	Fever with body pain vomiting. 11/07/25
689	Sitendra	Electrical	11/07/25	12:40pm	Sitendra	Drotin-1, Rantac-1	Pain in Abdomen.
690	SK. Rabiul	Driver	12/07/25	2:00pm	SK Rabiul	Unizyme-1, Rantac-1, Drotin-1	Pain in Abdomen
691	Mithilesh Kumar	OPE	12/07/25	4:00pm	Mithilesh	Zerodol-2, Rantac-2	Open Arm Injury Leg 12/07/25
692	Pappu	Kitchen	14/07/25	10:15 AM	Pappu	Rantac-2	Acidity/Gas
693	Kanchan Baresi	Balcer	14/07/25	10:45 AM	Kanchan	Metrogyl-2, Rantac-2 400mg 150	Loose Motion
694	Mongal Hansda	Star	14/07/25	10:50 AM	Mongal	Paracetamol 650mg-2 Rantac-2	High Fever and body Pain
695	Parimal Lohar		14/07/25	11:50 AM	Parimal Lohar	Enzyme-1 Rantac-1	Acidity/Gas

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis / Diagnosed
696	Rasubir Kumar	Domestic	14/07/25	2:00pm	[Signature]	Montek LC-1 Paracetamol-2 Rantac-2	High Fever and body Pain
697	Mongaldeep Baari	JCB	14/07/25	4:00pm	[Signature]	Flexom-2 Rantac-2	Open Leg injury
698	Azham Pal	HR (Helper)	14/07/25	4:15pm	Azham Pal	Zerodol-1 Rantac-1	Open Injury Leg
699	Loknath	Peace Control	14/07/25	5:5pm	Loknath	omez-2	Acidity / Gas
700	Prosenjit Chatterjee	Sil (super visa)	15/07/25	10:15 Am	[Signature]	Zerodol-1 Rantac-1	Open Leg and hand injury (Refer to hospital)
701	Sajal Bagdi	Garden	15/07/25	11:40 Am	Sajal Bagdi	Montek LC-1, Paracetamol-2 Rantac-2	High Fever and body Pain
702	Sebrata Chhosh	Driver	15/07/25	1:30 pm	[Signature]	Paracetamol-1, Rantac-1	High Fever
703	Bidjab Raj	HR	15/07/25	11:10 Am	[Signature]	Montek LC-2, omez-2	High Fever and body Pain.
704	Loren Roy	BKL	15/07/25	2:50pm	[Signature]	Montek LC-1, Rantac-1, unicezyme	Pain in Abdomen
705	Sijen Murmu	Housekeeping	15/07/25	3:30 pm	[Signature]	Paracetamol-1 Rantac-1	High Fever
706	Ramesh Saha	Security	16/07/25	1:30 pm	Ramesh Saha	Montek LC-1, Rantac-1	Fever Cold
707	Akash Choudhury	G.O.B. Helper	16/07/25	1:40 pm	Akash Choudhury	Zerodol-1, Rantac-1	Open Injury Leg.
708	Baloran Jadar	Feed DD's	16/07/25	5:00pm	[Signature]	Montek LC-1, Rantac-1, Unicezyme	Fever cold - Pain and Acidity
709	Manesh Kumar	Dirty	17/07/25	10:20 Am	[Signature]	Hansaplast	Head Injury
710	SK Samraul	Plumber	17/07/25	11:30 Am	[Signature]	Montek LC-1, omez-1, Paracetamol-1	High Fever and body Pain
711	Bhaskar Sarkar		17/07/25	1:20 pm	[Signature]	Ondem-1, Rantac-1	Vomiting
712	Pradip Bagdi	Housekeeping	17/07/25	3:20 pm	[Signature]	Paracetamol-2, Rantac-2 Clasom	High Fever and body Pain

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
713	Rohit Bauri	Helper	17/07/25	5:40 PM	Rohit	Paracetamol 650-1, Rantac 150-1	High Fever
714	Sourav Bauri	Kitchen	17/07/25	5:05 PM	Sourav Bauri	Ondem-4, Montek LC-1	Vomiting <span style="float: right;">18/07/25</span>
715	Mustakim Mirza	Jim Dal	18/07/25	10:25 AM	Mustakim	Zerodol-1, Rantac-1	Open Injury Leg
716	Ashish Pal	Helper	18/07/25	3:30 PM	Ashish Pal	Ondem-2, Rantac-1	Vomiting
717	SK Samial	Plumber	18/07/25	3:35 PM	SK Samial	Montek LC-1	Fever Cold
718	Bablu Mokke	Sival Helper	18/07/25	4:50 PM	Bablu Mokke	Montek LC-1	Head Injury
719	Shrinandan Yadav	Milli	19/07/25	10:10 AM	Shrinandan	Zerodol-1, Rantac-1	Head Injury
720	SK, Jyoti J AI	STP	19/07/25	11:05 AM	SK, Jyoti J AI	Paracetamol 650-1, Rantac-2, Montek LC-1	Fever and Body Pain
721	Sankar Wakat	Doer (Helper)	19/07/25	3:35 PM	Sankar	Claram-1, Zerodol-1, Rantac-1	Open Injury Leg
722	SK Abul Bahid Rahane		19/07/25	3:50 PM	SK Abul	Metrofil 1, Rantac-2	Loss motia, Abdomen Pain
723	Loknath Bagdi	Adpl	19/07/25	4:00 PM	Bagdi	Enzyme-1, Rantac-1	Acidity / Gas
724	RAJARUSH HANSD	STP Helper	19/07/25	4:50 PM	RAJARUSH HANSD	Flexon-1, Rantac-1	Pain in Head
725	Kamlesh K. Pandit	Store	21/07/25	10:30 AM	Kamlesh	Flexon-1, Montek LC-1, Rantac-1	Fever and Body Pain
726	Biswasit Lohar	Tapan Helper	21/07/25	10:40 AM		Clorox Eye Drops	Eye
727	Shiv Kumar	Doyer	21/07/25	10:50 PM	Shiv Kumar	Zerodol-1, Rantac-1	Open Injury Leg
728	Rahul K. Mondal	Mech	21/07/25	11:00 AM	Rahul	Paracetamol-1, Montek LC-1, Rantac-1	Fever and Body Pain
729	<del>SK</del> Bichanon Jadav	Mech	21/07/25	11:30 AM	Bichanon	Montek LC-1, Rantac-1	Fever Cold

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
730	Jayanto Ram	Store	21/07/25	12:30pm	Jayanto Ram	Hansaplast - 1	Head Injury
731	Rohit Bari	CHP	21/07/25	1:10pm	Rohit Bari	Paracetamol-1, Rantac-1	Fever and Body Pain
732	LOKNATH BAGDI	Post control	21/07/25	5:00	Loknath Bagdi	Zerodol-1, Rantac-1	Leg Injury
733	Madhu Sudan Maji	Tapan Helper	22/07/25	10:40am	Madhu Sudan Maji	Paracetamol-1, Rantac-1, Montek	Fever and Body Pain
734	Uttam Choudhary	Dinath Choudhary	22/07/25	10:45am	Uttam	Zerodol-1, Rantac-1	Neck Injury
735	SK. Rahul	Mech Fitter	22/07/25	10:50am	R	Paracetamol-1, Rantac-1, Montek Azithromycin-500	Fever and Body Pain
736	Rupi Soren	mill	22/07/25	11:40am	Rupi Soren	Zerodol-1, Rantac-1	Leg Injury
737	Omash Kumar	Mech	22/07/25	11:50am	Sitara	Zerodol-1, Rantac-1	Leg Injury
738	Sattar Asari	Water Pump	22/07/25	1:00pm	(S)	Flexon-1, Rantac-1	Pain in Head
739	Jayanto Ram	Store	22/07/25	1:40pm	Jayanto Ram	Ondem-1, Rantac-1	Vomiting
740	DILIP KR. BORAL	Security	22/07/25	4:20pm	D Boral	Flexon-1, Rantac-2, Paracetamol-1, Clavaz	Fever and Body Pain
741	Saurav Bauri	Kitchen	22/07/25	5:20pm	Saurav	Paracetamol-2, Flexon-1, Rantac-2	Fever and Body Pain
742	Sunil Jadau	Driver	22/07/25	4:50pm	S	Flexon-1, Rantac-1	Pain in Head
743	Trochandra Santra	Mechhela	23/07/25	10:10am	T	Rolled Bandage	Head Injury
744	SK Alauddin	CHP	23/07/25	10:15am		Paracetamol-1, Rantac-1	Fever and Body Pain
745	SK Samrat Hasure	Plumber	23/07/25	10:20am	S	Rantac-2	Acidity/ Gas
746	Devi Kumar Mete	CHP	23/07/25	12:50pm	D	Zerodol-1, Rantac-1	Pain in neck

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
747	Sajal Basdi	H.R. Helper	23/07/25	12.55 PM	Sajal Basdi	Flexon-1, Rantac-1	Pain in Head
748	Rahul Diger	LCB	23/07/25	4.55 PM	Rahul Diger	Flexon-1, omez-1	Pain in Head
749	Naiful	mech	24/07/25	10.00 AM	NAIFUL	Rantac-2, Paracetamol-2	Fever and Body Pain
750	SK Rahel	mech	24/07/25	10.10 AM	(R)	Rantac-2, Paracetamol-2	Fever and Body Pain
751	SK Janta J	STP	24/07/25	10.25 AM	SK Janta J	Paracetamol-2, Rantac-2, Levocetirizine	Fever and Body Pain
752	Rusi Soron	mill	24/07/25	10.25 AM	Rup, Soron	Metrogyl-2, Rantac-2	Loss Motia Abdomen Pain
753	Mukesh Shave	Kichan	24/07/25	10.30 AM	Mukesh Shave	Paracetamol-2, Rantac-2 Levocetirizine-2	Fever and Body Pain
754	Sakandra Jadhav	mech	24/07/25	10.30 AM	(S)	Flexon-1, Rantac-1	Pain in Head
755	Polkthary Soron	snill	24/07/25	2.15 PM		Rantac-4, Zerodol-1	Leg Injury
756	Ramesh K. Bauri	mech	24/07/25	2.20 PM	R K B	Rantac-2, Metrogyl-2	Loss motia Abdomen Pain
757	Anand	mech	24/07/25	6.05 PM	ANAND	Paracetamol-1, Rantac-1	Fever and Body Pain
758	Gomash Choudhary	mech	25/07/25	10.00 AM	GT XT	Unienzyme-1, Flexon-1, Rantac	Acidity/Gas and Body Pain
759	Sajish Thepa	Driver	25/07/25	10.10 AM	(S)	Unienzyme-1, omez-1	Acidity/Gas
760	Mukesh Shave	Kichan	25/07/25	10.30 AM	Mukesh Shave	Zerodol-1, Rantac-1	Body Pain
761	Saurav Bauri	Kichan	25/07/25	11.30 AM	Saurav Bauri	Levocetirizine-1, Montek LC-1	Fever and Body Pain
762	Raksh Singh	Safety officer	25/07/25	11.30 AM	Rish	Paracetamol-2, Rantac-2 Levocetirizine-2, Clavam-2	Fever and Body Pain
763	Ansum Khetrapal	Taman Helper	25/07/25	12.55 PM	Ansum Khetrapal	Paracetamol-2, Levocetirizine-2 Rantac-2	Fever and Body Pain

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
764	Vishes Jadao	Mill	25/07/25	2.30pm	Vishes Jadao	Zeradol-1, Rantac-1	body Pain
765	Pradip Bagdi	Canteen	25/07/25	3.30pm	Pradip	T. Km - (3) T. Anil - (3) T. Montek - (2)	Fever
766	Dankumar	Mech	25/07/25	4.10pm	KARAN	Zeradol-1, Levocetizine-1	Eye Pain
767	Dilshad Sheth	coal store	25/07/25	5.25pm	<del>Dilshad</del>	Zeradol-1, Rantac-1	Pain in Head
768	Naifal	Mech	26/07/25	9.50am	NAIFUL	Rantac-2, Paracetamol-2	Fever and body Pain
769	Satyan Chaudhary	Mech	26/07/25	10.00am	Satyan	Paracetamol-1, Zeradol-1, Rantac-1	Pain in Head
770	Prince Kumar	Driver	26/07/25	10.40am	Prince	Paracetamol-2, Rantac-2, Levocetizine-2	Fever and body Pain
771	Naymami	Mech	26/07/25	10.45am	Prince	Montek-1, Paracetamol-2, Rantac-1	Fever
772	Radha Kanta Sheth	Security	26/07/25	11.30am	Radhika	Paracetamol-2, Rantac-2, Levocetizine-1	Fever and body Pain
773	Ajay Kumar	Green Mill	26/07/25	1.20pm	Ajay	Paracetamol-2, Rantac-2, Zeradol-1	Fever and body Pain
774	Chandan Kumar	Electrician	26/07/25	2.15pm	<del>Chandan</del>	Flexon-2, Rantac-2	Pain in Head
775	Rabi Bagdi	Safety	26/07/25	3.00pm	Rabi Ban	Zeradol-1, Levocetizine-1	Eye Pain
776	Binod Jadao	Mech	26/07/25	4.05pm	Binod, 2HR	Zeradol-1, Rantac-1, Levocetizine-1	Eye Pain
777	Guljaas Ahamed	Process	26/07/25	4.05pm	Guljaas	Zeradol-1, Rantac-1, Levocetizine-1	Eye Pain
778	Katant Goyal	Process	26/07/25	4.05pm	Katant	Zeradol-1, Rantac-1, Levocetizine-1	Eye Pain
779	Sunil Thapa	Driver	26/07/25	4.05pm	Sunil	Levocetizine-1, Rantac-1	Eye Pain
780	SUNIL Hombharam	Mill Helper	26/07/25	5.10pm	SUNIL	Pratin-1, Rantac-1	Pain in Abdomen

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
781	Ankit Kumar	Mech/Helpline	26/7/25	5:20 PM	ANKIT	Paracetamol-1, Rantac-1	Fever and Body Pain
782	Sakandra Jadao	mech	26/7/25	5:25 PM		Zerodol-P-1, Rantac-150-1	Leg Injury
783	Merya Z. Alam	COAL store	28/7/25	10:30 AM		Zerodol-P-2, Rantac-2	Pain in Head and Leg
784	Mehul K. Patil	mech	28/7/25	11:25 AM		Zerodol-P-3, Rantac-3	Pain in Head and Leg
785	Rahidiga	QC Lab	28/7/25	11:50 AM	Rahidiga	Paracetamol-1, Rantac-1	Fever
786	Dinesh Sharma	Carpenter	28/7/25	12:19 PM	DINESH SHARMA	T. Rantac-3 + T. Meftal 100-2 T. Noflux-150 + ORJ-1 T. Pen-4 + T. Volt (5)-2	Gastritis
787	Babram guck	Mechanical	28/7/25	12:15 PM			Fever
788	Akash Ankore	C/Chann	28/7/25	12:30		<del>Paracetamol</del> Pen-5, ORJ-1, Setin-1	Fever
789	DUDHAKUMAR WEC	Off	28/7/25	4:40 PM	DUDH	Zerodol-1, Levocetizine-1 Rantac-1	Eye Pain
790	Yashwant Gupta	process	28/7/25	10:05 AM		T. Montek LC-1 + Paracetamol-2 Rantac-2	Fever
791	LKNATH BAGOI	Pest Collection	29/7/25	10:10 AM	Laksh Bagoi	T. Montek LC-1 + Levocetizine-1	Fever and Body Pain
792	Akash Ankore	Kitchen	29/7/25	10:25 AM		T. Pen-1 + T. Montek LC-2 + Rantac-1	Fever and Body Pain
793	Jy. Prakash Jadao	Door	29/7/25	10:45 AM		T. Pen-1 + T. Montek LC-1 + Rantac-1	Fever
794	Sibnath Bhogal	Mill	29/7/25	11:10 AM	S. Bhogal	T. Pen-1 + T. Zerodol-1 + Levocetizine-1	Fever and Body Pain
795	Nolan Jadao	Drat	29/7/25	11:30 AM	...	T. Pen-1 + T. Brufen-2 + T. Rantac-1	Fever and Body Pain
796	Abhijeet Mishra	Driver	29/7/25	12:55 PM	abhijeet mishra	T. Zerodol-P-1 + Rantac-1	Leg Injury
797	Suresh ~ Jadao	Mill	29/7/25	2:25 PM		Zerodol-1, Rantac-1	Hand Injury

At 28/07/25

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
798	Debnish Bhoita	Accounts	29/07/25	3.15pm	Du/a	omez-2	Acidity/Gas
799	Jagannath Koley	Mechanical	29/07/25	3.20pm	Koley	T Pen-② + Montek LC-① + Rantac-②	Fever and body Pain
800	Chandan Kumar	Electrical	29/07/25	3.35pm		Flexon-②, unierzyme-① omez-①	Acidity/Gas
801	Yashwant Gupta	Process	30/07/25	11.10am	Yashwant Gupta	T Amoxicillin-③, Rantac-④ T Pen-4.	Fever and body Pain
802	Shubham Tripathi	Dryer	30/07/25	11.05am	Shubham	T Paracetamol-②, Rantac-② Levocetizine-②	Fever.
803	Mr Aloke	Exide	30/07/25	3.50pm		T Paracetamol-②, Rantac-②	Fever
804	Mr. Sayeed AKHTAR	Mill	30/07/25	5.05pm	Mr. Sayeed Akhtar	T Amoxicillin-③ Rantac-② T Brufen-②	Leg Injury
805	Nanda Lal Hembran	HR. (Helper)	30/07/25	5.10pm	Nanda Lal	T Paracetamol-② Rantac-② Flexon-①	Fever and Head Pain
806	Babul Meemee	Helper	30/07/25	11.20am	Babul Meemee	T Brufen-② Rantac-②	Head Injury
807	Sayish Thopa	Driver	31/07/25	11.35am	Sayish	T Paracetamol-① Rantac-② T Amoxicillin-②	Fever and body Pain
808	Rakesh Sha	Mech	31/07/25	2.00pm	Rakesh	T Paracetamol-② Rantac-②	Fever
809	SDDAM	Helper	1/08/25	12.05pm	SDDAM	T Zerodol-P-① Rantac-①	Leg Injury
810	Sonalal Jadar	mill	1/08/25	2.16pm	Sonalal	T Zerodol-P-2, Rantac-④	body Pain.
811	SK Alauddin	CSP	1/08/25	4.35pm		T Paracetamol-② + Rantac-②	Fever and body Pain
812	Hammad Mondal	Parking	2/08/25	10.05am	Hammad	T Zerodol-① + Rantac-①	Leg Injury
813	Lambu Bani	CSP	2/08/25	10.25am	Lambu Bani	T. Paracetamol-② Rantac-② Levo cetizine-①	Fever and body pain
814	Suman Bani	CSP	2/08/25	10.30am	Suman Bani	T. Paracetamol-② Rantac-② Levo cetizine-①	Fever and body Pain

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
815	Debu Bauri	CSP	2/08/25	10:35 AM	Debu Bauri	T Paracetamol-2 Rantac-2 Levocetizine-1	Fever and body Pain
816	Arun Kumar Jadao	Mill	2/08/25	10:40 AM	Arun Kumar Jadao	T Drotin-1 + Rantac-1	Pain in <del>the</del> Abdomen
817	Vijal Laksh	Driver	2/08/25	11:00 AM	Vijal Laksh	T Zerodol P-1 + Rantac-1	body Pain
818	Koushik Koley	Star	2/08/25	12:30 PM	Koushik Koley	T Drotin-1 + Rantac-1	Pain in Abdomen
818	Debu Bauri	CSP	2/08/25	3:20 PM	Debu Bauri	T Paracetamol-1, Rantac-1, Levocetizine-1, Clarom-2	Fever and body Pain
820	Sourav Bauri	Kitchen	2/08/25	4:30 PM	Sourav Bauri	T Zerodol P-2 + Rantac-2, Flexon-1	Pain in Head and Leg
821	Gaurav Pat	IT	4/08/25	10:15 AM	Gaurav Pat	T Zerodol-1 + Levocetizine-1 Rantac-1	Eye Pain
822	Ashok Sharma	Star	4/08/25	11:25 AM	Ashok Sharma	T Paracetamol-2 + Rantac-2	Fever and body Pain
823	Vijal Laksh	Driver	4/08/25	12:10 PM	Vijal Laksh	T Flexen-2 + Rantac-2	body Pain
824	Kanchan Bauri	Bailar	4/08/25	4:30 PM	Kanchan Bauri	T Rantac-1 + Drotin-1, Mienzhe-1	Pain in Abdomen
825	AKASH BAURI	Bailar	4/08/25	5:50 PM	AKASH BAURI	T Zerodol P-2 + Rantac-2	body Pain
826	Ash Anand	Kitchen	4/08/25	5:50 PM	Ash Anand	Rantac-1	Fever, Acidity/Gas
827	Dinu Ankure	Housekeep	5/08/25	10:40 AM	Dinu Ankure	T Montex Le-1 + Levocetizine-1 + omez-1	Fever
828	Harysul Mondal	Driver	5/08/25	11:05 AM	Harysul Mondal	T Paracetamol-1 + Rantac-1	Fever and body Pain
829	SK Saha	Mill	5/08/25	11:15 AM	SK Saha	T Paracetamol-1, Rantac-1	Fever
830	Ankit Kumar	Mill	5/08/25	12:15 PM	Ankit Kumar	T Paracetamol-1, Rantac-1	Fever
831	Rajeev Kumar	Mill	5/08/25	12:20 PM	Rajeev Kumar	T Paracetamol-1, Rantac-1	Fever

As  
04/08/25

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
832	Prasanta Kumar Mahapatra	Account	5/08/25	5:05 PM	[Signature]	T Rantac-① + Unienzyme ①	Acidity/Gas
833	Ritick Bauri	Driver	6/08/25	11:50 AM	Ritick	T Paracetamol ④ + Rantac-①	Fever and Body Pain.
834	Rabi Sar.	H.R	6/08/25	1:20 PM		T Paracetamol ④ + Rantac-①	Fever and Body Pain
835	Jahid Mridha	Driver	6/08/25	2:20 PM	Jahid	T Montel/c-② + Rantac ① + Paracetamol-②	Fever and Body Pain
836	Ashu Kumar	Mill	6/08/25	3:20 PM	[Signature]	T Amoxicillin-② + Rantac-② Zerodol-P-②	Leg Injury
837	Bumash Yadav	Mill	6/08/25	3:30 PM	[Signature]	T Zerodol-② + Rantac-②	Body Pain
838	Ritick Bauri	Driver	6/08/25	4:00 PM		T Amoxicillin-① + Rantac-① Rantac-②	Fever
839	Sikaram Mehta	Garden	7/08/25	10:25 AM	[Signature]	T Flexon-① + Rantac-①	Pain in Head
840	Babudeb Baddi	Garden	7/08/25	10:40 AM	Babu	T Paracetamol + ② + Rantac-②	Fever and Body Pain.
841	Vikash Yadav	Foreman	7/08/25	11:50 AM	[Signature]	T Droxidol-① + Rantac-②	Pain in Abdomen <sup>At</sup> 07/08/25
842	Ritick Bauri	Driver	7/08/25	12:20 PM		T Paracetamol + ① + Rantac-①	Fever
843	Kumod Yadav	Mill	8/08/25	10:50 AM	[Signature]	T Breufen-② + Rantac-② Zerodol-P-①	Pain in Head.
844	Srinjay Mehi	Driver	8/08/25	11:05 AM	[Signature]	T Zerodol-P-① + Rantac-①	Pain in Leg.
845	Akash Sharma	Helper	8/08/25	2:20 PM	Akash Sharma	T Zerodol-P-① + Rantac-①	Pain in Shoulder
846	Fulchand Yadav	Mill/Helper	8/08/25	5:50 PM	[Signature]	T Paracetamol-② Rantac-②	Fever and Body Pain
847	Sampat Yadav	Mill/Helper	8/08/25	5:50 PM	[Signature]	T Paracetamol-② Rantac-②	Fever and Body Pain
848	Dharamchandra	Car Park (Helper)	9/08/25	10:50 AM	[Signature]	T Paracetamol-② Rantac-② Amoxicillin-②	Fever and Body Pain

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
849	Rakesh Bagdi	Garden	9/08/25	11 AM	Rakesh	T Paracetamol-2 + Rantac-2 Lorocetazine + 2	Fever and Body Pain
850	Sandip Mezi	Driver	9/08/25	11:40 PM	Sz	T Zerodol-P-1 + Rantac-1	Pain in Leg
851	RAJARUSH HANSDA	ISTP	9/08/25	11:40 PM	RAJARUSH HANSDA	Flexon-1 + Rantac-1	Head Pain
852	SAHADEB LOHAR	Garden	9/08/25	12:05 PM	Sahadeb	T Paracetamol-2 + Rantac-2 Lorocetazine-2	Fever and Body Pain
853	Ankit Kumar	Mill	9/08/25	12:20 PM	Rajesh Kumar	T Paracetamol-2 + Rantac-2 Breyer-200-2	Fever and Body Pain
854	Sankar Tadu	Mill	9/08/25	12:25 PM	Shankar	T Paracetamol-2 + Rantac-2	Fever and Body Pain
855	Sahid Muddya	JEB Driver	9/08/25	12:35 PM	Sahid	T Zerodol-P-1 + Rantac-1	Pain in Leg
856	Mithlesh Kumar	Distillation	9/08/25	12:50 PM	Rajam	T Zerodol-2 + Rantac-2	Pain in Hand
857	Akash Sharma	Cosmetology	9/08/25	5:15 PM	Akash	T Zerodol-2 + Rantac-2	Pain in Hand and Leg
858	Ashok Sharma	carp Painter	11/08/25	9:50 AM	Ashok	T Flexon-2, T Rantac-2	Pain in Teeth
859	Binod Bagdi	HR	11/08/25	10:00	Binod Bagdi	T Flexon-2, T Rantac-2, dressing	2nd hand middle finger injury
860	MD. Miraz	coal store	11/08/25	10:40	Dilip Kumar	T Flexon-2, T Rantac-2	cold with body pain
861	Dilip Kumar	coal store	11/08/25	10:50	Dilip	T Flexon-2, T Rantac-2	cold with body pain
862	Pijus Bauri	CSP	11/08/25	11:30	Prajub Bauri	T Flexon-1, T Rantac-1, T. Montelukast	cold with fever
863	D Chandan	Electrical	11/08/25	2:00	D Chandan	T Flexon-2, Rantac-2, T. capof-2	Headache and fever
864	Ampash Kumar	CPZ Civil	11/08/25	3:50	Ampash Kumar	T Zerodol 2, T Rantac-2	Pain in Leg
865	Rakesh Kumar	Tanker	12/08/25	11:20 AM	Rajesh Kumar	T Zerodol-1, Rantac-1	Pain in Hand

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
866	Uday Kumar	Mech	12/08/25	11:50 AM	[Signature]	T Paracetamol-② Rantac-②	Fever and Body Pain
867	Ranjan Bar	Bailor	12/08/25	12:20 PM	[Signature]	T Paracetamol-② Rantac-②	Fever
868	Ramkarna Pal	Elect	12/08/25	2:10 PM	Ramkarna Pal	T Paracetamol-② Flexon-② + Rantac-②	Fever and Body Pain
869	Rittick Bauri	Driver	12/08/25	5:20 PM	Rittick	T Paracetamol-② + Rantac-② Amoxicillin-③	Fever and Body Pain
870	Prush Bauri	CSP	13/08/25	10:25 AM	Prush Bauri	T Paracetamol-② + Rantac-② Amoxicillin-③	Fever and Body Pain
871	Indrajit Mete	Security	13/08/25	10:40 AM	[Signature]	T Paracetamol-① + Rantac-①	Fever
872	Partha Lohar	CSP	13/08/25	11:15 AM	Partha Lohar	T Zerodol-① + Rantac-①	Pain in Head.
873	Satnam Singh	Driver	13/08/25	1:35 PM	[Signature]	T Paracetamol-① + Rantac-② Amoxicillin-②	Fever
874	Sandip Kumar	Lodging mill	13/08/25	2:50 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever and Body Pain
875	Sonalal Yadava	Lodging mill	13/08/25	2:05 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever and Body Pain
876	Ravi Kant Pal	Electrical	13/08/25	2:10 PM	[Signature]	T Paracetamol-② + Rantac-② Amoxicillin-②	Fever and Body Pain
877	Chandan Singh	Electrical	13/08/25	2:10 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever
878	Robi Hembram	B. Nandi	13/08/25	3:40 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever
879	Samaran Hambram	Mill	13/08/25	4:20 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever
880	Dinu Ankure	Housekeeping	13/08/25	5:25 PM	Dinu Ankure	T Paracetamol-② + Rantac-②	Fever and Body Pain
881	Moukesh Tudu	Mill	13/08/25	5:35 PM	[Signature]	T Paracetamol-② + Rantac-②	Fever
882	Hemad Mondal	Cardan	14/08/25	10:25 AM	Hemad Mondal	T Zerodol sp. - ① + Rantac	Pain in Leg.

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
883	Adash Prasadi	Que Lab	14/8/25	12:15pm	Adash	T Zerodal-P-② + Rantac-①	Pain in Head
884	Fullhand Jadar	Mill/Pepper	14/8/25	12:40pm	Fullhand	T Paracetamol-② + Rantac-②	Fever
885	Sandesh Tripathi Singh	Accounts	14/8/25	1:50pm	SADDAM	T Paracetamol-② + Rantac-② Montekle-② + Levocetizine	Fever and Body Pain
886	SADDAM	Mill	14/8/25	2:20pm		T Paracetamol-② + Rantac-②	Fever
887	SAMID	Mill	14/8/25	2:40pm	SAMID	T Paracetamol-② + Rantac-②	Fever and Body Pain
888	Arbind Kumar	Carpenter	14/8/25	3:50pm	Arbind	T Zerodal-P-① + Rantac-①	Pain in Body
889	Sunil Kauri	Mill	14/8/25	5:50pm		T Zerodal-P-① + Rantac-①	Pain in Body
890	Mursh Tudu	Mill	14/8/25	5:55pm	Mursh	T Paracetamol-② + Rantac-② Amoxycillin-②	Fever and Body Pain
891	Amit Kohak	Talking	15/8/25	10:40am	Amit Kohak	T Flexon-① + Rantac-①	Pain in Head
892	AKASH BAURI	BALARAR	15/8/25	10:45am	AKASH	T Zerodal-P-① Rantac-①	Pain in Leg
893	Suman Bauri	CSP	15/8/25	10:55am	Suman Bauri	T Montekle-① + Rantac-② T Paracetamol + ② Rantac-②	Fever Acidity / Gas
894	Dhanish Kumar	Carpenter	15/8/25	11:00am	Dhanish	T Paracetamol + ② Rantac-②	Fever
895	Sasib Kumar	Mill/Pepper	15/8/25	12:30pm	Sasib	T Paracetamol-② Rantac-②	Fever
896	Sukal Basky	Mill/Pepper	15/8/25	3:50pm	Sukal	Rantac-①	Acidity / Gas
897	Pradip Bagdi	House Keeping	16/8/25	10:25pm	Pradip	Rantac-①	Acidity / Gas
898	Dinesh Ankeure	House Keeping	16/8/25	10:25	Dinesh	Rantac-①	Acidity / Gas
899	SANJIB SEN	Hod	16/8/25	1:20	Sanjib	T Montekle-② + Rantac-② Levocetizine-②	Fever

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
900	Bhatkondar Khande	MS	16/8/25	2:30pm	Bhatkondar	T Zerodal-P-①, Rantac-①	Pain in Head
901	Pawan Kumar Mishra	Driver	16/8/25	4:05pm	Pamishra	T Paracetamol-② Rantac-② T Zerodal-P	Fever and Body Pain
902	Kison Totar	CSP	16/8/25	4:20pm	KISON	T Paracetamol-② Rantac-②	Fever
903	Hornishankar Kulkarni Mr Rabi	Mill HR	16/8/25 16/8/25	4:55pm 4:00	M Hogni	T Zerodal-P-① Rantac-① Tomez-② + Unienzyme-① Spic	Pain in Leg
904	Bhushabh Jadhav	Driver	18/8/25	10:20am	Bhushabh	T Paracetamol-② Rantac-②	Fever and Body Pain
905	Mukesh Jadhav	Mill	18/8/25	10:25am	MJ	T Paracetamol-2, Rantac-②	Fever
906	Sh Samir Hogue	Plumber	18/8/25	11:20am	Samir	T Paracetamol-② + Rantac-②	Fever.
907	Raja Bagdi	Prades	18/8/25	11:30am	Raja Bagdi	T Paracetamol-② + Rantac-②	Fever.
908	Rohan Kumar	Prades	18/8/25	2:20pm	Rohan Kumar	T Paracetamol-② + Rantac-②	Fever
909	Ashish Shil	Driver	18/8/25	5:00pm	Ashish	T Metrofil-② + Rantac-②	Loss Stacia Abdomen Pain
910	Sampr Sar	Prades	18/8/25	5:00pm	Sampr	T Montek LC + ② Leocetizine ② + Rantac + ①	Fever
911	Amit Jadhav	Mill	19/8/25	10:25am	Amit Kumar	T Paracetamol-② + Rantac-②	Fever
912	Bali Jadhav	Mill	19/8/25	10:25am	Bali Jadhav	T Zerodal-P, ① Rantac-①	Pain in Leg.
913	Chandan Singh	Electrical	19/8/25	10:30am	Chandan	T Flexon-② + Rantac-②	Pain in Head.
914	Swapn K. Mehta	CSP	19/8/25	10:40am	Swapn	T Zerodal-P + ① + Rantac-① Leocetizine-①	Eye Pain.
915	Hemad Mondal	Garidan	19/8/25	12:10pm	Hemad Mondal	T Zerodal + ① + Rantac-①	Pain in Leg
916	Dhanish Kumar	Mill	19/8/25	12:10pm	Dhanish Kumar	T Zerodal-P + ① + Rantac-① Leocetizine ①	Eye Pain

At  
18/08/25

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
917	Rakesh Jadhav	Driver	19/8/25	1:00pm	RAJESH	T Paracetamol - ② + Rantac - ②	Fever
918	Guljaar Ahmad	Process	19/8/25	3:20pm	Guljaar	T Paracetamol - ② + Rantac - ②	Fever
919	Bhaskar Sarkar	Process	19/8/25	5:20pm	Bhaskar Sarkar	T Paracetamol + ② + Rantac ③ T Flexon - ①	Fever and Body Pain
920	Radha Kanta shroth	Security	20/8/25	1:10pm	Radha	T Rantac - ① + Drotin - ① T Unzyme - ①	Gas / Acidity
921	Azfar Pal	Part helper	20/8/25	1:15pm	Azfar	T Rantac - ① + Drotin - ① + Unzyme - ①	Gas / Acidity
922	Mr Rabi	H.R.	20/8/25	2:00pm		T Paracetamol - ① + Amoxicillin + ⑤ Montek Le + ⑤ Pic	
923	Lal Mohan kam	mill	20/8/25	4:30pm	Kam	T Paracetamol + ② + Rantac - ②	Fever and Body Pain
924	Bikash Riser	Mill	20/8/25	4:30pm	Riser	T Paracetamol + ② + Rantac ②	Fever
925	Radha Kanta shroth	Security	21/8/25	12:00Am	Radha	T Rantac - ① + Drotin - ①	Gas / Acidity
926	Sajid Thapa	Driver	21/8/25	2:10pm	Sajid	T Paracetamol + ⑤ + Rantac - ④ Amoxicillin - ③	Fever and Body Pain
927	Surya moji	Driver	21/8/25	2:15pm	Surya moji	T Flexon - ① + Rantac - ③	Pain in Head
928	Raksh Jadhav	mill	21/8/25	3:10pm	RAKSH JADHAV	T Zerodol - ② + Rantac - ②	Pain in Leg
929	Papaya Bag	mill	21/8/25	4:10pm		T Paracetamol - ④ + Rantac - ③	Fever
930	Moneerul Islam	Driver	21/8/25	4:50pm	Moneerul Islam	T Paracetamol - ④ + Rantac ③	Fever
931	Tonid SARTAR	Driver	21/8/25	5:00pm	TONID	T Zerodol - ② + Rantac ②	Pain in Leg
932	Hemant Singh	Process	21/8/25	5:15pm	Hemant	T Levocetenzine + Rantac - ②	Fever
933	Balf Jadhav	Mill	22/8/25	1:35pm	Balf Jadhav	T Montek Le - ① + Rantac - ①	Fever

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
934	Atash Ankure	Kichanna	22/8/25	05:00	Alex	T Zerodol-P-4 + Rantac-4 Levocetizine-4	Allergy and Body Pain
935	Hariset Singh	Batech. men	22/8/25	5:00pm		T Levocetizine-4 + Rantac-4	Allergy.
936	BISWAJIT Lakar	Dm Plant	22/8/25	5:25pm	PSA	T Zerodol-1 + Rantac-1	Body Pain.
937	Kameel Mohu	Driver	22/8/25	5:50pm	R. Mohu	Tomez-4	Gas/Acidity.
938	Gulabchand Yadav.	Mill	23/8/25	10:40am	Girky	T Zerodol-2 + Rantac-2	Pain in Leg
939	Sajal Baidi	Garden	23/8/25	10:50am	Sajal Baidi	T Flexon-2 + Rantac-2	Pain in Head
940	Monelal Yadav	mill	23/8/25	11:40am	H.M.M	T Zerodol-2 + Rantac-2	Pain in Leg
941	Subhas Hembram	HR-Driver	23/8/25	11:50am	Subhas	T Zerodol-2 + Rantac-2	Pain in Hand
942	Amul Yadav	Mill	23/8/25	11:55pm	Amul Yadav	T Zerodol-2 + Rantac-2	Body Pain
943	<del>ABALI</del> ABALI YADAV	Mill	23/8/25	11:55pm	ABALI	T Paracetamol-2 + Rantac-2	Fever and Body Pain
944	Praveen Kumar	Mill	23/08/25	2 PM	YADU	T. Pm (2) + T. Mont L (2)	Fever
945	<del>ABALI</del> Bilas Yadav	Mill	23/08/25	1 PM		T. Zerodol-2 T. Rantac (2)	cut injury
946	Sikandar Yadav	mill	23/08/25	2 PM	सिकंदर यादव	T. Zerodol-1 T. Pm-1	Toothache
947	Rajesh Kumar	Reading	23/08/25	3 PM	राजेश कुमार	T. Pm (2) T. Rantac (1)	Headache.
948	Jayant Ram	Store	25/8/25	11 AM	Jayant	T Rantac-2	Gas/Acidity
949	Narod Kumar	mill	25/8/25	12.00 PM	नारद कुमार	T Paracetamol-2 + Rantac-2	Fever and Body Pain
950	Amul Yadav	mill	25/8/25	12:20 PM	Amul Yadav	T Zerodol-2 + Rantac-2	Pain in Hand.

23/08/25

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
951	Ambind Singh	Mechanical	25/8/25	2-15 PM	Dohind	T Rantac - (2)	Gas/Acidity
952	Momlal Jadar	mill	25/8/25	3-40 PM	H. H. M.	T Paracetamol - (2) + Rantac - (2)	Fever
953	TARAK NATH	mill	25/8/25	4.50 PM	T. M. M.	T Zerodol P - (2) + Rantac - (2)	Pain in Head
954	Ajit Muzumee	mill	26/8/25	10.25 AM	AJIT MURMU	T Paracetamol - (2) + Rantac - (2)	Fever
955	Dine Anjare	House Keeping	26/8/25	11.50 AM	.	T Metrogyl - (2) + Rantac - (2)	Loss Motia Abdomen Pain
956	ARUN JADAR	mill	26/8/25	4.00 PM	ARUN K	T Paracetamol - (2) + Rantac - (2)	Fever.
957	Kanli Mohu	Dinner	26/8/25	5-40 PM	R. Mohu	T Unzyan - (2)	Gas/Acidity.
958	Subhash Pattanm	Stone	26/8/25	6:00 PM	Subhash	Paracetamol - 650 (3), Rantac (3)	Fever / headache.
959	Debasish Bhunia	ACCOUNTS	27/8/25	11.20 AM	@unja	T Paracetamol - (2) + Rantac - (2)	Fever.
960	Raj Jadar	mill	27/8/25	11.55 AM	Raj	T Paracetamol - (2) + Rantac - (2)	Fever and Body Pain
961	Muksh Jadar	mill	27/8/25	11.55 AM	M. H. M.	T Paracetamol - (2) + Rantac - (2)	Fever
962	Amal Yadav	mill	27/8/25	12.20 PM	+ Amal Yadav	T Flexon - (2) + Rantac - (2)	Pain in Head
963	Shiv Jadar	Dryer	27/8/25	12.50 PM	Shiv	T Zerodol P - (2) + Rantac - (2)	Pain in Head.
964	Jaasud.	Dr. J.	27/8/25	1.20 PM	Jaasud.	T Unzjan - (2) + Rantac - (2)	Gas/Acidity.
965	Amponcha Behu	Stone	27/8/25	3.50 PM	.	T Montokle - (2) + Rantac - (2) Levocetizine - (1)	Fever.
966	"	"	"	5.50 PM	"	T Paracetamol - (4) + Rantac - (2) Levocetizine - (2).	Fever and Body Pain.

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
967	Satish Thapa	Driver	28/8/25	12:20pm	Dm	Tomez-②	Gas/Acidity <span style="float: right;">28/08/25</span>
968	Mr Rabi	HR	28/8/25	12:25pm		T Unienzyme-②	
969	Jhish midya	JEB Driver	28/8/25	12:30pm	Jhish	T Paracetamol-② + Rantac-②	Fever
970	Pappu	Kitchen	28/8/25	12:40pm		Tomez ② + Drosten-①	Gas/Acidity
971	Kamlesh Ks Panabit	H.R.	28/8/25	1:30pm	Kamlesh	T Paracetamol-② + Rantac-② Levocetizine-②	Fever
972	AMR Lohar	mech	28/8/25	1:30pm	AMR Lohar	T Rantac-② + Flexon-②	Pain in leg
973	RANA-BALUPTI	mill	28/8/25	5:40pm	RANA	T Zerodol P-② + Rantac-②	Pain in Hand.
974	Somvir Hembram	mill	29/8/25	2:10pm	Somvir Hembram	T Paracetamol-② + Rantac-② T Flexon-①	Fever and Body Pain.
975	Rajesh KUMAR	mech	29/8/25	2:50pm	RAJESH KUMAR	T Zerodol P-② + Rantac-②	Pain in Hand
976	Ranbu Bawri	mech	29/8/25	3:00pm	Ranbu Bawri	T Zerodol P-② + Rantac-②	Pain in Hand.
977	Jasadi	Driver	29/8/25	5:25pm	Jasadi	Tomez-② + Levocetizine-② T Unienzyme-①	Gas/Acidity.
978	Debasish Bhuiya	ACCOUNTS	29/8/25		Dutia	T Paracetamol-② + Rantac-②	Fever.
979	Krishna Bagdi	Taman Helper	30/8/25	10:50pm		T Zerodol P-② + Rantac-②	Pain in leg
980	Rajesh Jadar	mill	30/8/25	3:50	RAJESH	T Paracetamol-② + Rantac-②	Fever.
981	Rupsi Sozen	mill	11/9/25	12:10pm	Rupsi Sozen	T Flexon-① + Rantac-①	Pain in Head.
982	Rakesh Mahanta	Parti Helper	11/9/25	5:10pm	Ramesh	T Zerodol P-② + Rantac-②	Pain in leg
983	Subrata Sar	H.R	11/9/25	5:50pm		T Unienzyme-②	Gas/Acidity

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
984	Rajibir Jadau	Mill	2/9/25	10:25AM	राजिबीर जादव	T Parectomal - ② + Rantac - ②	Fever
985	Mahab Badi	mech	2/9/25	12:15PM	मिहलबाद	T Zerodal - P - ① + Rantac - ①	Pain in Neck
986	Chody Kumar	Driver	3/9/25	11:10PM	चोडय	T Zerodal - P - ② + Rantac - ②	Pain in Leg (Bandage)
987	Rajin Bami	Security	3/9/25	5:20PM	राजिन बामी	T Metrogyl - ② + Rantac - ②	Loss Matia Abdomen Pain
988	PAPPU KUMAR	mech	4/9/25	12:50PM		T Zerodal - P - ① + Rantac - ①	Pain in Body
989	Dinu Ankeure	Housekeeper	4/9/25	12:50PM	दिनुमकुते	T Flexon - ① + Rantac - ①	Pain in Head
990	Rajabir Hansda	S.T.P	4/9/25	1:00PM	राजिबीर जादव	T Flexon - ① + Rantac - ①	Pain in Head
991	Mandakal Hembram	Housekeeper	4/9/25	1:25PM	मण्डकल	T Metrogyl - ② Norfloxacin + ② + Rantac - ①	Loss matia Abdomen Pain
992	Lavish Thopa	Driver	4/9/25	1:35PM	लव	T Flexon - ① + Rantac - ①	Pain in Head
993	Amarash Paswan	Housekeeper	5/9/25	10:30PM	अमरश	T Zerodal - P - ① + Rantac - ①	Pain in hand (Bandage)
994	Alamgir SK	BCSP	5/9/25	10:50PM		T Zerodal - P - ① + Rantac - ①	Pain in Leg
995	Dilip Banal	Security	5/9/25	12:50PM	दिलीप	T Zerodal - P + Rantac - ① T Levocetizine - ①	Eye Pain
996	Bal Kishore	Mill	6/9/25	12:10PM	बल	T Zerodal - ① + Rantac - ①	Pain in Hand
997	Kanlu Mohui	Driver	6/9/25	12:20PM		T Rantac - ②	Gas/Acidity
998	Monish K Singh	Mechanical	6/9/25	2:10PM		T Parectomal - ② + Rantac - ②	Fever
999	SIVEN MUAMU	Housekeeper	6/9/25	4:50PM	सिवेन	T Flexon - ① + Rantac - ①	Pain in Head
1000	Ram Hansda	S-T.P	6/9/25	5:00PM	राम	T Zerodal - P + Rantac - ①	Eye Pain

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
1001	M.R Rabi	H.R	6/9/25	4:20pm		T Zincovit + 15 Pic + Unienzyme + omdem + Pic. + 15 Pic + Shekal - 50 Calcium - 2 Pkd + omdem - 10 Pic	
1002	Amrash Prshlan	Carpenter	8/9/25	10:00am	अमरश	T Bandage + Zerodal - ① Rantac - ①	Pain in Hand.
1003	Bisale Bagdi	S.T.P	8/9/25	10:20am	बिसले	T Paracetamol + ② Azithromycin ② + Rantac - ②	Fever.
1004	Dilip kn. Banal	Security	8/9/25	12:10pm	दिलीप	T Montek L.C + ② + Rantac - ② + Levo cetizine - ②	Fever
1005	Rajesh Jabare	Carpenter	8/9/25	3:10pm	राजेश	T Zerodal - P - ① + Rantac - ①	Pain in Leg
1006	Abhishek Singh	power plant	8/9/25	3:25pm	अभिषेक	T Montek L.C - ② + omez - ② T Levocetizine - ②	Fever.
1007	Shankar Kamej	Mill	8/9/25	5:10pm	शंकर	T Paracetamol - ② + Azithromycin - ② + Rantac - ②	Fever
1008	Arun Kumar Yadav	Mill	9/9/25	11:20am	अरुण	T Paracetamol - ② + Azithromycin - ② + Rantac - ②	Fever
1009	Vijal Labad	Driver	9/9/25	11:30am	विजल	T Flexon - ① + Omez - ①	Pain in Head.
1010	Sujata Bawji	Security	9/9/25	14:40pm	सुजाता	T Paracetamol + ① Rantac - ① T Montek L.C + ①	Fever and Body Pain.
1011	Abhishek Singh	Power Plant	9/9/25	2:30pm	अभिषेक	T Montek L.C - ② + omez - ② T Levocetizine - ②	Fever.
1012	Narash Reshadare	Mill	9/9/25	4:10pm	नाराश	T Paracetamol + ②	Fever.
1013	Monish	Lab (ae)	9/9/25	4:30pm	मनिश	T Zerodal - SP - ② - Omez - ②	Pain in Leg.
1014	Sujata Bawji	Security	9/9/25	4:50pm	सुजाता	T Paracetamol + ① + Rantac - ① T Montek L.C - ① - Azithromycin	Fever and Body Pain
1015	Dome Ankure	Housekeeping	9/9/25	4:55pm	दोम	T Paracetamol - ② + Rantac - ② T Azithromycin - ②	Fever
1016	Norbaktha Marasa	Mill	10/9/25	10:55am	नोर्बाक्ठा	T Zerodal - ① + Rantac - ① T Mansaplast - ①	Pain in Hand
1017	Ramesh sinesh	Mill	10/9/25	3:40pm	रमेश	T Zerodal - ① + Rantac - ①	Pain in Leg.

SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
1018	<del>Balraj</del> Omprakash Prasad	Driver	11/9/25	11:00 AM	Balraj	Tomez - ① + Unienzyme - ①	Gas / Acidity
1019	Rajaram Handa	STP	11/9/25	11:30 AM	STP	T Flexon - ① + Rantac - ①	Pain in Head
1020	Tajash Deo	Kitchen	11/9/25	11:35 AM	AKS	T Paracetamol - ② + omez ② T Clarium ②	Fever
1021	Indrajit Bho	Store	11/9/25	11:40 AM	Indrajit Bho	T Zerodal - SP - ① + omez ①	Pain in Body
1022	Sourav Bauri	Kitchen	11/9/25	11:45 AM	Sourav Bauri	T Flexon - ① + Rantac - ① T Montek LC - ②	Pain in Head
1023	Pradip Bagdi	House Keeping	11/9/25	3:15 PM		T Unienzyme - ①	Gas / Acidity
1024	Dinesh Ankure	House Keeping	11/9/25	3:40 PM		T Paracetamol - ① + Rantac - ① T Clarium - ①	Fever
1025	SK Solan	S.T.P	11/9/25	10:45 AM	SK Solan	T Zerodal - SP - ① + Rantac - ① Dressing Betadine and Bandage	Pain in Leg
1026	Badra Chaudhary	Driver	11/9/25	12:30 PM	Badra Chaudhary	T Zerodal ② + Rantac ②	Pain in hand
1027	Rajaram Handa	STP	11/9/25	12:35 PM	STP	T Paracetamol - ② + Azithromycin ② + Rantac - ②	Fever
1028	Bharda Mete	STP	11/9/25	12:40 PM	STP	T Paracetamol - ① + Rantac - ①	Fever
1029	LALLAN THAKUR	Manch	11/9/25	5:00 PM	Lallan Thakur	T Zerodal - SP - ② + Rantac - ① Dressing Betadine and Bandage	Pain in Leg
1030	SK Solan	S.T.P	12/9/25	11:50 PM	SK Solan	T Zerodal - ① + Rantac - ①	Pain in Leg
1031	Moinak Pringhani	Store	12/9/25	2:10 PM	Moinak	T Zerodal - SP - ② + Rantac - ②	Pain in Neck
1032	Hemantkar Yadav	Carpenter	12/9/25	4:50 PM	Mil	T Zerodal - ② + Rantac - ②	Pain in hand
1033	Ajpal Pal	House Keeping	12/9/25	5:30 PM	Ajpal	T Zerodal - ① + Rantac - ② + Leucetin zinc - ②	Allergy and Mouth Pain
1034	Mendip Singh	Driver	15/9/25		Mendip Singh	Paracetamol ① + Rantac ① + zerodal - ① + Rantac - ①	Mouth Pain Pain in leg

Sl	Name	Department	Date	Time	Signature	Diagnosis	Treatment
1035	Dinesh Sharma	WORKER	15/09/25	11:00AM	[Signature]	FEVER WITH cold	• Rantac-2, Levocetirizine-2
1036	Pramanand Jadau	WORKER	15/09/25	2:20PM	[Signature]	FEVER WITH cold and headache	Tab-Flexon-2, Tab-cetol-2, Tab-montekll-1
1037	Gulzar Ahmad	process	15/09/25	3:00PM	[Signature]	FEVER WITH body pain	Tab-Flexon-2, Rantac-2
1038	Mondip Singh	Driver	15/9/25	3:40PM		Pain in leg	T Zerodal-① + Rantac-① + Dressing Betadine and Bandage.
1039	Kanu Mohan	Driver	15/9/25	3:45PM	K. Mohan	Gas/Acidity	T Trazam-① + omez-①.
1040	Rittick Bouari	Driver	15/9/25	5:20PM	RITTICK	Fever with body pain	T Montek/c-① + Levocetirizine ① + Rantac ① + Paracetamol-①
1041	Ramjar Jadau	Pipeline	16/9/25	10:40PM	RAMJAR	↓ Pain in leg	T Zerodal-① + Rantac-①
1042	Tontonkumar Jadau	Mill	16/9/25	10:50AM	[Signature]	Pain in Hand	T Zerodal-① + Rantac-①
1043	Sajash Thepa	Driver	16/9/25	12:10PM	[Signature]	Pain in leg	T Zerodal-② + Rantac-②
1044	Chandan Singh	Electrical	16/9/25	12:15PM	[Signature]	Gas and Pain in Head	Tab-Flexon-② - Rantac-② + omez.
1045	Jalon Kumar	Pipeline	16/9/25	12:25PM	[Signature]	Pain in leg	Tab-Zerodal-① + Rantac-①.
1046	Jamal Mondal	Pipeline	16/9/25	12:30PM	[Signature]	Pain in Head	Teb-Zerodal-② + Rantac ②
1047	Arun Kumar Jadau	Mill	16/9/25	12:45PM	[Signature]	Fever	Teb-Paracetamol-② + Rantac-②.
1048	Chandi Lohar	HR-Helper	16/9/25	2:15PM	[Signature]	Pain in leg	Teb-Zerodal-② + Rantac-②
1049	Suresh Bagli	Driver	16/9/25	3:50PM	[Signature]	Fever	Teb-Paracetamol-② + Rantac-②
1050	Alamgar Sh	Mill	16/9/25	4:25PM	..	Pain in leg	Teb Zerodal-① + Rantac-①
1051	Bhush Kumar	Mill	16/9/25	5:00PM	[Signature]	Pain in hand	Teb-Zerodal-① + Rantac-①

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
1052	Chandar Singh	Electrical	17/9/25	12-20pm		Teb-Flexon-(2)+Rantac-(2)	Pain in Head
1053	Dinu Ankure	Houseking	17/9/25	12-25pm	Dinu Ankure	Teb-Metrogyl-(2)+Rantac-(2)	Loss Matia Abdomen Pain
1054	SK Rajizul	Mill/Sinok	18/9/25	11-00Am	SK Rajizul	Teb-Zerodal-(1)+Rantac-(1)	Pain in Neck
1055	Sarjib Sen	Ac	18/9/25	11-10Am		Teb-Unzjam-(3)	Gas / Acidity
1056	Sukhala Sar	Ac	18/9/25	11-25Am		Teb-Montek/Lc-(4)+Rantac-(4)	Fever
1057	Bipul Kumar	Mill	18/9/25	11-50Am	विपुल कुमार	Teb-Paracetamol-(2)+Rantac-(2)	Fever
1058	Tapas Day	Kichan	18/9/25	12-50pm	तापस देव	Teb-Montak-Lc-(2)+Rantac-(2) Paracetamol-(2)Clavam-(2)	Fever and Body Pain
1059	Ramesh Sar	Store/Head	18/9/25	1-50pm		Teb-Unzjam-(2)+omezd-(1)	Gas / Acidity
1060	Dinu Ankure	Houseking	18/9/25	4-20pm	Dinu Ankure	Teb-Paracetamol(1)+Clavam-(1) Rantac-(1)	Fever
1061	Gasta Bauri	Dofez	19/9/25	10,50Am	Gasta	Teb-Paracetamol-(2)+Rantac-(2) Lorocetazine(1)	Fever and Body Pain
1062	Ranjan Bagdi	Dofez	19/9/25	10,55Am	Ranjan	Teb-Paracetamol-(2)+Rantac-(2) Lorocetazine(1)	Fever and Body Pain
1063	Chandan Singh	Electrical	19/9/25	12-00Am	चंदन	Teb-Dantin-(1)+Rantac-(1)	Gas / Acidity
1064	Sarjib Singh	Stores	19/9/25	12-20pm	सर्जिब	Teb-Paracetamol-(1)+Rantac-(1)	Fever
1065	Tapas Day	Kichan	19/9/25	1-10pm		Teb-Paracetamol-(1)+Rantac-(1) Montak-Lc-(1)+Clavam-(1)lorocetazine(1)	Fever
1066	SK Samiul Haque	S-T-P	19/9/25	4-10pm	Samil	Teb-Unzjam-(1)+omez-(1)	Gas / Acidity
1067	Tapas Day	Kichan	20/9/25	12-10pm	तापस देव	Teb-Paracetamol-(4)+Rantac-(4) Montak-Lc-(2)+Clavam-(1)lorocetazine(2)	Fever and Body Pain
1068	Vikas Yadav	Electrical	20/9/25	2-10pm	विकास	Teb-Flexon-(1)+Rantac-(1)	

S	SL	Name	Department	Date	Time	Signature	Treatment	Diagnosis
10	1069	Bayer	Handyman	22/9/25	10:30pm	[Signature]	Teb-Zerodol-① + Rantac-①	Pain in leg
10	1070	Dinu Ankeere	Housekeeper	22/9/25	10:40pm	Dinu Ankeere	Teb-Metrogyl-② + Rantac-②	Loss Motion Abdomen Pain
105	1071	Tapan Mondal	Cont.	22/9/25	11:05pm	[Signature]	Teb-Zerodol-① Rantac-① Urizyam-① omez ①	Gas/Acidity and Pain in leg
10	1072	LOKNATH Baidi	Post control	22/09/25	11:10pm	[Signature]	Teb-Flexon-① + Rantac-①	Pain in Head.
10	1073	Jatin Boudari	mill	22/9/25	11:25pm	[Signature]	Teb-Paracetamol-① + Rantac-①	Fever.
10	1074	Montu Kumar	mill	22/9/25	12:10pm	[Signature]	Teb-Betadine and Bandage	Pain in Head.
10	1075	Gaurav Raj	IT	22/9/25	12:20pm	[Signature]	Teb-Clavam-625 ② + omez-②	Pain in Head.
10	1076	OHIRAJ KUMAR	Safety dbr	22/9/25	2:10pm	[Signature]	Teb-Clavam-625 ② + Rantac-② Paracetamol-② + R Montak-Lc-②	Fever and Body Pain.
10	1077	Sankar Yadav	mill	22/9/25	2:15pm	[Signature]	Teb-Zerodol-P-① + Rantac-①	Pain in Head.
10	1078	Santanu Ghit	Electrical	22/9/25	2:20pm	[Signature]	Teb-Montak-Lc-④	Fever.
10	1079	SACHIN SHARMA	Supervisor	22/9/25	2:25pm	[Signature]	Teb-Paracetamol-② + Rantac-② Azithromycin-②	Fever and Body Pain.
1	1080	SK Samiul Haque	Plumber	22/9/25	3:35pm	[Signature]	Teb-Zerodol-P-① + Rantac-①	Pain in Head.
1	1081	Tapas Dey	Kitchen	22/9/25	4:20pm	[Signature]	Teb-Paracetamol-② + Rantac-② Clavam-625-② +	Fever
1	1082	Sizen Muzumui	Sweeper	22/9/25	4:30pm	SIZEN	Teb-omez	Gas/Acidity.
1	1083	Mr Bidyut Roy	H.R	22/9/25	12:50pm	[Signature]	Teb-Urizyam-② omez D-②	Gas/Acidity.
1	1084	Akash Ankeere	Kitchen	22/9/25	5:40pm	[Signature]	Teb-Zerodol-P-② + Rantac-②	Pain in Leg.
1	1085	Ashok Lal	Asst H-R	22/9/25	4:40pm	Ashok	Teb-Urizyam-① + Rantac-①	Gas/Acidity.

Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
1086	Deep Chatterjee	Sub-...	22/9/25	11:40 PM	Deep Chatterjee	Teb - Uniemzyme ① omez - ①	Diagnosis Gas / Acidity
1087	Shibhatr Boudi	Passa	22.9.25	11.25	S. M. B. B.	Teb - Uniemzyme ① Rantac - ①	Gas / Acidity
1088	Kadik Lohar	C.S.P	23.9.25	10:15	Kadik Lohar	Teb - uniemzyme. X omez	Gas, Acide & Abdomen pain
1089	Kison Lohar	C.S.P	23/9/25	11:5 AM	KISON	Teb - Paracetamol - ② + Rantac - ②	Fever
1090	Rittick Boudari	Driver	23/9/25	12:30 PM	Rittick	Teb - Montak - Lc - ②	Allergy
1091	Soumitra Sikdar	Sub	23/9/25	2:20 PM	Sikdar	Teb - Zerodal BP ② + Rantac ②	Pain in leg.
1092	Aarbind Kumar	Carpenter	24/9/25	10:10 AM		Teb - Paracetamol - ② + Rantac - ①	Fever.
1093	Alangir St	C.S.P	24/9/25	10:20 AM	Alangir St	Teb - Paracetamol - ② + Rantac - ②	Fever
1094	Rosibir Jadar	Carpenter	24/9/25	12:40 PM	Rosibir Jadar	Teb - Paracetamol - ② + Rantac - ② Hand plaster - ①	Fever and Pain in hand
1095	Rittick Boudari	Driver	24/9/25	2:10 PM	Rittick	Teb - Zincovit - ①	
1096	Debasis	Cont	24/9/25	5:20 PM		Teb - Uniemzyme ① + omez ②	Gas / Acidity.
1097	Kanu Mohu	Driver	24/9/25	5:50 PM		Teb - Uniemzyme ① Zincovit ②	Gas / Acidity.
1098	Rittick Boudari	Driver	25/9/25	2:05 PM	Rittick	Teb - Zerodal BP - ① + Azithromycin - ①	Pain in hand.
1099	Prasanta Kumar Mondal	Accounts	25/9/25	5:20 PM	Prasanta Mondal	Teb - Uniemzyme - ① + Paracetamol ① Rantac - ①	Gas / Fever.
2000	SK Samiul Haque	Plumber	25/9/25	5:30 PM	Samuel	Teb - Montak - Lc - ①	Allergy / Cold
2001	Chandan Sing	Electrical	25/9/25	5:35 PM	Chandan	Teb - Uniemzyme - ②	Gas / Acidity.
2002	Dinu Ankure	House Keeping	25/9/25	5:30 PM	Dinu Ankure	Teb - Montak - Lc - ① + Paracetamol - ① Rantac - ①	Fever
2003	Sandip Kumar	Mill	26/9/25	10:50 AM	Sandip	Teb - Paracetamol - ② + Rantac - ②	Fever.

SL	Name	Department	Date	Time	Signature	Treatment	Diagnoses
2004	Molukash Jadar	Mill	25/9/25	11:00 AM	.	Teb-Paracetamol-② + Rantac-② Brufen-②	Fever and Body Pain.
2005	PAPPU	Kitchen	26/9/25	11:30 PM	P. P. P.	Teb-Unionzyme-② + omez D-①	Gas / Acidity.
2006	Ritick Bauri	Driver	26/9/25	12:20 PM	Ritick	Teb-Zerodal P-① + omez-① Azithromycin-①	Pain in tooth
2007	Som Kumar	Dryan	26/9/25	3:10 PM	S. K.	Teb-Zerodal P-② + Rantac-② Paracetamol-②	Fever and Body Pain
2008	Ubo Kumar	Mill	26/9/25	4:10 PM	U. K.	Teb-Levocetizine	Eye Pain
2009	Narayan Sarma	Carpenter	26/9/25	5:35 PM	N. S.	Teb-Zerodal P-① + Brufen-②	Pain in hand.
2010	Arbind Singh	Mechanical	27/9/25	12:20 PM	Arbind	Teb-Paracetamol-② + Rantac-②	Fever.
2011	SODALAL YADVA	Mill/Shop	27/9/25	12:20 PM	S. Y.	Teb-Brufen-② + Rantac-②	Body Pain.
2012	Ramesh Sar	Store Head	27/9/25	12:30 PM	R. S.	Teb-Unionzyme-② + omez-② Parolin-①	Gas / Acidity.
2013	Sar Prasad	Dryan	27/9/25	12:30 PM	S. P.	Teb-Paracetamol-② + Rantac-② Azithromycin-②	Fever and Body Pain
2014	ANOOB KR. MASHM.	Shift Injy.	27/9/25	1:20 PM	A. K.	Teb-Levocetizine-①	Eye Pain
2015	R. V. Banal	Security	27/9/25	3:30 PM	R. B.	Teb-omez D-①	Gas / Acidity.
2016	Sonish Sen	A/c	27/9/25	2:00 PM	S. S.	Teb-Unionzyme-④ + Montak ast.-④	Gas / Acidity
2017	Jahid mi dya	Teb-Driver	27/9/25	2:20 PM	J. M.	Teb-Levocetizine-② montak/c-①	Allergy
2018	Tapas Deo	Kitchen	27/9/25	2:30 PM	T. D.	Teb-Levocetizine-④ + Rantac-④ Paracetamol-④ + Clarum-④	Fever and Body Pain
2019	Ritick Bauri	Driver	27/9/25	2:50 PM	R. B.	Teb-Levocetizine-① Montak /c-①	Cold / Allergy.
2020	Alok Sar	A/c	27/9/25	3:55	A. S.	Teb-ORS-④	Acidity /


Sl	Name	Department	Date	Time	Signature	Treatment	Diagnosis
2021	Gargal Sar	A/c	27/9/25	3-50pm		Tib-ORS-①	Loss Motion Abdomen Pain
2022	Jitendra Gupta	Driver	29/9/25	2-24 pm	Jitan Kamru Mann	Tib-Lorocetazine-④	Eye Pain
2023	Kamru Mohini	Driver	29/9/25	2-25pm		Tib-Urienzyme-④ + omezo ④	Gas / Acidity
2024	Prasanta Kumar Mondal	Account	29/9/25	3-20pm	Pr. Mondal	Tib-Paracetamol-② + Rantac-②	Fever























# **ANNEXURE 8**

## Photograph of Worker with PPEs

















FERMEN  
NO-2  
CAPACITY 1520

# **ANNEXURE 9**



ALCOGRAIN DISTILLERS PRIVATE LIMITED  
Panagarh, West Bengal  
Tool Box Talk Attendance Sheet


Format No-  
CDB/ADPL/TBT/01

Topic- <i>work at height</i>		Date- <i>09-07-25</i>	Shift- <i>General</i>
SI NO	Name of Participants	Designation/ Dept.	Signature
1	<i>mechanical Jaganath Das</i>	<i>mechanical</i>	<i>Jaganath</i>
2	<i>Santanu Saha</i>	<i>mechanical</i>	<i>Santanu</i>
3	<i>Rohit Parshuram</i>	<i>mechanical</i>	<i>Rohit</i>
4	<i>Manish Kumar</i>	<i>Dryer O.P.</i>	<i>Manish</i>
5	<i>Vinay Kumar</i>	<i>Dryer O.P.</i>	<i>Vinay</i>
6	<i>Dinesh Kumar Aggarwal</i>	<i>DRYER</i>	<i>Dinesh</i>
7	<i>MUKESH RAY</i>	<i>mechanical</i>	<i>M RAY</i>
8	<i>Bikash Sharma</i>	<i>mechanical</i>	<i>Bikash</i>
9	<i>LALLAN THAKUR</i>	<i>Mechanical</i>	<i>Lellan Thakur</i>
10	<i>Jaganath</i>	<i>mechanical</i>	<i>Jaganath</i>
11	<i>Shivam Kumar Tiwari</i>	<i>DRYER</i>	<i>Shivam</i>
12	<i>Vikash Maurya</i>	<i>Mech</i>	<i>Vikash</i>
13	<i>Mahendro Prasad</i>	<i>Mech</i>	<i>Mahendro</i>
14	<i>Samir Biswas</i>	<i>Welder</i>	<i>Samir</i>
15	<i>Jawahar Mahto</i>	<i>forman</i>	<i>Jawahar</i>
16	<i>Bhim Prasad</i>	<i>Inst.</i>	<i>Bhim</i>
17	<i>Radhanath Das</i>	<i>WTP</i>	<i>Radhanath</i>
18	<i>Abhinav tripathi</i>	<i>GET</i>	<i>Abhinav</i>
19	<i>—</i>	<i>—</i>	<i>—</i>
20	<i>—</i>	<i>—</i>	<i>—</i>

Discussion Points- *1. What is height work. How To provide guard rail*  
*Importance of guard rail.*  
*2. Anchoring of safety Belts.*  
*3. How To ascend and descent on The ladders.*  
*4. How To inspect The safety Belts.*  
*5. Major Hazards area and how To control.*

TBT Conduct By *TEAM SAFETY & TEAM HR*  
*ADPL*

Signature *Ajeet Singh*  
*09-07-25*





**ALCOGRAIN DISTILLERS PRIVATE LIMITED**  
Panagarh, West Bengal  
**Tool Box Talk Attendance Sheet**

Format No-  
CDB/ADPL/TBT/01

Topic-	P.P.S. Personal Pro Equipment	Date-	12-05-25	Shift-	B
Sl NO	Name of Participants	Designation/ Dept.	Signature		
1	Shivam Kumar Tiwari	Dryer			
2	Abhishek Kumar Yadav	AK-Yadav			
3	Manish Kumar	Dr. 018			
4	Akash Sharma	mechanical			
5	LALLAN THAKUR	Mechanical	Lallan Thakur		
6	Vikash Maurya	Mech.			
7	Sourav Bose	mechanical			
8	Mahendra Prasad	mech			
9	Samir Biswas	welder			
10	Devaach Maurya	Poman	sub		
11	Santunu Saha	Electrical			
12	Radhhanath Das	WTP			
13	Devnarayan Yadav	Rigger	Yadav		
14	md. Anwar	Fitter	md Anwar		
15	Priyanshu Sharma	Fireman	Priyanshu		
16	-	-	-		
17	-	-	-		
18	-	-	-		
19	-	-	-		
20	-	-	-		

Discussion Points- ① Introduction

- ② What is P.P.S?
- ③ Purpose of P.P.S.
- ④ Discuss the points of P.P.S.
- ⑤ Conclude with a sure.

TBT Conducted By **Team HR & Team Safety**  
**Sourabh Yadav & Bidyut Roy**

Signature



**ALCOGRAIN DISTILLERS PRIVATE LIMITED**  
Panagarh, West Bengal  
**Tool Box Talk Attendance Sheet**

Format No-  
CDB/ADPL/TBT/01

Topic-	HOT WORK Safety training.		Date- 14/07/25	Shift- Gen + B
SI NO	Name of Participants	Designation/ Dept.	Signature	
1	Arif Ahmad Syahid	Helper	[Signature]	
2	Jitendra Singh	mechanical.	Jitendra	
3	Rajesh Kumar	helper/dayar	Rajesh Kumar	
4				
5	Abheer Kumar Yadav	helper/labour	Abheer Kumar	
6	Manish Kumar	Dayar O.P.	Manish Kumar	
7	Manish Kumar		Manish Kumar	
8	Sudip Bauri	Dryer helper	Sudip Bauri	
9	Rinta Bauri	mechanical	Rinta Bauri	
10	Mabha Manzi	Dryer mer	Mabha Manzi	
11	Rada Sooran	mechanical	[Signature]	
12	Sameer Hembar	mechanical	[Signature]	
13	Ajay Lohar	mechanical	AJAY	
14	Raju Lohar	mechanical	Raju	
15	Bitash Bauri	labour	Bitash Bauri	
16	Soorave Bagdi	helper	Soorave Bagdi	
17	—	—	—	
18	—	—	—	
19	—	—	—	
20	—	—	—	

Discussion Points- 1 Definition of Hot work

- 1) Work permit check Valid hot work permit must be check before doing hot work
- 2) Area preparation - Surround area must be benicited and combustibles should be removed
- 3) Gas cylinders should be upright position

TBT Conduct By

ADPL

Signature

[Signature]





**ALCOGRAIN DISTILLERS PRIVATE LIMITED**  
Panagarh, West Bengal  
Tool Box Talk Attendance Sheet


Format No-  
CDB/ADPL/TBT/01

SI NO	Name of Participants	Designation/ Dept.	Signature
1	Sunil Kumar Smit	Electrical	[Signature]
2	Rohit Parshuram	worker	[Signature]
3	Radhwanath Das	WTP	[Signature]
4	Insanur Islam	Helper	[Signature]
5	Vinod Kumar	DRIVER OP	[Signature]
6	Abhoy Pada Mondal	Inv. Tannar	.
7	NAZESH MAHALL	Operator	Nazesh
8	Priganshu Sharma	Helper	[Signature]
9	Abir Anwar, Syed	Helper	[Signature]
10	Rajesh KUMAR	worker	Rajesh
11	[Signature]	Helper	[Signature]
12	Raja Lohar	Helper	[Signature]
13	Lakhan Hembram	Helper	[Signature]
14	Sameer Hembram	Helper	[Signature]
15	Raja Soren	Helper	[Signature]
16	ADAY Lohar	Helper	[Signature]
17	R. Jutta Bawri		[Signature]
18	—	—	—
19	—	—	—
20	—	—	—

Discussion Points ① Types of fire extinguishers

- ② PASS Technique shall be used
- ③ fire use safety check
- ④ During fire what gas we do with always safety rules
- ⑤ maintenance & inspection.

TBT Conduct By ADPL



Signature D. Monal  
23/06/2025





















# **ANNEXURE 10**

## FIRE FIGHTING AND SAFETY SYSTEMS & PESO CERTIFICATE



FIRE FIGHTING SYSTEMS





**SAFETY SYSTEMS AND CONTROLLERS**

# **ANNEXURE 11**



**Government Of West Bengal**  
**Office Of The Divisional Fire Officer, Paschim Bardhaman**  
**West Bengal Fire & Emergency Services**  
**Asansol Fire Station, G.T. Road, P.O.:-Asansol,**  
**P.S.:-Asansol(South), Pin :- 713301**

Memo no.:FSR/0125186229100236

Date: 02-10-2023

**From:**  
**Divisional Fire Officer, Paschim Bardhaman**  
**West Bengal Fire & Emergency Services**

**To: ALCOGRAIN DISTILLERS PRIVATE LIMITED**  
**PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :-**  
**PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148**

**Sub: Issuance of Fire Safety Certificate for existing Industrial occupancy, under the name and style as ALCOGRAIN DISTILLERS PRIVATE LIMITED at PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :- PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148.**

This is in reference to your application no. 0125189239100083 dated 31-08-2023 regarding the Issuance of Fire Safety Certificate for existing Industrial occupancy, under the name and style as ALCOGRAIN DISTILLERS PRIVATE LIMITED at PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :- PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148.

The performance of the Fire Fighting System as incorporated in the buildings were tested at random and found satisfactorily working condition. In view of the above this office is releasing the Fire Safety Certificate for occupancy of the aforesaid building.

**Recommendation:**

1. Maintenance/checking testing of all fire safety installations shall be checked time to time.
2. Any nominated officer of this Department shall enter and inspect the building at any time between sunrise to sunset for ascertaining the contravention if any of Fire Prevention and Fire Safety Measures.
3. Good House keeping should always be maintained.
4. Mock Drill must be performed twice in a year and recorded properly.
5. Driveway must be free of any type of obstruction for easy movement of Fire Appliances.
6. No parking will be allowed on the Driveway.
7. The interior finish decoration of the building shall be made with low flame spread material confirming to the I.S. Specification.
8. To eliminate risk of fire hazards, good house-keeping both for inside and outside of the buildings shall be strictly maintained.

9. Existing Electrical wiring of the whole industry shall have to be carefully checked for any wear and tear in them, particularly lines above false ceiling and ducts.
10. The notice of Fire Fighting and Evacuation from the building shall be prepared and displayed at all vulnerable areas of the site.
11. The employees and security staffs shall be conversant with installed Fire Fighting Equipments of the building and to operate in the event of Fire and Testing.
12. Mock Fire practice and Evacuation Drill shall be performed periodically with participants of all the occupants of the industry.
13. A crew of trained Fire Man under an experience officer shall be maintained round the clock for safety of the Industry.
14. First-Aid Fire Fighting system shall be provided as per I.S. specification.
15. Arrangement shall have to be made for regular checking, testing and maintenance of all the fire fighting installation in the industry to keep them in perfectly good working condition at all the times.
16. If required the old lines shall have to be replaced with new lines, the cable shall always be laid in M.S. conduit pipes continuously bonded with the earth.
17. Electrical ducts shall be sealed vertically and horizontally at each floor level by fire resisting materials.
18. The Fire Safety Audit is to be conducted in a regular interval and to be recorded in the fire prevention maintenance register.
19. MSDS of all Hazardous Materials shall be shown in site with Glow Shine Board.
20. Violation of any recommendations which issued from this office previously this fire safety certificate shall be treated as cancelled and no renewal would be made.
21. This Fire Safety Certificate is valid for three years as per existing Govt. Notification and has to be renewed in due time.

Signature valid

Digitally Signed.  
Name: SHUVRANSHU MAZUMDER  
Date: 02-Oct-2023 12:57  
Reason: Approved  
Location: West Bengal

Divisional Fire Officer Paschim Burdwan Division..,  
Paschim Bardhaman  
West Bengal Fire & Emergency Services

# **ANNEXURE 12**



**Government of West Bengal**  
**West Bengal Form No. 393Z (28)**  
**License under the West Bengal Fire Services Act, 1950**

**License no.:FL0125182239100425**

**Date: 07-12-2023**

License is hereby granted to M/S ALCOGRAIN DISTILLERS PRIVATE LIMITED under Section 12 of the West Bengal Fire Services Act, 1950, to use the building or place being No. (a) A22, A23, A40, A41, PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22,, A23, A40 A41 MOUZA -KANKSA, J.L. NO. - 86,, P.S. - KANKSA, DIST. - PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148, Paschim Bardhaman, Pincode - 713148, P.S. - Kanksa PS, Nearest Fire Station - Panagarh as a warehouse/workshop for storing or processing or keeping (b)

1. Ethyl Alcohol - 5226627 Ltr.

subject to the conditions noted below and such other conditions as may be prescribed.

It is hereby acknowledged that a sum of Rs. 40000 being the license fee due by the said M/S ALCOGRAIN DISTILLERS PRIVATE LIMITED for the period from 07/12/2023 to 06/12/2024 in respect of the aforesaid license has been received @Rs. 40000 per annum.

**CONDITIONS ABOVE REFERRED TO:**

- (1) The warehouse/workshop shall at all times be open to inspection by such officer or officers, being member or members of the Fire Brigade, as may be appointed by the Director General of Fire Service.
- (2) The warehouse/workshop shall confirm to the conditions prescribed under Section 12 of the West Bengal Fire Services Act, 1950.
- (3) No article referred to in the Clause (I) of Section 12 of the West Bengal Fire Services Act, 1950, shall be made, prepared, dried or treated in any manner on the top or roof of any building constituting or forming a part of a warehouse.
- (4) No person shall be allowed to use as residence any part of the warehouse or to bring into the warehouse any match-boxes or match-sticks or any artificial light not duly and thoroughly protected or to smoke within the warehouse while jute or cotton is stored therein.
- (5) Needs to renewed within next 1 Year

Digitally Signed,  
Name: Pemba Tsoding Sherpa  
Date: 07-Dec-2023 11:49  
Reason: Approved  
Location: West Bengal

Signature  
Valid

**Collector**

**Fire License Section,  
13D, Mirza Ghalib Street, Kolkata - 16**

# **ANNEXURE 13**



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce &amp; Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum &amp; Explosives Safety Organisation (PESO)

पाँचवा तल, ए-ब्लॉक, सी.जी.ओ. कॉम्प्लेक्स, सेमिनरी हिल्स

नागपुर- 440006

5th Floor, A-Block, CGO Complex, Seminary Hills,

Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)

Phone/Fax No : 0712 -2510248, Fax-2510577

संख्या /No. : P/HQ/WB/15/2689 (P534173)

दिनांक /Dated : 25/04/2023

सेवा में /To,

M/s. ALCOGRAIN DISTILLERS PRIVATE LIMITED,  
S.C.O. 140-141, SECTOR 34-A,,  
Chandigarh,  
Taluka: Chandigarh,  
District: CHANDIGARH,  
State: Chandigarh  
PIN: 160022

विषय /Sub : Plot No, A-22, WBIDC PANAGARH INDUSTRIAL PARK, BLOCK - KANKSA, BARDHAMAN, Taluka: BARDHAMAN, District: PASCHIM BARDHAMAN, State: West Bengal, PIN: 713148 में पेट्रोलियम वर्ग A का अधिष्ठापन -अनुज्ञप्ति जारी करने के बारे में ।  
Petroleum Class A Installation at Plot No, A-22, WBIDC PANAGARH INDUSTRIAL PARK, BLOCK - KANKSA, BARDHAMAN, Taluka: BARDHAMAN, District: PASCHIM BARDHAMAN, State: West Bengal, PIN: 713148 Grant of License regarding.

महोदय /Sir(s),

कृपया आपके पत्र क्रमांक OIN1336246 दिनांक 10/04/2023 का अवलोकन करें ।  
Please refer to your letter No. OIN1336246 dated 10/04/2023

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XV में स्वीकृत, दिनांक 31/12/2027 तक वैध अनुज्ञप्ति संख्या P/HQ/WB/15/2689 (P534173) दिनांक 25/04/2023 भेजी जा रही है ।

Licence No. P/HQ/WB/15/2689 (P534173) dated 25/04/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2027 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञप्त क्षमता /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	4995.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	4995.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें और अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्ती की तारीख या उससे पूर्व **Jt. Chief Controller of Explosives, East Circle office, Kolkata** को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to **Jt. Chief Controller of Explosives, East Circle office, Kolkata**, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(एस. डी. मिश्रा)  
(Shivchandra D. Mishra)  
विस्फोटक नियंत्रक  
Controller of Explosives  
कृते मुख्य विस्फोटक नियंत्रक  
For Chief Controller of Explosives  
नागपुर/Nagpur

Copy forwarded to :-

1. The District Magistrate, PASCHIM BARDHAMAN(West Bengal) with reference to his NOC No MEMO NO. 17(3)DM/PB/FS/XLIII/23 Dated 17/03/2023
2. Jt. Chief Controller of Explosives, East Circle office, KOLKATA. A Copy of the licence along with approved plan is enclosed.

For Chief Controller of Explosives  
Nagpur

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)  
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**Note:-This is system generated document does not require signature.**

# **ANNEXURE 14**



## Government of West Bengal

This document having UDIN **25-G-GA000004-C-1745481927665** has been created by **WEST BENGAL POLLUTION CONTROL BOARD** with authorised person's Aadhaar no XXXXXXXX4130 on **01:35PM, April 24, 2025**.

This document is available at UDIN platform till 01:35PM, April 24, 2030.



Authorised Signatory  
(E-signed)  
Department of IT&E



**WEST BENGAL POLLUTION CONTROL BOARD**  
**Paribesh Bhawan, 10A, Block LA, Sector III**  
**Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA**  
 Website : www.wbpcb.gov.in, e-mail : wbpcbnet@wbpcb.gov.in

Ref No. - WBPCB/4522332/2023

Dated:- 24/04/2025

**FORM 2**

**Grant of Authorization under the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.**

**Ref.:** Application number 4522332 (date-07/12/2023) for management & handling of Hazardous waste under Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 and its amendment thereafter.

M/s. ALCOGRAIN DISTILLERS PRIVATE LIMITED of Panagarh Industrial Park, Gate no.1, P.O.- Panagarh Bazar is hereby granted an authorisation for Generation, Storage, Disposal of Hazardous waste on the premises situated at Panagarh Industrial Park, Gate no.1, P.O.- Panagarh Bazar

**Details of Authorisation**

Sl.No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.*	Quantity(ton/annum)
1	5.2	CHWTSD Facility	0.09
2	36.2	CHWTSD Facility	0.012
3	5.1	recycling through authorized recyclers	0.2

**\* For detail refer to Specific Conditions:**

- (1) The authorisation shall be valid for a period upto **31/03/2030** with effect from the date of issue.
- (2) The authorisation is subject to the following general and specific conditions (Please specify any conditions that need to be imposed over and above general conditions, if any):

**A General conditions of authorisation:**

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.

*"This is computer generated document from OCMMS by WBPCB"*

WBPCB/4522332/2023

Page1



8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

**B Specific conditions:**

1. The unit shall store the hazardous wastes (category wise separately) under shade in an environment friendly safe manner within the premises at designated places and the unit shall not store hazardous waste on site for more than 90 days.
2. Oil/grease contaminated cotton/jute waste (5.2), Used/discarded oil filters (36.2), Contaminated cartons/bags/liners/other packaging material (33.1), Spent ion-exchange resin (35.2) shall be disposed to the CHWTSDF, West Bengal through Manifest system (Form-10).
3. Used oil (5.1) and Contaminated containers (33.1) shall be disposed through recycler/utilizer authorized by the State Pollution Control Board through manifest system (Form-10). During each sale, original Pass-book issued by SPCB to the authorized recyclers shall be endorsed mentioning the quantity and copy of the same shall be kept as record. If not fit for recycling shall be sent to CHWTSDF, West Bengal with manifest system (Form-10).
4. The unit shall submit copies of Form 10 to the State Board on a regular basis.
5. Transport of hazardous and other waste shall be in accordance with the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016, guidelines issued by the Central Pollution Control Board (CPCB) and rules made under the Motor Vehicles Act, 1988. The responsibility of safe transport shall be either of the sender or the receiver whosoever arranges the transport and this responsibility shall be clearly indicated in the Manifest.
6. Records of hazardous waste generation, storage and disposal shall be maintained properly in Form-3 as per Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and shall be available to the inspecting officials of the State Board during inspection.
7. Hazardous waste storage area shall be improved.
8. The unit shall update regularly the environmental information in Display Boards as per the order of the Hon'ble Supreme Court dated. 14.10.2003 in W.P.(C) NO.657 of 1995.
9. Authorisation will be revoked in case of non-compliances with any of the above conditions.



24/04/2025

**Chief Engineer**  
**Waste Management Cell**

*"This is computer generated document from OCMMS by WBPCB"*

WBPCB/4522332/2023

Page2



# **ANNEXURE 15**



FOLLOW SAFETY RULES









OPPO F29 5G

27mm f/1.8 1/1023s ISO50





OPPO F29 5G

27mm f/1.8 1/786s ISO200





OPPO F29 5G

27mm f/1.8 1/1941s ISO200







OPPO F29 5G

27mm f/1.8 1/1865s ISO200





OPPO F29 5G

27mm f/1.8 1/1106s ISO200









Shot on OnePlus  
Powered by Dual Camera





Shot on OnePlus





OPPO Reno11 5G

10 October 2025 at 2:29 pm | TONMOY



Shot on OnePlus

# **ANNEXURE 16**

বিস্তারিত বার্তা

### Contraception methods

FAMILY PLANNING METHOD

দুটি শিশুর জন্মের পরে ৩ বছর পর্যন্ত বিরতি রাখুন

বিস্তারিত বার্তা

REVISIT PLANNING

WORLD POPULATION DAY  
11 July 2022

FAMILY PLANNING BASKET OF CHOICES

CONDOM

ENTER THE FUTURE TOMORROW BY CONTRROLLING THE POPULATION TODAY  
WORLD POPULATION DAY





**CPR GUIDELINES**  
ADULTS & CHILDREN 4-14 YEARS

**Maintain your count**  
**Healthy Heart**





### Service delivery in S.K

Essential 10 Community Public Health Services

- 1. Family Health Care
- 2. Maternal and Child Health
- 3. Adolescent Health
- 4. Management of Non-Communicable Diseases
- 5. Mental Health Care
- 6. Health and Safety
- 7. Health and Nutrition
- 8. Health and Environment
- 9. Health and Education
- 10. Health and Emergency Services

### আস্বাদন সমৃদ্ধ খাবার খাও

বিভিন্ন ধরনের খাবার

কিছু খাবার খাওয়া স্বাস্থ্যের জন্য উপকারী।

সুস্থ থাকতে খাওয়া খাবার খাও।

সুস্থ থাকতে খাওয়া খাবার খাও।

সুস্থ থাকতে খাওয়া খাবার খাও।

### MERCURY FREE ZONE

5A  
1) ASK  
2) ADVICE  
3) ASSESS  
4) ASSIST  
5) ARRANGED

### TALK

T-TELL  
A-ASK  
L-LISTEN  
K-KNOW

### SUB CENTRE DATA BOARD

LC33- 16  
NODR T3- 1  
NODR C.A.S- 0  
TOTAL SC- 1694  
TOTAL A.A.C- 113  
TOTAL H.P- 503  
C.A.D. 1p. CH

DATE	NO. OF PATIENTS	NO. OF CONSULTATIONS	NO. OF TREATMENTS	NO. OF MEDICATIONS	NO. OF SURGERIES	NO. OF VACCINATIONS	NO. OF LABORATORY TESTS	NO. OF REFERRALS	NO. OF DEATHS
01/01/2023	10	15	12	10	5	8	3	2	1
02/01/2023	12	18	14	11	6	9	4	3	2
03/01/2023	8	12	10	8	4	6	2	1	1
04/01/2023	15	22	18	14	7	11	5	4	3
05/01/2023	9	14	11	9	5	7	3	2	1
06/01/2023	11	17	13	10	6	8	4	3	2
07/01/2023	7	11	9	7	4	5	2	1	1
08/01/2023	13	20	15	12	6	10	5	4	3
09/01/2023	6	10	8	6	3	4	2	1	1
10/01/2023	14	21	16	13	7	9	5	4	3
11/01/2023	5	9	7	5	3	4	2	1	1
12/01/2023	16	24	18	14	8	12	6	5	4
13/01/2023	4	7	5	4	2	3	1	1	1
14/01/2023	18	28	21	16	9	13	7	6	5
15/01/2023	3	5	4	3	2	2	1	1	1
16/01/2023	17	26	19	15	8	11	6	5	4
17/01/2023	2	4	3	2	1	2	1	1	1
18/01/2023	19	30	22	17	10	14	8	7	6
19/01/2023	1	3	2	1	1	1	1	1	1
20/01/2023	20	32	24	18	11	15	9	8	7
21/01/2023	0	0	0	0	0	0	0	0	0
22/01/2023	21	35	26	20	12	17	10	9	8
23/01/2023	0	0	0	0	0	0	0	0	0
24/01/2023	22	38	28	21	13	18	11	10	9
25/01/2023	0	0	0	0	0	0	0	0	0
26/01/2023	23	40	30	22	14	19	12	11	10
27/01/2023	0	0	0	0	0	0	0	0	0
28/01/2023	24	42	32	23	15	20	13	12	11
29/01/2023	0	0	0	0	0	0	0	0	0
30/01/2023	25	45	34	24	16	21	14	13	12
31/01/2023	0	0	0	0	0	0	0	0	0
TOTAL	200	300	220	170	90	250	130	110	100

### GATHER

G-GREET  
A-ASK  
T-TELL  
H-HELP  
E-EXPLAIN  
R-RETURN





# Medical Check Up



## Medical Health Check Up Camp with help of Panagarh BPHC



Total Number of Peoples- 177  
Male Candidates- 96  
Female Candidates- 81

# Medical Check Up by Female Doctor



# Check Up of local Children



# Blood Pressure Inspection and medicine provide



# Presence of Unit Head in the Camp



# Fruits and Juice Distribution





Thank You







GOPAL SRITI CUP  
2025  
PANAGARH



L. SMRITI  
KANSAS FOUNDATION  
WINNER  
THROUSE



गोपाल स्मृति का

# GOPAL SMRITI CUP

Organised By : **KANKSA FUN CLUB**

DATE: 29/07/2025

## WINNER

Fifteen Thousand Only

AC NO: 812988786128

₹15000/-

**KANKSA FUN CLUB**

Chique number

Sd/-  
Authorized Signatory

\*123456\* 1234567890 123456\* 12





GOPAL SRITI CUP  
2025  
PANAGARH











Shot on OnePlus

# **ANNEXURE 17**



FOOD ZONE  
AC LOUNGE & RESTAURANT



WEST BENGAL INDUSTRIAL DEVELOPMENT CORPORATION  
**FOOD ZONE**  
AC LOUNGE & RESTAURANT  
24 HOURS OPEN

স্বাস্থ্য সুরক্ষার জন্য  
সর্বসময় মাস্ক পরুন







PANAGARH INDUSTRIAL PARK

PAY & USE  
TOILET

NOTICE  
> For Any Dispute of Battery and Tyre Contact Parking Persons.  
> For Dormitory usage please contact Parking Persons.

A person is sitting on a bench in front of the building.



WEST BENGAL INDUSTRIAL DEVELOPMENT CORPORATION  
(A GOVERNMENT OF WEST BENGAL UNDERTAKING)  
TRUCK PARKING TERMINAL - 3 AT NORTHERN ZONE  
**FOOD ZONE**  
**AC LOUNGE & RESTAURANT**  
- PANAGARH INDUSTRIAL PARK -  
Mobile: 91575 21888 / 70560 58452 / 98381 53927

CANTEEN  
ক্যান্টিন  
केटील

PAY & USE  
TOILET



## Parking area photographs



Shot on OnePlus  
Powered by Dual Camera



vivo T2x 5G  
Dec 31, 2024, 09:13



Shot on OnePlus  
Powered by Dual Camera







# **ANNEXURE 18**

**Photographs of Grain Silo, fuel covered sheds, RCC Roads and covered conveyer belt**




**Grain Silo**



**Ethanol Storage**



**DDGS GODOWN**





**fuel covered sheds**





**covered conveyer belt**





**Ash Silo**



**RCC Roads**



# **ANNEXURE 19**

**Photographs of instrument of Continuous online (24x7) stack  
and Effluent monitoring system**





2025/4/30 14:52



2025/4/30 14:58



EnviroConnect FORBES MARSHALL

Welcome ADPL12 J.Lensell J.Chavez, Environet

Home | Site Admin | Support | Help

Alcograin Distillers Pvt. Ltd., Power Plants Ind... , ADPL12 -

Current Data

Sr. No	Parameter	Instantaneous as of	Instantaneous Value	Average as of	Average	Flag	Permissible Range
1	PM	29-11-2025 12:47:46	43.00 mg/nm3	29-11-2025 12:47:00	43.00 mg/nm3	<	0 - 50 mg/nm3
2	Spent wash Flow	29-11-2025 12:48:04	164.00 m3/hr	29-11-2025 12:47:00	164.00 m3/hr		
3	Syrup Flow	29-11-2025 12:47:59	11.00 m3/hr	29-11-2025 12:46:00	11.00 m3/hr		
4	Process condensate Flow	29-11-2025 12:48:01	110.00 m3/hr	29-11-2025 12:47:00	105.10 m3/hr		
5	Thin Slope Flow	29-11-2025 12:48:14	127.00 m3/hr	29-11-2025 12:47:00	127.00 m3/hr		

EnviroConnect FORBES MARSHALL


Welcome ADPL12 J.Lensell J.Chavez, Environet

Home | Site Admin | Support | Help

Alcograin Distillers Pvt. Ltd., Power Plants Ind... , ADPL12 ETP -

Current Data

Sr. No	Parameter	Instantaneous as of	Instantaneous Value	Average as of	Average	Flag	Permissible Range
1	pH	29-11-2025 12:47:00	7.34	29-11-2025 12:46:00	7.34	pH <	
2	COD	29-11-2025 12:47:00	63.00	29-11-2025 12:46:00	63.00	mg/l <	
3	BOD	29-11-2025 12:47:00	7.86	29-11-2025 12:46:00	7.86	mg/l <	
4	TSS	29-11-2025 12:47:00	20.31	29-11-2025 12:46:00	20.31	mg/l <	



# **ANNEXURE 20**

**ALCOGRAIN DISTILLERS PVT. LTD.,PANAGARH**

**ENVIRONMENT MANAGEMENT CELL**



## ADPL-IN HOUSE LABORATORY



# ADPL-IN HOUSE LABORATORY



## ADPL-IN HOUSE LABORATORY



# **ANNEXURE 21**

# ADPL-LED LIGHTS



LED LIGHTS GLOWING IN DISTILLATION AREA

# ADPL-LED LIGHTS



LED LIGHTS USED NEAR POWERPLANT AREA

# ADPL-LED LIGHTS



LED LIGHTS USED FOR CONVINIENCE

# **ANNEXURE 22**



## TEST REPORT

<b>Name &amp; Address of the Customer:</b> <b>M/s. Alcograin Distillers Pvt Ltd.</b> A-22, Panagarh Industrial Park, P.O + P.S - Kanksa, Paschim Bardhaman, PIN – 7131148	Report No.	: QLS/MR/A/25-26/C/117
	Date	: 27.05.2025
	Sample No.	: QLS/MR/A/25-26/117(A-H)
	Date of Performance	: 22-27.05.2025
	Sample Description	: Spot Noise Monitoring
	Ref No. Date	: 3400008878, Dated – 14.05.2025

## Monitoring Result of Noise

Sampling Done By: P.Mondal					
Sampling Guideline : As per IS: 9989: 1981 (RA-2020)					
Sample No.	Date of Monitoring	Sampling Location	Result		8 Hrs. Exposure Limit
			Maximum dB (A)	Minimum dB (A)	
117A	20 -21.05.2025	Near Main Gate	68.5	50.9	90
117B		Near FD Fan	85.4	82.4	
117C		Near Turbine Room	87.1	84.0	
117D		Dryer Area	84.8	83.5	
117E		Fermenter Area	83.5	81.8	
117F		Distillation Area	88.7	84.3	
117G		Near WTP Plant	72.1	69.2	
117H		Milling Area	86.4	82.7	
Note : Limit as per CPCB Annexure -II					

Report Prepared By :

*Bardhan*

for Qualissure Laboratory Services  
Reviewed & Authorized By

*Bmccou*  
(Benimadhab Gorai, Chemist)  
(Authorized Signatory)

----- End of the Report -----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-C/00

## TEST REPORT

<b>Name &amp; Address of the Customer:</b> M/s. Alcograin Distillers Pvt Ltd. A-22, Panagarh Industrial Park, P.O + P.S - Kanksa, Paschim Bardhaman, PIN – 7131148	Report No.	: QLS/MR/A/25-26/C/122
	Date	: 27.05.2025
	Sample No.	: QLS/MR/A/25-26/122
	Date of Performance	: 22-27.05.2025
	Sample Description	: Spot Noise Monitoring
	Ref No. Date	: 3400008878, Dated – 14.05.2025

## Monitoring Result of Noise

Sampling Done By: P.Mondal					
Sampling Guideline : As per IS: 9989: 1981 (RA-2020)					
Sample No.	Date of Monitoring	Sampling Location	Result		8 Hrs. Exposure Limit
			Maximum dB (A)	Minimum dB (A)	
122	20.05.2025	Near DG	67.8	61.3	90
<b>Note :</b> Limit as per CPCB Annexure -II					

Report Prepared By :

for Qualissure Laboratory Services  
Reviewed & Authorized By

(Benimadhab Gorai, Chemist)  
(Authorized Signatory)



----- End of the Report -----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.

# **ANNEXURE 23**

ENVIRONMENTAL  
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environment Single-Window Hub)



Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

To,

The Director  
ALCOGRAIN DISTILLERS PRIVATE LIMITED  
552, Sector 18 B, Chandigarh,,Chandigarh,Chandigarh-160018

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/173288/2020 dated 06 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC21A022WB155228
2. File No. IA-J-11011/207/2020-IA-II(I)
3. Project Type New
4. Category A
5. Project/Activity including Schedule No. 5(g) Distilleries
6. Name of Project Proposed 660 KLPD Grain based Distillery, 10 KLPD Malt Spirit Plant and 22 MW Cogeneration Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by Alcograin Distillers Private Limited
7. Name of Company/Organization ALCOGRAIN DISTILLERS PRIVATE LIMITED
8. Location of Project West Bengal
9. TOR Date 30 Sep 2020

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/10/2021

(e-signed)  
A.K Pateshwary  
Director  
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

S. Saha  
12.10.2021  
Pradhan  
Kanksa Gram Panchayat

# **ANNEXURE 24**

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Annexure - A

## ENVIRONMENTAL STATEMENT

OF

ALCOGRAIN DISTILLERS PRIVATE LIMITED  
PLOT NO.-A22, WBIDC, PANAGARH INDUSTRIAL PARK,  
DISTRICT: PASCHIM BARDHAMAN, WEST BENGAL  
PIN CODE: 713148

FOR

FINANCIAL YEAR 2024-2025



Page 1 of 7

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Annexure - A

[FORM - V]

(See rule 14)

Environmental Statement for the financial year ending the 31<sup>st</sup> MARCH 2025

## PART - A

(i)	Name & Address of the Owner/Occupier of the Industry operation or process:	Mr. PANKAJ KUMAR TYAGI, M/s Alcograin Distillers Private Limited Plot No.-A22, WBIDC, Panagarh Industrial Park, District: Paschim Bardhaman, West Bengal Pin Code : 713148
(ii)	Industry Category; Primary(STC Code) Secondary (SIC Code)	Primary
(iii)	Production Capacity (Units)	660 KLPD (ETHANOL- 660KLPD )
(iv)	Year of Establishment	2023
(v)	Date of the last environmental statement submitted.	30/11/2024

## PART - B


### Water and Raw Material Consumption

(i) Water Consumption (m<sup>3</sup>/day)

- 2014.28 m<sup>3</sup>/day

Name of Products	Process Water Consumption per unit of product output
	During the financial year 2024-25
Ethanol	4.42 m <sup>3</sup> / KL of alcohol

1. Substituted by Rule 2 (b) of the Environment (Protection) Amendment Rules, 1993 notified vide G.S.R 3'6 (E) dated 22.04.1993.



Page 2 of 7

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Annexure - A

## ii) Raw Material Consumption

Name of Raw Material	Name of Products	Consumption of Raw Material per unit of output*
		During the financial year 2024-25
Grain	ETHANOL	410

\*Specific Consumptions are reported BL of alcohol per MT of Raw Material

## PART - C

### Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

(1)	Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants in discharged (mass/volumes)			Percentage of variation from prescribed standards with reasons
			Parameters in mg/lit.	Average Results (monthly)	Max. permissible Norms of SPC Board	
	1	2	3	4	5	6
(a)	Water (Treated Effluent & Domestic)	ZLD Scheme adopted.				
(b)	Air					
	Boiler Stack		PM (mg/Nm <sup>3</sup> )	40.08	50	All values are within the prescribed norms
	Ambient Air		SO <sub>2</sub> (µg/m <sup>3</sup> )	6.63	80.0	
			NO <sub>x</sub> (µg/m <sup>3</sup> )	21.65	80.0	
			PM10 (µg/m <sup>3</sup> )	66.09	100.0	
			PM2.5 (µg/m <sup>3</sup> )	35.13	60.0	



Page 3 of 7

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022

Phone : 0172-5059999

Annexure - A

## PART - D

### Hazardous Wastes

(As specified under Hazardous Waste Management and Handling Rules, 1989)

Hazardous Waste		Total Quantity (Kg.)
		During the financial year 2024-25
1	Used or Spent Oil (Hazardous Waste Category No. 5.1)	NIL

## PART - E

### Solid Wastes

Solid Wastes	Total Quantity
	During the financial year 2024-25
(a) From Process	
i. DWGS	NIL
ii. DDGS	117986.68 MT
(b) From Pollution Control Facility	
i. Fly Ash (From ESP)	52709.51 MT
(c) Quantity recycled or re utilized	
i. Sold (DDGS)	118638.79 MT
ii. Disposed (Fly Ash)	52709.51 MT


# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Annexure - A

## PART - F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

### SOLID WASTE

S. No.	Name of the Waste	Quantity	Method of Disposal
1	DWGS	NIL MT	
2	DDGS	118638.79 MT	Sold as Cattle Feed / Animal Feed Supplement.
3	Fly Ash	52709.51 MT	Agreement signed with M/s JBM Fly Ash Bricks Udyog LLP to take off fly ash. The "JBM Fly Ash Bricks Udyog LLP" used fly ash for brick manufacturing and paver tiles manufacturing.

### HAZARDOUS WASTE



S. No.	Name of the Waste	Quantity	Method of Disposal
1	Used / Spent Oil	NIL	Plant is newly commissioned. For further recycling of Used/Spent Oil already agreement signed with "West Bengal Waste Management Limited".

## PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

### Major pollution abatement measures were;

- NEW RCC road constructed in plant premises to minimize the fugitive emission.
- Fixed and Movable water sprinkler provided within the premises for suppression of dust particle.
- Storage of Coal has been covered with shade.
- Adequate green belt has been developed (6,594 trees) in the plant area to reduce the particulate matter in the air.
- Regular use of disinfectants in the drain to avoid generation of putrefying micro-organism to mitigate odour within premises.

Page 5 of 7

# ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022  
Phone : 0172-5059999

Annexure - A

## Existing greenbelt in the plant premises

SR. NO.	TREE NAMES(ENGLISH)	TREE NAMES(LOCAL LANGUAGE)	TOTAL NO.
1	CONACARPUS	CONACARPUS	2120
2	MAHOGANY	MAHOGANY	240
3	CUSTARD APPLE FRUIT PLANT	AATA	58
4	Beleric Myrobala	BAHERA	72
5	Acacia auriculiformis wood	SONAJHURI	81
6	ALBIZIA LEBBECK	SIRIS	55
7	BANYAN	BARGAD	29
8	FLAMBUOYANT	KRISHNOCHURA	42
9	ORCHID	MOHANIM	69
10	ARJUNA	ARJUNA	82
11	DEV DAR	DEV DAR	188
12	ORANGE JASMINE	KAMINI	133
13	GOLDEN CHAMPA	SWARNACHAPA	73
14	TEAK	SEGUN	89
15	SAL	SILIGURI SAL	63
16	BUDFLOWER TREE	KADAM	52
17	SPANISH CHERRY	BOKUL	182
18	JASMINE	SIVLI	62
19	Bougainvillea	BEGUNBELIA	450
20	LEMON	NIMBU	25
21	FOXTAIL PALM	FOXTAIL PALM	125
<b>TOTAL</b>			<b>4290</b>




Page 6 of 7

**Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.**

- a) RCC road made in front of DDGS warehouse to ash silo to minimize dust emission.
- b) Plantation has been done along to outside boundary of industry.

**PART - I**

**Any other particulars for improving the quality of the environment.**



**Mr. Pankaj Kumar Tyagi  
(Director)  
Alcograin Distillers Pvt. Ltd.**

# **ANNEXURE 25**

JALUGRAM

0 o'clock

clock

clock

://wbtennders.gov.in

YESMIN

an

Panchayat

### NG MUNICIPALITY

2021-22 dt. 09.10.2021

c asphalt at kotrungDharmatala Lane  
xible pavement restoration with Mastic  
Debaipukur Road in ward no 1 & 4.  
tic asphalt at New Station Road and

2021-22 dt. 09.10.2021

asphalt at PalashSarani, B.G.G Sarani  
2. Flexible pavement restoration with  
M Sarani in ward no. 10, 11, 12 and 13.  
asphalt at R.K. Street and B.K. Street in

2021-22 dt. 09.10.2021

asphalt at Shibtala Street jn. Of G.T  
2. Restoration of Rigid pavement and  
Saha Road and B.N Das Road in ward  
ent and Flexible Pavement by Mastic  
ath Road in ward no. 14, 16 and 19.

2021-22 dt. 09.10.2021

asphalt at Rajmohon Road, Rajendra  
2. Restoration of Rigid pavement and  
Road and R.S. Verma, Road in ward no.

2021-22 dt. 09.10.2021

from the H/O Swapan Chatterjee to the

1. For Details: - [wbtennders.gov.in](http://wbtennders.gov.in)

erson,

inistrators

g Municipality

NIT

Kandi, Murshidabad

ity invites tenders from the  
ctors for Repair works for  
al work in the premises of  
di Municipality.

Dt.: -25.10.21

available from the Office

/-

behalf of Chairperson, BOA,  
Ashokenagar Kalyangarh  
Municipality for Construction of  
Community Toilet under  
Ashokenagar Kalyangarh  
Municipality Tender Reference  
Number : AKM/5141/CT/DEV

Dated: 09-10-2021

Tender ID :

2021\_MAD\_347624\_1 to 5

Bid Submission End Date :

27-Oct-2021 06:00 PM

Sd/- Chairperson, BOA,  
Ashokenagar Kalyangarh  
Municipality.

### PUBLIC NOTICE

Public at large is hereby  
informed that, M/s. Alcograin  
Distillers Private Limited has  
been granted Environmental  
Clearance for Proposed 660  
KLPD Grain based Distillery, 10  
KLPD Malt Spirit Plant and 22MW  
Cogeneration Power Plant at  
Plot No. A22, Panagarh  
Industrial Park, Panagarh, Block  
Kanksa, District Paschim  
Bardhaman, West Bengal by  
"Ministry of Environment, Forest  
& Climate Change" Government  
of India, vide letter No. IA-J-  
11011/207/2020-IA-II (I) dated  
05th October, 2021. Copy of  
Environment Clearance letter  
are available with the SPCB/  
Committee and may also be seen  
at Website of the Ministry and at  
<https://parivesh.nic.in/>.

M/s. Alcograin Distillers  
Private Limited

# यूको बैंक



Whereas, The undersigned being the Assets and Enforcement of Security Interest (Rule 3) of the Security Interest (Enforcement) Act, 2002, the Notice with further interest at the core within 60 days from the date of receipt of the The borrower having failed to repay the amount taken possession of the property described in the act read with rule 8 of the Security Interest (Enforcement) Act, 2002, The borrower in particular and the public in general will be subject to the charge of the UCO Bank with incidental expenses, costs, charges etc. The borrower's attention is invited to provide and secure secured assets.

Sl. No.	Name of the borrower / Guarantor / Financing Branch	EQUITY / COMPRI building a 59. Daga Howrah in Bounded the South East by P by: 4.5 me
1	M/S Crystal Photo, proprietor- Mloy Mondal of Green Park, PS- Santragachi Bakshara, Howrah- 711110 Branch: Baksara, L.M.C Sarani, Baksara, Howrah -711110 Authorised Officer: Pramod Kumar Thakur, Mob: 9733224186	All that p Cottahs s Sa No. 29, Khatian No. 2635, Panchayet No. - 1549 Volume No registered a of Sanjoy P By:- On the South by -3 common Pa Das.
2	Sanjoy Paul, S/o- Subal Paul & Mitali Paul (Co-Borrower), W/o- Sanjoy Paul, Address of Both: Vill - West Chandana (Basak Para), P.O- Deganga (Belpur), P.S- Deganga, Dist. - North 24 Parganas, Pin- 743423 (WB) Branch: Beliaghata Bridge, Beliaghata Bridge, P.O. Beliaghata Bridge, District- North 24 Parganas -743423 Authorised Officer: Avinay Agarwal, Mob: 9007307501	

Date: 10.10.2021, Place : Saltlake

# यूको बैंक UCO BANK

(A Govt. of India Undertaking)

No. 3 & 4 DD Blo Telephone: 033

NOTICE U/S 13(2) OF THE SAR  
This demand notice is hereby given under section 13(2) of the Securitization and Reconstruction and Enforcement of Security Interest (Enforcement) Rules, 2002 hereon their Guarantee with

