



ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022
Phone : 0172-5059999

Date: 30.11.2024

To

The Director

Ministry of Environment, Forest and Climate Change,

Integrated Regional Office, Kolkata

IB – 198, Sector-III, Salt Lake City, Kolkata – 700106

Sub: Submission of **Half-Yearly Compliance Report (April, 2024 to September, 2024)** for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited

Ref.: Environmental Clearance File No.: IA-J-11011/207/2020-IA-II(I) dated 05/10/2021

Dear Sir

With reference to the aforesaid subject and above cited reference matter, this is to apprise you that company has obtained Environmental Clearance vide letter No IA-J-11011/207/2020-IA-II(I) dated 05th October, 2021 for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited.

We are hereby submitting the Half Yearly Compliance Report (April, 2024 to September, 2024) of the conditions stipulated in our Environment Clearance letter issued by Ministry of Environment Forest and Climate Change, New Delhi.

This is for your kind consideration and records.

Thanking you and with regards,

Yours faithfully,

M/s Alcograin Distillers Private Limited



(Authorized Signatory)

Enclosed: Half Yearly Compliance Report (April, 2024 to September, 2024)

Cc – The Director,

Ministry of Environment, Forest & Climate Change (MoEFCC)

Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110003

COMPLIANCE REPORT

Environmental Clearance Letter No.:

IA-J-11011/207/2020-IA-II(I)

Six monthly Compliance report

(April, 2024 to September, 2024)

For

**Proposed 660 KLPD Grain Based Distillery
Plant, 10 KLPD Malt Spirit Plant and 22
MW Co-generation Power Plant**

At

**Plot No. A22, Panagarh Industrial Park, Panagarh, Block
Kanksa, District Paschim Bardhaman, West Bengal**

Submitted by:

**M/S. ALCOGRAIN DISTILLERS
PRIVATE LIMITED**

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

Name of Project: Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited

Environmental Clearance File No.: - IA-J-11011/207/2020-IA-II(I)

Date of Issue EC – 05/10/2021

Period of Compliance: April, 2024 to September, 2024

Status of project:

Alcograin Distillers Private Limited has obtained Environmental Clearance vide letter No IA-J-11011/207/2020-IA-II(I) dated 05/10/2021 for Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal.

The company has obtained Consent to Establish from West Bengal Pollution Control Board vide Memo No. 52-2N-13/2021 (E) dated 21.01.2022 and as amended on 11.02.2022.

The plant has started its manufacturing operations after obtaining Consent to operate from West Bengal Pollution Control Board vide consent Letter No. CO144038 and Memo Number 544-7/ WPBD – Cont (8058) /23 dated 27.09.2023 and as amended on 05.04.2024.

SPECIFIC CONDITIONS

S. No.	Conditions	Compliance status
(i)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	The company has started construction activities after obtaining Consent to Establishment from West Bengal Pollution Control Board vide Memo No. 52-2N-13/2021 (E) dated 21.01.2022 and as amended on 11.02.2022. Copy of the CTE is enclosed as Annexure 1 . The plant has started its manufacturing operations after obtaining Consent to operate from West Bengal Pollution Control Board vide consent Letter No. CO144038 and Memo Number 544-7/ WPBD Cont (8058) /23 dated 27.09.2023 and as amended on 05.04.2024. Copy of the CTO is enclosed as

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		<p>Annexure 2.</p> <p>All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project have been implemented.</p> <p>For existing distillery and Co-generation power plant the environmental protection measures and safeguards have been adopted. These include Integrated MEE, Decanters, Dryer, WWTP, CPU, ESP, Stack along with online monitoring system, Green Belt Development, Paved Roads, Covered Fuel yard, covered conveyer belt, Grain Silo Storage, Fire-fighting system, Occupation Health Centre, Lab Equipment, Water Sprinklers, Environmental Management Cell etc. which have been provided with respect to the environmental management plan.</p> <p>Photograph of the environmental protection measures and safeguards is enclosed as Annexure 3.</p>
(ii)	<p>The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.</p>	<p>The plant is being based on <i>Zero Effluent Discharge</i> completely. The spent wash/Grain Slops is being passed through Centrifuge Decanters for separation of suspended solids separated as Wet Cake (also known as DWG Distillers Wet Grains). Thin Slops from the Decanter Centrifuge is being partly recycled to process and the balance will be fed to Thin Slop Evaporation Plant for concentration of remaining solids to form Slop Syrup and partly recycled. These is being combined and</p>

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		<p>sent for drying in a Dryer. The Wet Cake and Syrup mixture is being dried in Steam Tube Bundle Dryer for producing Dried Distillers Grains Soluble (DDGS)/Animal Feed Supplement (AFS). The AFS is being /will be utilized as Cattle, poultry and fish feed ingredients.</p> <p>The process condensate, Cooling tower blow down, DM/RO reject and boiler blow down is being recycled back in the process after treatment in Effluent Treatment Plant and Condensate Polishing Unit.</p> <p>No waste or treated water is being discharged outside the premises.</p> <p>Photograph of the Centrifuge Decanters, MEE, Dryer, CPU, WWTP, RO Plant, DDGS godown, STP Plant is enclosed as Annexure 4.</p>
(iii)	<p>Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard and renewed from time to time. No ground water recharge shall be permitted within the premises.</p>	<p>Groundwater permission has been obtained from SWID, West Bengal Groundwater Resource Development Authority (Paschim Burdwan) vide Permit No. P2216086001950000001TLE, P2216086043480000001TME, P2216086001170000001TME, P2216086004240000001TME, P2216086000930000001TME. Copy attached as Annexure 5.</p> <p>No ground water recharge has been permitted within the premises.</p>
(iv)	<p>The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.</p>	<p>The spent wash/Grain Slops is being passed through Centrifuge Decanters for separation</p>

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		<p>of suspended solids separated as Wet Cake (also known as DWG Distillers Wet Grains). Thin Slops from the Decanter Centrifuge is being partly recycled to process and the balance will be fed to Thin Slop Evaporation Plant for concentration of remaining solids to form Slop Syrup and partly recycled. These is being combined and sent for drying in a Dryer. The Wet Cake and Syrup mixture is being dried in Steam Tube Bundle Dryer for producing Dried Distillers Grains Soluble (DDGS)/Animal Feed Supplement (AFS). The AFS is being /will be utilized as Cattle, poultry and fish feed ingredients. Photograph of the Centrifuge Decanters, MEE, Dryer, DDGS godown is enclosed as Annexure 6.</p>
(v)	<p>CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.</p>	<p>CO₂ scrubbers have been installed in the fermentation section. Since there is no demand for CO₂ in nearby areas, hence the CO₂ plant has not been installed. However, the company is exploring the market for CO₂ and when the demand for the same is identified; the company shall install the CO₂ plant.</p>
(vi)	<p>Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.</p>	<p>The plant is operational at present and Occupational Health surveillance is being/will be done. Records of the Occupational Health surveillance programmes organized for the workers working at project site is being/will be maintained. Health data of workers along with photographs of regular checkup is</p>

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		<p>enclosed as Annexure 7. All workers and employees are provided with required PPEs like ear muffs, ear plugs etc. exposed to high noise level and safety kits/mask for personal protection.</p> <p>Photograph of Worker with PPEs is enclosed as Annexure 8.</p>
(vii)	<p>Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.</p>	<p>The company is providing training facilities on safety and health aspects of chemicals handling for all the employees regularly. Safety training record and photographs are enclosed as Annexure 9.</p>
(viii)	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.</p>	<p>The unit has made necessary arrangements for protection of possible fire hazards during manufacturing process in material handling along with proper Fire-fighting system. Photographs of installed fire-fighting and safety systems in the plant is attached as Annexure 10.</p> <p>The company has obtained Fire Safety Certificate for Existing industry from West Bengal Fire and Emergency Services, Government of West Bengal vide Memo no. FSR/0125186229100236 dated 02.10.2023. Copy of NOC is attached as Annexure 11.</p> <p>Fire License has been also obtained by the company from Govt. of West Bengal, Fire License Section, Kolkata vide License No. FL0125182239100425 dated 07.12.2023. Copy of the same is enclosed as Annexure 12.</p> <p>PESO certificate has been obtained by the</p>

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		company from Govt. of India, Ministry of Commerce and Industry, PESO, Nagpur vide S. No. P/HQ/WB/15/2689 (P534173) dated 25.04.2023. Copy of the same is enclosed as Annexure 13 .
(ix)	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Used oil and grease generated from plant machinery/gear boxes as hazardous waste is being given Authorized Re-processors /Recyclers by SPCB/CPCB. ETP sludge generated is used as manure in greenbelt development inside plant.
(x)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	During operation phase, the company will comply all the statements. <ul style="list-style-type: none">• The Flow meters is being installed in effluent line which is going to ETP to minimize/controlling the waste.• CO₂ scrubbers have been installed in the fermentation section• Spent wash is being dried to form DDGS to be used as cattle feed.• Automated filling is proposed to minimize spillage.• The MEE is being integrated with distillation for vapour recovery.• High pressure hoses for equipment cleaning have been proposed to reduce the waste water generation.
(xi)	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State	The company has earmarked 33 percentage of total plant area to be developed under greenbelt and plantation. The green belt of at least 5-10 m width is being developed, mainly along the plant

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

	Forest Department. Records of tree canopy shall be monitored through remote sensing map.	periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Photographs of greenbelt development are enclosed as Annexure 14 .
(xii)	As committed allocated fund of Rs 2.0 crores for social developmental activities shall be spent on improving infrastructure of educational institutions nearby.	The company has allocated Rs. 2.0 Crore to be spent towards social developmental activities in nearby villages. The company has started CER activities and implemented in consultation with Local administration and village Pradhan and rest funds are being spent. Details and photos of the same are enclosed as Annexure 15 .
(xiii)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.	The company has earmarked adequate space inside the plant premises for parking of vehicles for raw materials and finished products and vehicles are parked at designated places only. No vehicles are parked on public places outside plant. Parking area photographs are enclosed as Annexure 16 .
(xiv)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	The company is being/will be store all raw materials either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions. Biomass is also stored in covered sheds. Paving of all internal roads shall be done in due course.

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		Photographs of Grain Silo, fuel covered sheds, RCC Roads and covered conveyer belt are enclosed as Annexure 17.
(xv).	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	The company has installed Continuous online (24x7) monitoring system for stack emissions and data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit has installed web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises. Photographs of instrument of Continuous online (24x7) stack and Effluent monitoring system is enclosed as Annexure 18.
(xvi)	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell has been created by the company. A full-fledged laboratory facility has also been setup to carry out the Environmental Management and Monitoring functions. EMC head is being/will be directly report to Head of Organization/ Director/CEO as per company hierarchy. Details of Environmental Management Cell and photographs of in-house laboratory are enclosed as Annexure 19.
GENERAL CONDITIONS		
(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate	Noted and agreed.

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

	<p>Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	
(ii)	<p>The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.</p>	<p>The company already installed LED for lighting purpose. The company is actively inclined towards energy conservation and environment betterment and adequate measures are being/will be followed for the same. Photographs of LED Lights installed within plant is enclosed as Annexure 20.</p>
(iii)	<p>The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).</p>	<p>Proper noise control measures are/will be followed inside the plant. Noise quality monitoring data of plant has been done by the company through third party. Test report for the same are enclosed as Annexure 21. The results are within standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time). Acoustic enclosures are provided with DG Sets.</p>
(iv)	<p>The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake</p>	<p>The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake</p>

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

	eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Total capital cost earmarked towards environmental pollution control measures is Rs. 70.0 Crores and the Recurring cost (operation and maintenance) will be about Rs. 0.80 Crores / annum.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	A copy of the Environment clearance letter has been sent by the company to the Pradhan, Gram Panchayat. Receiving Copy of the same is enclosed as Annexure 22 .
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	The Company is / will be submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. The company has uploaded the EC and compliance status of EC conditions along with result of monitoring data at company

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

		website http://www.alcograin.in
(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Copy of environmental statement of Form-V for FY 2023-24 is attached as Annexure 23 .
(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The company has advertised public notice regarding Environment Clearance in two local newspapers dated 10.10.2021. The copy of advertisement is attached herewith as Annexure 24 .
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted. The date of financial closure is 31st March of every year as submitted

Proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant

At Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal

EC Compliance report

(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.
------	---	--------

ANNEXURE 1



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Director
ALCOGRAIN DISTILLERS PRIVATE LIMITED
552, Sector 18 B, Chandigarh,,Chandigarh,Chandigarh-160018

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/173288/2020 dated 06 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

1. **EC Identification No.** EC21A022WB155228
2. **File No.** IA-J-11011/207/2020-IA-II(I)
3. **Project Type** New
4. **Category** A
5. **Project/Activity including Schedule No.** 5(g) Distilleries
6. **Name of Project** Proposed 660 KLPD Grain based Distillery, 10 KLPD Malt Spirit Plant and 22 MW Cogeneration Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by Alcograin Distillers Private Limited
7. **Name of Company/Organization** ALCOGRAIN DISTILLERS PRIVATE LIMITED
8. **Location of Project** West Bengal
9. **TOR Date** 30 Sep 2020

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/10/2021

(e-signed)
A.K Pateshwary
Director
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environment Single-Window Hub)



This has reference to your online proposal No. IA/WB/IND2/173288/2020, dated 06th September, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the project proposed 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited.

3. All Molasses based distilleries >100 KLPD & Non-Molasses based distilleries >200 KLD are listed at S.N. 5(g) of Schedule of Environment Impact Assessment (EIA) Notification dated 14.9.2006 and as amended on 13.6.2019 under category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC). It was informed that no litigation is pending against the proposal.

4. Standard ToR has been issued by Ministry of Environment, Forests & Climate Change vide letter IA-J-11011/207/2020-IA-II(I) dated 20th September, 2020. Public Hearing for the proposed project has been conducted by the West Bengal Pollution Control Board on 29th July, 2021 presided by Additional District Magistrate, Paschim Bardhaman district. The main issues raised during the public hearing are related to employment and environmental pollution mitigation measures.

5. The details of products and capacity are as under: -

Unit	Capacity	Product	By-product
Grain Based Distillery Plant	660 KLPD	Ethanol/Rectified Spirit (RS) /Extra Neutral Alcohol (ENA) /Industrial alcohol (IA)/ Denatured Spirit (DS)/ Specially Denatured Spirit (SDS)/ Udenatured Ethyl Alcohol of an alcoholic strength by volume of 80% or higher	Animal Feed Supplement (AFS) & CO2
Malt Spirit Plant	10 KLPD	Malt Spirit	
Co-generation Power Plant	22 MW	Power	-
IMFL/CL Bottling Plant	6.0 lakh Cases/month	IMFL/CL Bottled Liquor	-

6. The total area for the proposed distillery project is 9.27 ha (92700 m²). Industry will develop greenbelt in an area of 33% i.e. 3.06 Ha (30600 m²) out of total area of the project.

7. The estimated project cost is Rs. 265 Crores. Total capital cost earmarked towards environmental pollution control measures is Rs. 70.0 Crores and the Recurring cost (operation and maintenance) will be about Rs. 0.80 Crores / annum. Total Employment will be 200 persons (Permanent 150 & temporary 50) during operation phase. Industry proposes to allocate Rs. 2.0 Crores @0.75 % of total project cost towards Social developmental activities.

8. There are No National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors, lies within 10 km radius of the project site. Bilaspur PF (~0.2 km in North direction), Baradoba PF (~4.2 km in ENE direction), Khandari PF (~5.0 km in ESE direction), Premganj PF (~6.5 km in ENE direction), Ramnagar PF (~8.0 km in East direction), Kuldhiha PF (~9.0 km in ENE direction), Radhaballabpur PF (~9.0 km in ESE direction), Babuisol PF (~9.8 km in ENE direction); River/ Canal i.e. Panagarh Branch Canal (~2.0 km in South direction), Left Bank Main Canal (~3.4 km in SW direction), Kukal Nadi (~4.5 km in SSE direction), Damodar Branch Canal (~5.5 km in NW direction), Kunur River (~5.7 km in NNE direction), Damodar River (~7.0 km in SSW direction) are found within 10 km radius.

9. Ambient air quality monitoring was carried out at 8 locations during October to December, 2020 and the baseline data indicates the ranges of concentrations as: PM10 (61.5 to 95.6 µg/m³), PM2.5 (28.3 to 52.4 µg/m³), SO₂ (5.7 to 17.6 µg/m³) and NO₂ (13.2 to 34.5 µg/m³). AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.30 µg/m³, 0.12 µg/m³, 1.01 µg/m³ and 1.13 µg/m³ with respect to PM10, PM2.5, SO_x and NO_x. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

10. Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Effluent process of 620 KLPD (Boiler blowdown, DM / RO Reject & CT blowdown) will be treated through WWTP of 1000 KLPD capacity and MEE condensate of 2332 KLD will be treated through CPU of 2800 KLPD Capacity. The plant will be based on Zero Liquid discharge system.

11. Total power requirement for Ethanol plant will be 12.0 MW, which will be sourced from the 22.0 MW Co-Generation Power Plant Construction power / standby power connection shall be taken from West Bengal State Power Corporation Limited. Unit will be having D.G. Sets of 4 x 1250 KVA which will be used as standby during power failure. Adequate Stack height (8 m) will be provided as per CPCB norms. Boiler of 160 TPH with ESP as Air Pollution Control Equipment and a stack height of 82 m will be installed for controlling the particulate emissions within the statutory limit of 50 mg/Nm³.

12. Details of Process emissions generation and its management:

CO₂ (460 TPD) generated during the fermentation process will be recovered by CO₂ Scrubbers and sold to authorized vendors.

13. Details of Solid waste/Hazardous waste generation and its management:

- Grain Slops (Spent Wash) and Malt Spirit Slops will be passed through centrifuge decanters for separation of suspended solids separated as Wet Cake DWGS (570 TPD) and dried to obtain Animal Feed Supplement AFS (290 TPD) to be used as cattle, poultry and fish feed ingredients.
- Ash (270 TPD) generated from the boiler will be Coal or various biomass based. Coal based ash will be supplied to brick/cement manufacturers and biomass-based ash will be used for soil amendment.
- Used oil & grease (2.0 KL/Annum) generated from plant machinery/gear boxes as hazardous waste will be sold out to the CPCB authorized recyclers.

14. During deliberations EAC suggested that Rs. 2.0 crores allocated for social developmental activities shall be spent on improving infrastructure facilities in nearby educational institutions. PP has agreed for the same and submitted an undertaking in compliance for the same.

15. The proposal was considered by the EAC in its 40th meeting held during 14th-16th September, 2021 in the Ministry, wherein the project proponent and their consultant M/s. J.M. EnviroNet Pvt. Ltd presented the EMP report as per the ToR. The Committee found the EMP report complying with the PFR and recommended the project for grant of environmental clearance.

16. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

17. The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of environmental clearance.

18. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

19. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and

Climate Change hereby accords environmental clearance for to the project proposed project 660 KLPD Grain Based Distillery Plant, 10 KLPD Malt Spirit Plant and 22 MW Co-generation Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by M/s. Alcograin Distillers Private Limited, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:

-

A. Specific Conditions:

(i) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(ii) The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.

(iii) Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.

(iv) The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.

(v) CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.

(vi) Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.

(viii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.

(ix) Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.

(x) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery

system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

(xi) The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.

(xii) As committed allocated fund of Rs 2.0 crores for social developmental activities shall be spent on improving infrastructure of educational institutions nearby.

(xiii) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.

(xiv) Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

(xv) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(xvi) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Conditions:

(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.

(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

20. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the

said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

21. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

22. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

23. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

24. This issues with the approval of the competent authority.

(Ashok Kumar Pateshwary)
Director

Copy to: -

1. The Principal Secretary, Department of Environment & Forest, 5th Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata - 700 106
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kolkata IB - 198, Sector-III, Salt Lake City, Kolkata - 700106
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhawan 10A, Block-LA, Sector-III Bidhannagar, Kolkata-700 106
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
6. District Collector, Paschim Bardhaman, West Bengal
7. Guard File/Monitoring File/ Parivesh Portal /Record File

(Ashok Kumar Pateshwary)
Director
E-mail: ak.pateshwary@gov.in
Tel. No. 24695290

ANNEXURE 2

SPEED POST



NOCNO171957

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block - LA, Sector III, Bidhannagar
Kolkata - 700 106

Memo No. 52 - 2N-13/2021(E)

Dated 21.01.2022

From :
Member Secretary,
West Bengal Pollution Control Board

To : **M/s. Alcograin Distillers Private Limited,**
552, Sector 18B, Chandigarh, PIN - 160018.

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : i) Your letter No. ADPL/PANAGARH/2022/01 Dated 05.01.2022
ii) **Environmental Clearance issued by MOEF&CC vide File No. IA-J-11011/207/2020-IA-II(I), EC Identification No. EC21A022WB155228 dated 05.10.2022.**

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s **Alcograin Distilleries Private Limited**

for manufacturing/storage/installation **of 660KLPD Grain based Distillery, 10KLPD Malt Spirit Plant and 22MW Co-generation Power Plant. Details are given in Annexure - A.**
at **Plot NO. A22, Panagarh Industrial Park, Panagarh, Block-Kanksa, Dist.- Paschim Bardhaman.**

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

NO. NO171957

7. You shall comply with
- Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
 - Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
 - Environment (Protection) Act, 1986
 - Environment (Protection) Rules, 1986
 - Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
 - Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
 - Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
 - The Public Liability Insurance Act, 1991 and Amended Act, 1992
 - The Public Liability Insurance Rules, 1991 and Amended Rules 1993
 - Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
 - Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
 - Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable
8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

SPECIAL CONDITION :

Total Capital Investment : Rs.265 Crores.

please refer to Annexure - B.

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

[Signature]
Member Secretary / Chief Engineer
West Bengal Pollution Control Board (EIM CELL)

Dated: 21/01/2022
Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Memo No. 52 - 2N-13/2021(E) dt. 21.01.2022

Copy forwarded for information to :

- Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
- Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
- Guard file, West Bengal Pollution Control Board.
- Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan Delhi Road, Dankuni Dist. Hooghly	Vill, Panpur Kalyani Expressway P.O. Narayanpur Dist. 24 Pgs. (N)	Sahid Khudiram Sarani City Centre, Durgapur-16 Dist. Burdwan	10, Camac Street 2nd Floor Kolkata-700 017
---	--	--	--

Paribesh Bhawan 10A, LA-Block, Sector-III Salt Lake City, Kolkata - 700 098	Block-05 at 40 Flats Complex Adjacent to Priyambada Housing Estate P.O. : Khanjanchak, P.S. Durgachak Haldia-721602 Dist. : Purba Medinipur	Paribahan Nagar Matigara, Siliguri Dist.-Darjeeling
--	--	---

Satya Chowdhury Indoor Stadium Balurchar Bandh Road Malda-732101	Asansol Sub-Regional Office ADDA Commercial Market (2nd Floor) Opposite Asansol Fire Station G.T. Road, Asansol-713 301
---	--

[Signature]
Member Secretary / Chief Engineer
West Bengal Pollution Control Board (EIM CELL)
Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Annexure - A to NOC Sl. No. **NO171957**

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

The details of the products and capacity are as under :-

Unit	Capacity	Product	By-product
Grain Based Distillery Plant	660 KLPD	Ethanol/Rectified spirit (RS) / Extra Neutral Alcohol (ENS) / Industrial Alcohol (IA) / Denatured Spirit (DS) / Specially Denatured Spirit (SDS)/ Undenatured Ethyl Alcohol of an alcoholic strength by volume of 80% or higher	Animal Feed Supplement (AFS) & CO2
Malt Spirit Plant	10 KLPD	Malt Spirit	--
Co-Generation Power Plant	22 MW	Power	--
IMFL/CL Bottling Plant	6.0 lakh cases/month	IMFL/CL Bottled Liquor	--

DMK
21/01/2022

Member Secretary/Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

A) **Emission:-**

1. Boiler - 1 no. (Capacity – 160 TPH)
2. D.G. Set - 4X1250 KVA
3. Stack –
 - i) For boiler 82 mtr from G.L. to be provided with properly designed ESP and ID fan of adequate capacity to control particulate emission within the limit of 50 mg/Nm³.
 - ii) For DG sets individual stacks at least 8 m as per CPCB norms.

Stacks to have sampling port, platform, ladder as per the emission regulation part –III of CPCB.

B) **Effluent :-**

Total fresh water requirement will be 3000 KLPD which will be sourced from ground water. Effluent process of 620 KLPD (boiler blowdown, DM/RO rejects and cooling tower blowdown) will be treated through WWTP of 1000 KLD capacity and MEE condensate of 2332 KLD will be treated through CPU of 2800 KLPD capacity. The plant shall be based on zero liquid discharge system.

C) **Solid / Hazardous Waste :-**

1. Grain Slops (Spent Wash) and Malt Spirit Slops will be passed through centrifuge decanters for separation of suspended solids separated as Wet Cake DWGS (570 TPD) and dried to obtain Animal Feed Supplement AFS (290 TPD) to be used as cattle, poultry and fish feed ingredients.
2. Ash (270 TPD) generated from the boiler will be Coal or various biomass based. Coal based ash will be supplied to brick/cement manufacturers and biomass-based ash will be used for soil amendment.
3. Used oil & grease (2.0 KL/Annum) generated from plant machinery/gear boxes as hazardous waste will be sold out to the CPCB authorized recyclers.

D) **Specific Conditions :-**


- i. The company shall comply with all the environmental protection measures and safeguards. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- ii. The project proponent will treat and reuse the treated water within the integrated industry and no waste or treated water shall be discharged outside the premises.
- iii. Total freshwater requirement will be 3000 KLPD which will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- iv. The spent wash shall be concentrated and dried to form DOGS to be used as cattle feed.
- v. CO generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- vi. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- viii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- ix. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to

Special Conditions issued to **M/s Alcograin Distillers Private Limited** at Plot No. A22, Panagarh Industrial Park, Panagarh, Block – Kanksa, Dist – Paschim Bardhaman, West Bengal.

- reduce wastewater generation.
- x. The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
 - xi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
 - xii. Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
 - xiii. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server.

E) **General** :-

1. Noise Control – Ambient noise level and D.G. Set noise level should not exceed the permissible limits. Every care to be taken for noise control.
2. The unit should obtain 'Consent-to-Operate' from this Board before starting manufacturing process activities.
3. Under no circumstances molasses to be used as raw material.
4. Adequate control measures shall be taken to control fugitive dust emission from all vulnerable sources within the plant premises.
5. The project proponent should take all possible measures to avoid any kind of nuisance during transportation of raw materials and products to and from the premises. All kinds of transportation should be carried out in covered vehicles and should not cause public discomfort.
6. No additional machineries / equipment can be installed without prior permission from this Board. No change in raw materials, products, production capacity and manufacturing process shall be made without prior permission from this Board.
7. Adequate provision for rain water harvesting should be made. Recharging of Ground water is not permitted.
8. Adequate dust suppression and extraction system should be provided in material storage areas, material unloading and transfer points for controlling fugitive emission.
9. All internal roads should be paved.
10. Raw materials should be stored within covered area.
11. NOC may be revoked by the State Board, in case of failure of implementation of the above conditions.
12. All conditions as imposed by MoEF, GoI through their Environmental Clearance issued vide EC Identification No. EC21A022WB155228 File no. IA-J-11011/207/2020-IA.II (I) dated 05.10.2021 shall be strictly complied with.
13. This Consent to Establish is valid up to **31.01.2029** for setting up of the project.


Member Secretary/Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)

Paribesh Bhawan, 10A, Block - LA, Sector-III

Bidhannagar, Kolkata-700 106, India

Tel : 2335 - 9088 / 7428 / 8211 / 6731 / 0261 / 8861 / 5868 / 1625

Fax : 2335 - 5868 / 2813

City Code : 33, Country Code : 91

Website: www.wbpcb.gov.in

Memo No. 75 -2N-13/2021(E)

Dated : 11 .02.2022

To

M/s. Alcograin Distillers Private Limited
552, Sector 18B, Chandigarh, PIN - 160 018.

Sub : Change in configuration of the Boiler along with Co-Generation Power Plant at Plot No. A22, WBIDC, Panagarh Industrial Park, Panagarh, Block - Kanksa, Dist - Paschim Bardhaman, West Bengal - 713148.

Ref : i) Your letter vide Ref. no. ADPL/PANAGARH/WBPCB/2022/02 dated 09.02.2022.
ii) Consent to Establish (CTE) issued by WBPCB vide Memo No. 52-2N-13/2021(E) dated 21.01.2022.

Sir,

With reference to the above, it is noted that the change in configuration of the proposed distillery project is as follows:

Capacity of Boiler along with Co-Generation Power Plant & stack height as per CTE issued vide No. 52-2N-13/2021(E) dated 21.01.2022	Capacity of Boiler along with Co-Generation Power Plant & stack height as per proposed change in configuration
Boiler - 1x160 TPH	Boiler - 1x120 TPH
Co-Generation Power Plant - 22 MW	Co-Generation Power Plant - 15 MW
Stack Height - 82 mtr.	Stack Height - 45 mtr.

This is to be treated as an Annexure to the CTE issued vide No. 52-2N-13/2021(E) dated 21.01.2022. Please note that all other conditions of the above mentioned CTE shall remain unchanged.

Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

Memo No. 75(1-2)-2N-13/2021(E)

Dated : 11 .02.2022


Copy to:

1. Chief Engineer (O&E), WBPCB
2. Environmental Engineer, Durgapur Regional Office, WBPCB

Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

ANNEXURE 3

Application No. 3906827
WEST BENGAL POLLUTION CONTROL BOARD



'Paribesh Bhawan'
Bldg. No. - 10A, Block - LA, Sector-III
Salt Lake City, Kolkata-700 098

Consent Letter Number : C0144038

Memo Number : 544-7/WPBD-Cont(8058)/23.

Date : 27/09/2023.

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to :

M/s. Aleognain Distillers Pvt. Ltd.

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Plot No. A22, Panagarh Industrial Park,
Gate No. - 1, P.O. - Panagarh Bazar, P.S. - Kankra, Dist. - Paschim Bardhaman,
Pin - 713148

(Detailed address of the manufacturing unit)

for a period from Date of issue to 31/08/2028

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



For and on behalf of the State Board

(Member Secretary/Chief Engr./Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell

27/09/2023

ANNEXURE

Consent to M/s. Aleognain Distillers Pvt. Ltd.
 for its unit at Plot No.- A22, Panagarh Industrial Park, Gate No.- 1,
P.O.- Panagarh Bazar, P.S.- Kanksa, Dist.- Paschim Bardhaman, Pin-713148

Conditions :

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Ethanol	660 KL/Day
02	Carbon-di-oxide	470 Ton/Day
03	Animal Feed Supplement (DDGS)	285 Ton/Day
04	Co-Generation Power Plant	15 MW
05	Water	
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03. Daily discharge of industrial liquid effluent shall not exceed KL.
04. Daily discharge of domestic liquid effluent shall not exceed KL.
05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed KL.
06. The Applicant shall discharge liquid effluent to (place of discharge)
 through nos. outlets / outfalls. *Zero effluent discharge shall be maintained.*
07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

R. Sinha 27/09/2023
 (Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer
 W. B. Pollution Control Board
 Operation & Execution Cell



LiFE
Lifestyle for
Environment

WEST BENGAL POLLUTION CONTROL BOARD
(Department of Environment, Government of West Bengal)
Paribesh Bhawan, 10A, Block – LA, Sector III, Bidhannagar
Kolkata – 700 106, Ph.: 2202-3028
Website: www.wbpcb.gov.in, Email: net.wbpcb-wb@bangla.gov.in

Memo No. 3098-7/WPBD-Cont(8058)/23

Date 05/04/2024

To
M/s. Alcograin Distillers Pvt. Ltd.
Plot No. A22, WBIDC, Panagarh Industrial Park,
Gate No.-1, P.O.- Panagarh Bazar, P.S.- Kanksa
Dist. – Paschim Bardhaman, Pin- 713148

Sub: Amendment of the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023

Ref: i) Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023
ii) Consent to Establish issued vide Memo no. 52-2N-13/2021(E) dt. 21.01.2022
iii) EC accorded by MoEF & CC,GoI vide no.IA-J-11011/207/2020-IA-II(I) dt. 05.10.2021

Sir,

With reference to the above, the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023 with validity upto 31.08.2028 is hereby amended as follows:

Name and quantity of products & by-products			
As per existing CTO		Amended as	
Name of products & by-products	Quantity	Name of products & by-products	Quantity
Ethanol	660 KL/Day	Ethanol/ Rectified Spirit (RS)/ Extra neutral alcohol (ENS)/ Industrial Alcohol(IA)/ Denatured Spirit (DS)/ Specially Denatured Spirit (SDS)/ Udenatured Ethyl Alcohol of an Alcoholic strength by volume of 80% or higher	660 KL/Day
Carbon di oxide	470 Ton/Day	Carbon di oxide	470 Ton/Day
Animal Feed Supplement(DDGS)	285 Ton/Day	Animal Feed Supplement(DDGS)	285 Ton/Day
Co-Generation Power Plant	15 MW	Co-Generation Power Plant	15 MW
		Malt Spirit	10 KL/Day
		IMFL/CL Bottled Liquor	6.0 lakh cases/month

Contd..P/2

This is to be treated as an annexure to the Consent to Operate no. CO144038 issued vide memo no. 544-7/WPBD-Cont(8058)/23 dated 27.09.2023. All other terms & conditions of the above mentioned Consent to Operate will remain unchanged.

Thanking you,

Yours faithfully,

Rishu 05/04/2024

Sr. Environmental Engineer
Operation & Execution Cell

Sr. Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell

ANNEXURE 4

Photograph of the environmental protection measures and safeguards



Grain Silo



MEE



Decanters



Dryer











STP Plant



RO Plant



Ethanol Storage

**Photograph of the Centrifuge Decanters, MEE, Dryer, CPU, WWTP, RO Plant,
DDGS godown, STP Plant**



MEE



Decanters



Dryer







STP Plant

ANNEXURE 5

FORM 4

[See Rules 9(3) and 10(5)]

68049

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]


PERMIT NO

P22J6086001950000001 TLE

- 1. (a) Name of the applicant (user) : Shri/Smt.
- (b) Son / Daughter of : Agrograin Distillers Pvt. Ltd.
- (c) Address of the applicant : NA
- (d) Category of farmer (Please tick) : Small Farmer Marginal Farmer Others Paschim Bardhaman
- (e) Serial No. of application Form and date of submission : PPA-0509 S1-83, Dt: 06/07/2022
- (f) Specimen signature of the user :
- 2. Location particulars---
 - (a) District : Paschim Bardhaman
 - (b) Block, Mouza, J. L. No., Plot No. : Konksa, Konksa, JL-86, Plot-195
 - (c) Municipality / Corporation Ward No. / Borough No., Holding No. : NA
- 3. Particulars of the proposed well and pumping device---
 - (a) Type of the well : Tube well
 - (b) Approx. depth of the well (m) : 250 m
 - (c) Purpose of the well : Industrial use X mm.
 - (d) Assembly size (for tube well) : 300 m. 200
 - (e) Approx. strainer length (for tube well) : 12 m.
 - (f) Diameter (for dug well) : NA
 - (g) Type of pump to be used : Submersible
 - (h) H. P. of the pump : 5 HP
 - (i) Operational device : Electric motor
 - (j) Rate of withdrawal (m³ / hr.) : 45 m³/hr
 - (k) Maximum allowable running hours per day : NA

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf


Place : Burdwan
Date : 31-08-2023



(Signature)
M. S. Ghosh
Ground Water Resources Development Authority
Paschim Bardhaman

Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.




* Please turn over leaf of the permit for condition.

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b)/7(4)(b)/7(5)(a) of the West Bengal Ground Water Resources
(Management, Control and Regulation) Act 2005.]

PERMIT NO : P221608604348000001TME

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018
c) Category of farmer :
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 85, 25-02-2021
e) Speciman Signature of the User : 
2. Location Particulars
a) District : Paschim Burdwan
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,
Mouza - kanksa
J.L. No.- 86,
Plot No.- A-22
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


3. Particulars of the proposed well

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal (m ³ /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


Conditions:

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

Conditionality for operating this Tubewell

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


END

arks :

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources
(Management, Control and Regulation) Act 2005.]

PERMIT NO : P221608600117000001TME

- a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018
c) Category of farmer :
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 86, 25-02-2021
e) Speciman Signature of the User : 
4. Location Particulars
- a) District : Paschim Burdwan
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,
Mouza - kanksa
J.L. No.- 86,
Plot No.- A-22
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


5. Particulars of the proposed well

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal (m ³ /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan

Conditions:

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

Conditionality for operating this Tubewell

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well

[Signature]
Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


END

emarks :

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources
(Management, Control and Regulation) Act 2005.]

PERMIT NO : P221608600424000001TME

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED
- b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018
- c) Category of farmer : :
- d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 87, 25-02-2021
- e) Speciman Signature of the User : 
2. Location Particulars
- a) District : : Paschim Burdwan
- b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,
Mouza - kanksa
J.L. No.- 86,
Plot No.- A-22
- c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


3. Particulars of the proposed well

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal (m ³ /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


Conditions:

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

Conditionality for operating this Tubewell

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


END

Remarks :

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources
(Management, Control and Regulation) Act 2005.]

PERMIT NO : P2216086000930000001TME

1. a) Name of the Unit: : ALCOGRAIN DISTILLERS PRIVATE LIMITED
b) Address of the Unit: : #552, SECTOR 18 B, CHANDIGARH-160018
c) Category of farmer :
d) Serial No. of Application Form and Date Of Submission: : BP/A-0505, SL- 88, 25-02-2021
e) Speciman Signature of the User : 
2. Location Particulars
a) District : : Paschim Burdwan
b) Block, Mouza, J.L. No., Plot No. : Block- kanksa,
Mouza - kanksa
J.L. No.- 86,
Plot No.- A-22
c) Municipality/corporation, Ward No., Borough No., Holding No. : Municipality/corporation- ,
Ward No.- , Borough No.- , Holding No.- , Plot No.-. A-22


3. Particulars of the proposed well

a) Type of the well	Tube well
b) Approx. depth of the well in mtr.	250
c) Purpose of well	Industrial
d) Assembly size (for tube well)	300 X 150 mm
e) Approx Strainer Length for tubewell	32 m
f) Diameter (for dug well)	0 mm
g) Type of the pump to be used	Submersible
h) H.P. of the pump	15
i) Operational Device of the pump	Electric Motor
j) Rate of the Withdrawal (m ³ /hr.)	60
k) Maximum allowable running hours per day	10.00

This permit authorizes the owner applicant (user) to sink a well in the location specified at S.I (2) for extraction of ground water at a rate not exceeding that as shown at S.I(3) (j) and for running hours/day as shown at S.I(3)(K), and is valid subject to the observance of the condition as stated overleaf.

Place : Paschim Burdwan

Date : 02-09-2021


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan


Conditions:

1. In case of any change of Ownership of the proposed well, fresh registration to be obtained.
2. No Change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated as S.I(2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any Deviation in this regard shall lead to the cancellation to this permit.
3. In case of any particulars/ information furnished by the applicant in his application for the issuance of this permit is found to be incorrect during verification to any subsequent stage, this permit is liable for cancellation.
4. Any other condition imposed by the concerned Authority.

NB- Please See Reverse

Conditionality for operating this Tubewell

- 1 Construction of RWH as per DLA
- 2 Ground water quality report to be submitted by the applicant every year
- 3 Installation of ultrasonic flow meter with MODBUS data communication protocol
- 4 Installation of Water meter is mandatory
- 5 Permissions valid for transitory phase till surface water arrangement being made by the WBIDC
- 6 Staggering operations of tube well (details attached)
- 7 Submit a Hydro-geological report with Aquifer Response Test and electro-logging of bore well


Geologist, SWID & Member Secretary,
District Level Ground Water Resources Development
Authority (DLA), Paschim Burdwan

END

Remarks :

ANNEXURE 6

Photograph of the Centrifuge Decanters, MEE, Dryer, DDGS godown



Decanters



MEE



Dryer



ANNEXURE 7

ADPL-HEALTH CHECKUPS



OCCUPATIONAL HEALTH CENTER IN ADPL, PANAGARH



ADPL-HEALTH CHECKUPS



BLOOD EXAMINATION REPORT

Patient Name : MR. BABAI KUNDU.
Age : 28 Yrs. Sex : Male.
Ref. By. : DR.

Blood A.B.O. Group.- (B)
R.H. Factor.- POSITIVE.

Hemoglobin.- 15.6 gm%
N.V.- 17.5 gm%

Erythrocyte Sedimentation Rate.

1st Hour.- : 15 mm.
2nd Hour.- : 32 mm.
Mean : 15.5 mm.

Total count of R.B.C.- : 4.82 m/cmm.
Total Leucocyte Count Cell. : 6900 / cu.mm.
Platelet Count.- : 3.86 Lakh/cmm.
Differential leucocyte count.

Neutrophil : 68 %
Lymphocyte : 26 %
Monocyte : 01 %
Eosinophil : 05 %
Besophil : 00 %

MCV : 82.0 FL 75-97 FL
MCH : 25.5 PGM 24-30 PGM
MCHC : 30.8 % 30-36 %
PCV : 42 % Male- 40-50%
Female- 36-48%

Serum Urea.- 26.84 mg/dl.
N.V.- 10-50 mg/dl.

Serum Creatinine.- 0.79 mg/dl.
N.V.- 0.6-1.5 mg/dl.

Plasma Glucose (Random)- 80.36 mg/d

Checked by. ✓


DR.S.KHATUSA.
MBBS.MD(PATH).
Regd no-65975WBMC

DR. SUBHADIP KHATUSA
MBBS (Hons.), M.D. (PATH)
Regd. No. - 65975 (WBMC)



Reporting Date- 20.07.2024

Patient Name : MR. BABAI KUNDU.
Age : 28 Yrs. Sex : Male.
Ref. By. : DR.

VISION TEST

- R/E- 6/6 > N/6
L/E- 6/6
- Near Vision.- N/6
- Colour Vision.- NAD.

CONCLUSION.- DISTANTANT, NEAR, VISION INCLUDING COLOUR VISION NORMAL.

SPANDAN
PANAGARH BAZAR
PASCHIM BARDHAMAN
PIN 713148



SPANDAN

Regd. Under Health, Govt. of West Bengal

☎ 0343 2524425
9434360250

PANAGARH BAZAR, BURDWAN, WEST BENGAL

C.T. Scan, Digital X-Ray, Pathology, Ultra Sonography, Color Doppler
Echocardiography, Endoscopy, E.C.G., O.P.G., Dental X-Ray

DATE: 20-07.2024

Name of the Patient : MR. BUBAI KUNDU
Ref. By Doctor : SELF

AGE: 28 Yr.

Sex: M.

PART OF X-RAY

Chest X-ray PA View

No parenchymal lesion is seen in the lung fields.

Both hila are normal.


Contour of the diaphragm is within normal limits.

Heart shadow is within normal limits.

CP angles clear.

Bony cage is normal.

- Please correlate clinically.


DR. SURBHI KUMARI.
DNB- Radiodiagnosis.
Consultant radiologist
(Reg no-69434 TCMC)



ISO 9001 : 2008

BLOOD EXAMINATION REPORT

Patient Name : MR. RAJESH PASWAN.
Age : 39 Yrs. Sex : Male.
Ref. By. : DR.

Blood A.B.O. Group.- (AB)
R.H. Factor.- POSITIVE.

Hemoglobin.- 15.4 gm%
N.V.- 17.5 gm%

Erythrocyte Sedimentation Rate.

1st Hour.- : 22 mm.
2nd Hour.- : 46 mm.
Mean : 22.5 mm.

Total count of R.B.C.- : 4.25 m/cmm.
Total Leucocyte Count Cell. : 6200 / cu.mm.
Platelet Count.- : 1.86 Lakh/cmm.

Differential leucocyte count.

Neutrophil : 67 %
Lymphocyte : 28 %
Monocyte : 02 %
Eosinophil : 03 %
Besophil : 00 %

MCV : 89.1 FL 75-97 FL
MCH : 24.2 PGM 24-30 PGM
MCHC : 30.0 % 30-36 %
PCV : 40 % Male- 40-50%
Female- 36-48%

Serum Urea.- 23.33 mg/dl.
N.V.- 10-50 mg/dl.

Serum Creatinine.- 0.62 mg/dl.
N.V.- 0.6-1.5 mg/dl.

Plasma Glucose (Random)- 82.42 mg/d

Checked by *ky*.

DR.S.K.MUKHOPADHYAY.
MBBS.DTM & H.(cal)FCGP.
Regd no 34219.



Reporting Date- 20.06.2024

Patient Name : MR. RAJESH PASWAN.
Age : 39 Yrs. Sex : Male.
Ref. By. : DR.

VISION TEST

- V < R/E- 6/6 > N/6
L/E- 6/6
- Near Vision.- N/6
- Colour Vision.- NAD.

CONCLUSION.- DISTANTANT, NEAR, VISION INCLUDING COLOUR VISION NORMAL.

SPANDAN
PANAGARH BAZAR
PASCHIM BARDHAMAN
PIN 713148



DATE: 20-06.2024

Name of the Patient : MR. RAJESH PASWAN AGE: 39 Yr. Sex: M.
Ref. By Doctor : SELF

PART OF X-RAY

Chest X-ray PA View

No parenchymal lesion is seen in the lung fields.

Both hila are normal.


Contour of the diaphragm is within normal limits.

Heart shadow is within normal limits.

CP angles clear.

Bony cage is normal.

- *Please correlate clinically.*



DR. SURBHI KUMARI.
DNB- Radiodiagnosis.
Consultant radiologist
(Reg no-69434 TCMC)



BLOOD EXAMINATION REPORT

Patient Name : MR. SUBRATA MAJUMDAR.
Age : 33 Yrs. Sex : Male.
Ref. By. : DR.

Blood A.B.O. Group.- (B)
R.H. Factor.- POSITIVE.

Hemoglobin.- 15.7 gm%
N.V.- 17.5 gm%

Erythrocyte Sedimentation Rate.
1st Hour.- : 20 mm.
2nd Hour.- : 52 mm.
Mean : 20.5 mm.

Total count of R.B.C.- : 4.39 m/cmm.
Total Leucocyte Count Cell. : 6900 / cu.mm.
Platelet Count.- : 2.86 Lakh/cmm.

Differential leucocyte count.
Neutrophil : 68 %
Lymphocyte : 27 %
Monocyte : 02 %
Eosinophil : 03 %
Besophil : 00 %

MCV : 82.1 FL 75-97 FL
MCH : 25.2 PGM 24-30 PGM
MCHC : 30.1 % 30-36 %
PCV : 41 % Male- 40-50%
Female- 36-48%

Serum Urea.- 21.23 mg/dl.
N.V.- 10-50 mg/dl.

Serum Creatinine.- 0.71 mg/dl.
N.V.- 0.6-1.5 mg/dl.

Plasma Glucose (Random).- 84.12 mg/d

Checked by...

DR.S.K.MUKHOPADHYAY.
MBBS.DTM & H.(cal)FCGP.
Regd.no/34219.



Reporting Date- 20.06.2024

Patient Name : MR. SUBRATA MAJUMDAR.
Age : 33 Yrs. Sex : Male.
Ref. By. : DR.

VISION TEST

- R/E- 6/6 > N/6
L/E- 6/6
- Near Vision.- N/6
- Colour Vision.- NAD.

CONCLUSION.- DISTANTANT,NEAR, VISION INCLUDING COLOUR VISION NORMAL.

SPANDAN
PANAGARH BAZAR
PASCHIM BARDHAMAN
PIN 713148



SPANDAN

Regd. Under Health, Govt. of West Bengal

☎ 0343 2524425
9434360250

PANAGARH BAZAR, BURDWAN, WEST BENGAL

C.T. Scan, Digital X-Ray, Pathology, Ultra Sonography, Color Doppler
Echocardiography, Endoscopy, E.C.G., O.P.G., Dental X-Ray

DATE: 20-06.2024

Name of the Patient : MR. SUBRATA MAJUMDER AGE: 33 Yr. Sex: M.
Ref. By Doctor : SELF

PART OF X-RAY

Chest X-ray PA View

No parenchymal lesion is seen in the lung fields.

Both hila are normal.


Contour of the diaphragm is within normal limits.

Heart shadow is within normal limits.

CP angles clear.

Bony cage is normal.

- Please correlate clinically.




DR. SURBHI KUMARI.
DNB- Radiodiagnosis.
Consultant radiologist
(Reg no-69434 TCMC)



ISO 9001 : 2008

ANNEXURE 8

Photograph of Worker with PPEs





ANNEXURE 9



ALCOGRAIN DISTILLERS PVT. LTD.
PANAGARH, WEST BENGAL

Training Attendance Cum FeedBack Form

Training Topic Importance of work Permit system and how to sign the permit, Permit checking Parameters
Training Conduct By Subhadeep Das
At(Location) Control panel Room near Milling area

Sl No	Name of the Employee	Department	Designation	Date of Training	Time of the Training	Feedback (Bad/ Better/ Good/ Excellent)	Signature
1	Ram Kripal Gupta	Electrical	Engineer	16.04.24	14:30-15:30	Good	RK Gupta
2	Mullesh Kumar Sah	Electrical	Electrician	"	"	Good	MKS
3	Sunil Kumar Shit	Electrical	Electrician	"	"	Good	SShit
4	Sonu Kumar Dasgupta	Electrical	Electrical	"	"	Good	Sonu K. Dasgupta
5	Jitendra Kumar	Electrical	Electrician	"	"	Good	Jitendra
6	Jai Prakash Singh	Electrical	Electrician	16.04.24	14:30-15:30.	Good	J.P. Singh
7							
8							
9							
10							
11							
12							

Subhadeep Das

Signature of the Trainer



ALCOGRAIN DISTILLERS PVT. LTD.

PANAGARH, WEST BENGAL

Training Attendance Cum Feedback Form

Training Topic Hot Work (uses of wheel guard and flash back arrestor & importance) And Height Work

Training Conduct By Subhojeep Das

At(Location) Doies Area.

Sl No	Name of the Employee	Department	Designation	Date of Training	Time of the Training	Feedback (Bad/ Better/ Good/ Excellent)	Signature
1	Anil Das	Mechanical	Fabricator	04.05.24	15:00-15:00	V. Good	[Signature]
2	Babu Bagdi	"	Fitter	"	"	V Good	Babu Bagdi
3	Bikash Sharma	"	Rigger	"	"	V Good	Babu Bagdi
4	Anand Lohar	"	Welder	"	"	Good	Anand
5	Teju Khan	Mechanical	Helper	"	"	Good	Teju Khan
6	Abhay Mondal	"	Rigger	"	"	Good	Abhay Mondal
7	Akram Sark	"	Welder	"	"	GOOD	Wasim Akram
8	Merajuddin Soudagar	"	Welder	"	"	Good	[Signature]
9	Saddam Sodegar	Mechanical	Helper	"	"	Good	Saddam
10	Alauddin Sodegar	"	Helper	"	"	GOOD	Alauddin
11	Suraj Samad	"	Helper	"	"	Good	Suraj Samad
12	Sammir Sodegar	"	Rigger	"	"	Good	Sammir

13. Anand Turkey (Mechanical) Rigger 04.05.24 15:00-15:00 MS GOOD Anand Turkey

Signature of the Trainer



ALCOGRAIN DISTILLERS PVT. LTD.
PANAGARH, WEST BENGAL

Training Attendance Cum FeedBack Form

Training Topic General Safety Training at Ethanol Storage Area and loading Area,
Training Conduct By Subhdeep Das
At(Location) Ethanol loading Area,

Sl No	Name of the Employee	Department	Designation	Date of Training	Time of the Training	Feedback (Bad/ Better/ Good/ Excellent)	Signature
1	Prashant Kumar	Warehouse	operator	18.05.2024	10:45-11:15	Good.	
2	Satyajit Nayak	DO	Executive	DO	10:45-11:15	Good	
3	Sanku Das.	DO	A.M. (N.A. Incharge)	18-05-2024	10:45-11:15	Excellent	
4	Sourendra Kundu.	DO	Sn. Executive	18-05-2024	10:45-11:15 AM	Excellent	
5	Raj Kishor Das.	warehouse	operator	18.05.24	10:45:11:15 AM	Excellent	
6	Md. Masawar Hussain	Transporter	Loading Manager	18/05/24	10:45-11:15 AM	Good	
7	Sahadip Bhowmik	warehouse	Helper	18/05/24	10:45-11:15 AM	Good	
8	BHOLA Bhowmik	warehouse	Helper	18/05/24	10:45-11:15 AM	Good	
9	Rahul Bhowmik	warehouse	Helper	18/05/24	10:45-11:15 AM	Good	
10	Jai Raj Rai	Transporter	Driver	18/05/24	10:45-11:15 AM	Good	
11	Satamu Ghosh	Security		18/05/24	10:45-11:15 AM	Good	
12	Sahel Ruidas	Transport	L. Manager	18/05/24	10:45-11:15 AM	Good	

Subhdeep Das

Signature of the Trainer

FIRE & SAFETY TRAINING



FIRE & SAFETY TRAINING



FIRE & SAFETY TRAINING



FIRE & SAFETY TRAINING





ANNEXURE 10

FIRE FIGHTING AND SAFETY SYSTEMS & PESO CERTIFICATE



FIRE FIGHTING SYSTEMS





SAFETY SYSTEMS AND CONTROLLERS

ANNEXURE 11



Government Of West Bengal
Office Of The Divisional Fire Officer, Paschim Bardhaman
West Bengal Fire & Emergency Services
Asansol Fire Station, G.T. Road, P.O.: -Asansol,
P.S.: -Asansol(South), Pin :- 713301

Memo no.:FSR/0125186229100236

Date: 02-10-2023

From:
Divisional Fire Officer, Paschim Bardhaman
West Bengal Fire & Emergency Services

To: ALCOGRAIN DISTILLERS PRIVATE LIMITED
PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :-
PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148

Sub: Issuance of Fire Safety Certificate for existing Industrial occupancy, under the name and style as ALCOGRAIN DISTILLERS PRIVATE LIMITED at PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :- PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148.

This is in reference to your application no. 0125189239100083 dated 31-08-2023 regarding the Issuance of Fire Safety Certificate for existing Industrial occupancy, under the name and style as ALCOGRAIN DISTILLERS PRIVATE LIMITED at PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22, MOUZA - KANKSA, J.L. NO. :- 86, P.S. :- KANKSA, DIST. :- PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148.

The performance of the Fire Fighting System as incorporated in the buildings were tested at random and found satisfactorily working condition. In view of the above this office is releasing the Fire Safety Certificate for occupancy of the aforesaid building.

Recommendation:

1. Maintenance/checking testing of all fire safety installations shall be checked time to time.
2. Any nominated officer of this Department shall enter and inspect the building at any time between sunrise to sunset for ascertaining the contravention if any of Fire Prevention and Fire Safety Measures.
3. Good House keeping should always be maintained.
4. Mock Drill must be performed twice in a year and recorded properly.
5. Driveway must be free of any type of obstruction for easy movement of Fire Appliances.
6. No parking will be allowed on the Driveway.
7. The interior finish decoration of the building shall be made with low flame spread material confirming to the I.S. Specification.
8. To eliminate risk of fire hazards, good house-keeping both for inside and outside of the buildings shall be strictly maintained.

9. Existing Electrical wiring of the whole industry shall have to be carefully checked for any wear and tear in them, particularly lines above false ceiling and ducts.
10. The notice of Fire Fighting and Evacuation from the building shall be prepared and displayed at all vulnerable areas of the site.
11. The employees and security staffs shall be conversant with installed Fire Fighting Equipments of the building and to operate in the event of Fire and Testing.
12. Mock Fire practice and Evacuation Drill shall be performed periodically with participants of all the occupants of the industry.
13. A crew of trained Fire Man under an experience officer shall be maintained round the clock for safety of the Industry.
14. First-Aid Fire Fighting system shall be provided as per I.S. specification.
15. Arrangement shall have to be made for regular checking, testing and maintenance of all the fire fighting installation in the industry to keep them in perfectly good working condition at all the times.
16. If required the old lines shall have to be replaced with new lines, the cable shall always be laid in M.S. conduit pipes continuously bonded with the earth.
17. Electrical ducts shall be sealed vertically and horizontally at each floor level by fire resisting materials.
18. The Fire Safety Audit is to be conducted in a regular interval and to be recorded in the fire prevention maintenance register.
19. MSDS of all Hazardous Materials shall be shown in site with Glow Shine Board.
20. Violation of any recommendations which issued from this office previously this fire safety certificate shall be treated as cancelled and no renewal would be made.
21. This Fire Safety Certificate is valid for three years as per existing Govt. Notification and has to be renewed in due time.

Signature valid

Digitally Signed.
Name: SHUVRANU SHUJAZUMDER
Date: 02-Oct-2023 12:57
Reason: Approved
Location: West Bengal

Divisional Fire Officer Paschim Burdwan Division..,
Paschim Bardhaman
West Bengal Fire & Emergency Services

ANNEXURE 12



Government of West Bengal
West Bengal Form No. 393Z (28)
License under the West Bengal Fire Services Act, 1950

License no.:FL0125182239100425

Date: 07-12-2023

License is hereby granted to M/S ALCOGRAIN DISTILLERS PRIVATE LIMITED under Section 12 of the West Bengal Fire Services Act, 1950, to use the building or place being No. (a) A22, A23, A40, A41, PANAGARAH INDUSTRIAL PARK, PLOT NO. - A22,, A23, A40 A41 MOUZA -KANKSA, J.L. NO. - 86,, P.S. - KANKSA, DIST. - PASHIM BARDHAMAN, UNDER KANKSA GRAM PANCHAYET, PASCHIM BARDHAMAN - 713148, Paschim Bardhaman, Pincode - 713148, P.S. - Kanksa PS, Nearest Fire Station - Panagarh as a warehouse/workshop for storing or processing or keeping (b)

1. Ethyl Alcohol - 5226627 Ltr.

subject to the conditions noted below and such other conditions as may be prescribed.

It is hereby acknowledged that a sum of Rs. 40000 being the license fee due by the said M/S ALCOGRAIN DISTILLERS PRIVATE LIMITED for the period from 07/12/2023 to 06/12/2024 in respect of the aforesaid license has been received @Rs. 40000 per annum.

CONDITIONS ABOVE REFERRED TO:

- (1) The warehouse/workshop shall at all times be open to inspection by such officer or officers, being member or members of the Fire Brigade, as may be appointed by the Director General of Fire Service.
- (2) The warehouse/workshop shall confirm to the conditions prescribed under Section 12 of the West Bengal Fire Services Act, 1950.
- (3) No article referred to in the Clause (I) of Section 12 of the West Bengal Fire Services Act, 1950, shall be made, prepared, dried or treated in any manner on the top or roof of any building constituting or forming a part of a warehouse.
- (4) No person shall be allowed to use as residence any part of the warehouse or to bring into the warehouse any match-boxes or match-sticks or any artificial light not duly and thoroughly protected or to smoke within the warehouse while jute or cotton is stored therein.
- (5) Needs to renewed within next 1 Year

Digitally Signed,
Name: Pemba Tsoding Sherpa
Date: 07-Dec-2023 11:49
Reason: Approved
Location: West Bengal

Signature
Valid

Collector

**Fire License Section,
13D, Mirza Ghalib Street, Kolkata - 16**

ANNEXURE 13



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

पाँचवा तल, ए-ब्लॉक, सी.जी.ओ. कॉम्प्लेक्स, सेमिनरी हिल्स

नागपुर- 440006

5th Floor, A-Block, CGO Complex, Seminary Hills,

Nagpur - 440006

E-mail : explosives@explosives.gov.in

Phone/Fax No : 0712 -2510248, Fax-2510577

संख्या /No. : P/HQ/WB/15/2689 (P534173)

दिनांक /Dated : 25/04/2023

सेवा में /To,

M/s. ALCOGRAIN DISTILLERS PRIVATE LIMITED,
S.C.O. 140-141, SECTOR 34-A,,
Chandigarh,
Taluka: Chandigarh,
District: CHANDIGARH,
State: Chandigarh
PIN: 160022

विषय /Sub : Plot No, A-22, WBIDC PANAGARH INDUSTRIAL PARK, BLOCK - KANKSA, BARDHAMAN, Taluka: BARDHAMAN, District: PASCHIM BARDHAMAN, State: West Bengal, PIN: 713148 में पेट्रोलियम वर्ग A का अधिष्ठापन -अनुज्ञापित जारी करने के बारे में ।
Petroleum Class A Installation at Plot No, A-22, WBIDC PANAGARH INDUSTRIAL PARK, BLOCK - KANKSA, BARDHAMAN, Taluka: BARDHAMAN, District: PASCHIM BARDHAMAN, State: West Bengal, PIN: 713148 Grant of License regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1336246 दिनांक 10/04/2023 का अवलोकन करें ।

Please refer to your letter No. OIN1336246 dated 10/04/2023

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XV में स्वीकृत, दिनांक 31/12/2027 तक वैध अनुज्ञापित संख्या P/HQ/WB/15/2689 (P534173) दिनांक 25/04/2023 भेजी जा रही है ।

Licence No. P/HQ/WB/15/2689 (P534173) dated 25/04/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2027 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञप्त क्षमता /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	4995.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	4995.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें और अनुज्ञापित के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञापित की वैधता समाप्ती की तारीख या उससे पूर्व **Jt. Chief Controller of Explosives, East Circle office, Kolkata** को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to **Jt. Chief Controller of Explosives, East Circle office, Kolkata**, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(एस. डी. मिश्रा)
(Shivchandra D. Mishra)
विस्फोटक नियंत्रक
Controller of Explosives
कृते मुख्य विस्फोटक नियंत्रक
For Chief Controller of Explosives
नागपुर/Nagpur

Copy forwarded to :-

1. The District Magistrate, PASCHIM BARDHAMAN(West Bengal) with reference to his NOC No MEMO NO. 17(3)DM/PB/FS/XLIII/23 Dated 17/03/2023
2. Jt. Chief Controller of Explosives, East Circle office, KOLKATA. A Copy of the licence along with approved plan is enclosed.

For Chief Controller of Explosives
Nagpur

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:-This is system generated document does not require signature.

ANNEXURE 13

ANNEXURE 14

ADPL-GREEN BELT



GREEN BELT-CPU AREA



GREEN BELT- NEAR DISTILLATION

ADPL-GREEN BELT



TURBINE AND BOILER AREA



NEAR GATE NO. 2

ADPL-GREEN BELT



GREEN BELT NEAR WEIGH BRIDGE 1



BEHIND STORE AREA

ADPL-GREEN BELT



ANNEXURE 15

Medical Check Up



Medical Health Check Up Camp with help of Panagarh BPHC



Total Number of Peoples- 177
Male Candidates- 96
Female Candidates- 81

Medical Check Up by Female Doctor



Check Up of local Children



Blood Pressure Inspection and medicine provide



Presence of Unit Head in the Camp



Fruits and Juice Distribution





Thank You



ANNEXURE 16

Parking area photographs



Shot on OnePlus
Powered by Dual Camera



vivo T2x 5G
Dec 31, 2024, 09:13



Shot on OnePlus
Powered by Dual Camera



Shot on OnePlus
Powered by Dual Camera





Shot on OnePlus
Powered by Dual Camera

ANNEXURE 17

Photographs of Grain Silo, fuel covered sheds, RCC Roads and covered conveyer belt



Grain Silo



Ethanol Storage



fuel covered sheds



covered conveyer belt



RCC Roads



ANNEXURE 18

Photographs of instrument of Continuous online (24x7) stack and Effluent monitoring system



[EnviroConnect](#) **FORBES MARSHALL** 2705AC102H-273
 Welcome ADPL12 | [Logout](#) | [Change Password](#)
[Home](#) | [Site Admin](#) | [Support](#) | [Help](#)


Alcograin Distillers Pvt. Ltd., Power Plants Indu... , ADPL12
 Current Data

Sr. No	Parameter	Instantaneous as of	Instantaneous Value	Average as of	Average	Flag	Permissible Range
1	PM	29-12-2024 16:23:41	25.00 mg/m ³	29-12-2024 16:23:00	25.00	<	0 - 50 mg/m ³
2	Spent wash Flow	29-12-2024 16:25:36	163.00 m ³ /hr	29-12-2024 16:24:00	177.22		
3	Syrup Flow	29-12-2024 16:25:38	17.00 m ³ /hr	29-12-2024 16:24:00	17.00		
4	Process condensate Flow	29-12-2024 16:25:41	113.00 m ³ /hr	29-12-2024 16:25:00	114.18		
5	Thin Slope Flow	29-12-2024 16:25:24	39.00 m ³ /hr	29-12-2024 16:24:00	22.44		

Reports | Alerts - All Devices
 Copyright © 2019 | [Ascent Intellimation Pvt. Ltd.](#) Pune All Rights Reserved. [About](#) [Contact Us](#)

[EnviroConnect](#) **FORBES MARSHALL** 2705AC102H-273
 Welcome ADPL12 | [Logout](#) | [Change Password](#)
[Home](#) | [Site Admin](#) | [Support](#) | [Help](#)

Alcograin Distillers Pvt. - Power Plants... , Panagarh - CPU (Camera) (configuration Error)
 Live Video Streaming
 Streaming Live Video...



Camera Information
 Flow Meter Location
 Camera Location
 Make
 Model
 Connection
 Firmware
 Installation Date
 Is Zoom and Pan Available
 Is Night Vision Available

Reports | Alerts - All Devices
 Copyright © 2019 | [Ascent Intellimation Pvt. Ltd.](#) Pune All Rights Reserved. [About](#) [Contact Us](#)





ANNEXURE 19

ALCOGRAIN DISTILLERS PVT. LTD.,PANAGARH

ENVIRONMENT MANAGEMENT CELL



ADPL-IN HOUSE LABORATORY



ADPL-IN HOUSE LABORATORY



ADPL-IN HOUSE LABORATORY



ANNEXURE 20

ADPL-LED LIGHTS



LED LIGHTS GLOWING IN DISTILLATION AREA

ADPL-LED LIGHTS



LED LIGHTS USED NEAR POWERPLANT AREA

ADPL-LED LIGHTS



LED LIGHTS USED FOR CONVINIENCE

ANNEXURE 21



ENVIROCHECK

Recognised by MoEF & CC, WBPCB & JSPCB
Accredited by NABL (ISO/IEC 17025:2017) & NABET (CERTIFICATE NO. - NABET/EIA/2326/IA 0117)
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



FORMAT NO. ENV/FM/53

TEST REPORT

• Name of Industry / Company / Factory / Office	: Alcograin Distiller Pvt. Ltd.		
• Address	: A-22, Panagarh, Industrial Park, Panagarh, District - Paschim Bardhaman, Pin - 713148		
• Type of Industry	: Grain Based Distillery		
• Sampling Plan & Procedure	: ENV/SOP/02		
• Deviation from the Sampling Method & Plan	: No		
• Type of Sample	: Noise Level Study		
• Sample ID	: ENV/12/Aug/N	Report ID	: ENV/12/Aug/(TR)N/24-25
• Date of Study	: 23/08/2024	Reporting Date	: 25/08/2024
• Method No.	: IS 15575 (Part 2), 2022	Time of Duration of Noise	: 20 Minutes
• Sample Monitored by	: Mr. Sambhu Kundu	Height from Ground Level	: 4 Feet

RESULT OF NOISE LEVEL STUDY

Sl. No.	Location Name	dB (A) - (Noise Data)										Time (Hours)	Min dB (A)	Max dB (A)	L _{eq} dB (A)	Limit in LeqdB(A)
1.	Near Main Gate (West Side of the Plant)	64.4	62.7	61.2	63.9	66.3	66.0	65.2	64.7	65.1	63.9	10:00 – 10:20 A.M (Day Time)	61.2	66.3	64.56	A. Industrial Area (Day Time – 75.0) (Night Time – 70.0)
2.	Near STP Plant (East Side of the Plant)	70.5	70.9	71.2	71.9	70.8	71.4	70.3	71.7	70.2	70.7	10:30 – 10:50 A.M (Day Time)	70.2	71.9	70.99	
3.	Back side CPU Area (north side of the Plant)	66.4	66.9	67.5	67.8	66.7	66.8	66.4	67.0	67.6	67.2	11:00 – 11:20 A.M (Day Time)	66.4	67.8	67.05	
4.	Back side of ESP Area (South Side of the Plant)	68.5	68.9	69.5	69.0	67.8	67.3	68.6	69.4	68.9	69.2	11:30 – 11:50 A.M (Day Time)	67.3	69.5	68.76	B. Commercial Area (Day Time – 65.0) (Night Time – 55.0)
5.	Inside the Turbine Shed	82.7	82.4	83.0	82.1	83.5	83.9	82.7	82.9	83.6	83.1	12:00 – 12:20 P.M (Day Time)	82.1	83.9	83.02	
6.	Inside the Drier Area	84.2	84.0	83.9	83.7	84.4	84.5	83.9	83.7	84.1	84.9	12:30 – 12:50 P.M (Day Time)	83.7	84.9	84.15	C. Residential Area (Day Time – 55.0) (Night Time – 45.0)
7.	Inside the WTP Area	71.5	71.9	72.2	72.4	71.0	72.0	70.3	71.6	71.9	72.5	1:00 – 1:20 P.M (Day Time)	70.3	72.5	71.77	
8.	Ethanol Tanker Loading Area	71.5	70.6	72.9	70.5	69.3	72.7	73.2	72.8	71.9	70.8	1:30 – 1:50 P.M (Day Time)	69.3	73.2	71.79	
9.	D.G Set 1250KVA – off Condition (10 mt. away from D.G)	70.8	71.7	70.6	70.1	71.5	71.9	70.6	72.8	71.7	71.8	2:00 – 2:20 P.M (Day Time)	70.1	72.8	71.42	D. Silent Zone (Day Time – 50.0) (Night Time – 40.0)
	D.G Set 1250KVA – Running Condition (10 mt. away from D.G)	76.9	76.5	77.0	77.5	77.2	76.8	77.0	77.3	76.0	76.3	2:30 – 2:50 P.M (Day Time)	76.0	77.5	76.87	

> End of Report <

**Remarks : Result relates only to the Sample Tested.

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 { 033-25792891/25497490, Fax : 033-25299141
 Laboratory : 189,190,192,186 & 51 Rastraguru Avenue, Kolkata - 700028 { 033-25792889
 Email : info@envirocheck.in/envirocheck50@gmail.com / Website : www.envirocheck.in
 Branch Office : * Siliguri * Haldia * Durgapur * Dhanbad * Gangtok * Port Blair * Dehradun * New Delhi
 Overseas : * UAE * Qatar * Netherlands



ENVIROCHECK

Recognised by MoEF & CC, WBPCB & JSPCB
Accredited by NABL (ISO/IEC 17025:2017) & NABET (CERTIFICATE NO. - NABET/EIA/2326/IA 0117)
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



** Mean of L_{eq} - Equivalent to Sound Energy	** Central Pollution Control Board, Ministry of Environment & Forests Government of India & Department of Environment, Government of West Bengal	
	**Day Time is reckoned in between 6:00 A.M & 10:00 P.M	**Night Time is reckoned in between 10:00 P.M & 6:00 A.M
PERMISSIBLE NOISE EXPOSURE FOR INDUSTRIAL WORKERS / Source : The Noise Pollution (Regulation and Control) Rules, 2000		
Hours	Limit in dB(A)	
8	90	
4	93	
2	96	
1	99	
1/2	102	
1/4	105	
1/8	108	
1/16	111	
1/32	114	
(2 minutes or less)	-	

Reviewed By:

Indrani Bhattacharya

INDRANI BHATTACHARYA
Dy. Technical Manager, Chemical

Authorized Signatory:

Dr. Ajoy Paul

Dr. AJOY PAUL
Quality Manager

ANNEXURE 22

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environment Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Director
ALCOGRAIN DISTILLERS PRIVATE LIMITED
552, Sector 18 B, Chandigarh,,Chandigarh,Chandigarh-160018

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/173288/2020 dated 06 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC21A022WB155228
2. File No. IA-J-11011/207/2020-IA-II(I)
3. Project Type New
4. Category A
5. Project/Activity including Schedule No. 5(g) Distilleries
6. Name of Project Proposed 660 KLPD Grain based Distillery, 10 KLPD Malt Spirit Plant and 22 MW Cogeneration Power Plant at Plot No. A22, Panagarh Industrial Park, Panagarh, Block Kanksa, District Paschim Bardhaman, West Bengal by Alcograin Distillers Private Limited
7. Name of Company/Organization ALCOGRAIN DISTILLERS PRIVATE LIMITED
8. Location of Project West Bengal
9. TOR Date 30 Sep 2020

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/10/2021

(e-signed)
A.K Pateshwary
Director
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

S. Saha
12.10.2021
Pradhan
Kanksa Gram Panchayat

ANNEXURE 23

ENVIRONMENT STATEMENT REPORT

YEAR 2023 – 24

SUBMITTED TO WEST BENGAL POLLUTION CONTROL BOARD

**FROM : ALCOGRAIN DISTILLERS PRIVATE LIMITED
PLOT NO. A-22, WBIDC, PANAGARH INDUSTRIAL PARK,
PANAGARH, DISTT. PASCHIM BARDHMAN,
WEST BENGAL -713148**

¹
[FORM – V]
(See rule 14)

Environmental Statement for the financial year ending the 31st March 2024

PART – A

(i) Name and address of the owner/occupier of the industry operation or process
Navdeep Thapar

PLOT NO. A-22, WBIDC, PANAGARH INDUSTRIAL PARK,
PANAGARH, DISTT. PASCHIM BARDHMAN,
WEST BENGAL -713148

(ii) Industry category Primary (STC code) Secondary.(SIC Code)

Primary
660 KLPD
2023
NA

(iii) Production capacity.

(iv) Year of establishment

(v) Date of the last environmental statement submitted

PART – B

Water and River Material Consumption

(1) Water consumption m ³ /d:	1161.11
Process	523.40
Boiler	52
Cooling	10
Domestic	154.3
Others	1900.81
Total	

Name of Products	Process water consumption per unit of product output.
During the previous financial Year	During the Current financial Year
NA	3.24 KI/KI

1. Substituted by Rule 2 (b) of the Environment (Protection) Amendment Rules, 1993 notified vide G.S.R 3'6 (E) dated 22.04.1993.

ii) **Raw Material Consumption**

Name of raw materials

Grain

Name of products

Ethanol

Consumption of raw material per
Unit of output (in KG/BL)

During the previous financial year

NA

During the current financial year

2.35

PART - C

Pollution discharged to environment/unit of output

(1)	Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants discharged (mass/volumes)			Percentage of variation from prescribed standards with reasons
			Parameters in mg/Ltr.	Average results (monthly)	Max. permissible norms of SPC board	
	01	02	03	04	05	06
(a)	Water (Treated Effluent & Domestic)	ZLD Plant	PH TSS BOD	7.56 20.6 22.0	5.5 – 9.0 100 30	All values are with in the prescribed norms
(b)	Air				50.0	
	Boiler stack		PM mg/M3	48.84	80.0	
	Ambient Air		SO2 mg/M3	7.5	80.0	
			NOx mg/M3	18.52	80.0	
			PM 10 micro gm/M3	64.11	100.0	
			PM 2.5 micro gm/M3	32.36	60.0	

(parameters as specified in the consent issued)

PART – D

Hazardous Waste
(As specified under Hazardous Waste Management & Handling Rule 1989)

Hazardous waste	Total Quantity (Kg)	
	During the previous financial year 2022-23	During the current financial year 2023-24
Used Spent Oil	NA	NIL

PART –E

Solid Waste
(As specified under Hazardous Waste Management & Handling Rule 1989)

Hazardous waste	Total Quantity (MT)	
	During the previous financial year – 23	During the current financial year 2023-24
(a) From Process		17403
(i) DDGS		10873
(ii) Fly Ash	NA	NIL
(b) From Pollution Control Facility		
(c)		NIL
(i) Quantity Recycled or reutilized	NA	
(ii) Sold DDGS	NA	16228
(iii) Disposed Fly Ash	NA	10873

PART -F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practices adopted for both these categories of wastes

S.No.	Name of waste	Quantity	Method of Disposal
SOLID WASTE			
01	DDGS	16228 MT	Sold as cattle feed
02	Fly Ash	10873 MT	Issued to outside agencies for bricks making, land filling

S.No.	Name of waste	Quantity in Ltr.	Method of Disposal
HAZARDOUS WASTE			
01	Used Oil	NIL	Sold out to registered recycler with WBPCB

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Major pollution abatement measures were:

- a) Plantation of 2759 plants inside green belt.

PART – H

Additional measures/investments proposal for Environmental protection including abatement of pollution, prevention of pollution.

- 1. Installation of Wet scrubber at dryer outlet for air quality improvement.**

PART - I

Any other particulars for improving the quality of the Environment.



Navdeep Thapar

Date : 23/09/2024

Banur : Panagarh

NAVDEEP THAPAR

ALCOGRAIN DISTILLERS PRIVATE LIMITED

PLOT NO. A-22, WBIDC, PANAGARH

INDUSTRIAL PARK,

PANAGARH, DISTT. PASCHIM BARDHMAN,

WEST BENGAL -713148



ALCOGRAIN DISTILLERS PRIVATE LIMITED

Registered Office : SCO 140 - 141, Sector 34-A, Chandigarh - 160 022
Phone : 0172-5059999

REF/ADPLWBPCB/2024/09/01

Dated 23.09.2024

To

The Environmental Engineer,

West Bengal Pollution Control Board,

Regional Office, City Center, Durgapur

Subject : Submission of Environment Statement - Form V.

Dear Sir,

We are hereby submitting form V for the financial year 2023-24. You are requested to kindly acknowledge the receipt of the same.

Thanking You.

Yours Faithfully

For Alco Grain Distillers Private Limited.


Authorized Signatory

Email : thapar@cdbgroup.in



ANNEXURE 24

NG MUNICIPALITY**2021-22 dt. 09.10.2021**

1. c asphalt at kotrungDharmatala Lane
 2. Flexible pavement restoration with Mastic
 Debaipukur Road in ward no 1 & 4.
 3. Mastic asphalt at New Station Road and

2021-22 dt. 09.10.2021

1. asphalt at PalashSarani, B.G.G Sarani
 2. Flexible pavement restoration with
 Mastic asphalt in ward no. 10, 11, 12 and 13.
 3. Mastic asphalt at R.K. Street and B.K. Street in

2021-22 dt. 09.10.2021

1. asphalt at Shibtala Street jn. Of G.T
 2. Restoration of Rigid pavement and
 Saha Road and B.N Das Road in ward
 14 and 19.
 3. Flexible Pavement by Mastic
 asphalt in ward no. 14, 16 and 19.

2021-22 dt. 09.10.2021

1. asphalt at Rajmohon Road, Rajendra
 2. Restoration of Rigid pavement and
 Road and R.S. Verma, Road in ward no.

2021-22 dt. 09.10.2021

1. from the H/O Swapan Chatterjee to the

1. For Details: - wbtennders.gov.in

person,

administrators

g Municipality

NIT**Kandi, Murshidabad**

ity invites tenders from the
 ctors for Repair works for
 al work in the premises of
 di Municipality.

Dt.: -25.10.21

available from the Office

/-

behalf of Chairperson, BOA,
 Ashokenagar Kalyangarh
 Municipality for Construction of
 Community Toilet under
 Ashokenagar Kalyangarh
 Municipality Tender Reference
 Number : AKM/5141/CT/DEV

Dated: 09-10-2021

Tender ID :

2021_MAD_347624_1 to 5

Bid Submission End Date :

27-Oct-2021 06:00 PM

Sd/- Chairperson, BOA,
 Ashokenagar Kalyangarh
 Municipality.

PUBLIC NOTICE

Public at large is hereby
 informed that, M/s. Alcograin
 Distillers Private Limited has
 been granted Environmental
 Clearance for Proposed 660
 KLPD Grain based Distillery, 10
 KLPD Malt Spirit Plant and 22MW
 Cogeneration Power Plant at
 Plot No. A22, Panagarh
 Industrial Park, Panagarh, Block
 Kanksa, District Paschim
 Bardhaman, West Bengal by
 "Ministry of Environment, Forest
 & Climate Change" Government
 of India, vide letter No. IA-J-
 11011/207/2020-IA-II (I) dated
 05th October, 2021. Copy of
 Environment Clearance letter
 are available with the SPCB/
 Committee and may also be seen
 at Website of the Ministry and at
<https://parivesh.nic.in/>.

M/s. Alcograin Distillers
 Private Limited

यूको बैंक



Whereas, The undersigned being the
 Assets and Enforcement of Security In
 with (Rule 3) of the Security Interest (Enf
 the Notice with further interest at the cor
 within 60 days from the date of receipt of th
 The borrower having failed to repay the an
 taken possession of the property describ
 act read with rule 8 of the Security Interest
 The borrower in particular and the public in
 will be subject to the charge of the UCO Ban
 with incidental expenses, costs, charges etc
 The borrower's attention is invited to provid
 secured assets.

Sl. No.	Name of the borrower / Guarantor / Financing Branch	EQUITY COMPR building a 59. Daga Howrah in Bounded the South East by P by: 4.5 me
1	M/S Crystal Photo, proprietor- Mloy Mondal of Green Park, PS- Santragachi Bakshara, Howrah- 711110 Branch: Baksara, L.M.C Sarani, Baksara, Howrah -711110 Authorised Officer: Pramod Kumar Thakur, Mob: 9733224186	Volume No. registered a of Sanjoy P By:- On the South by -3 common Pas Das.
2	Sanjoy Paul, S/o- Subal Paul & Mitali Paul (Co-Borrower), W/o- Sanjoy Paul, Address of Both: Vill - West Chandana (Basak Para), P.O- Deganga (Belpur), P.S- Deganga, Dist. - North 24 Parganas, Pin- 743423 (WB) Branch: Beliaghata Bridge, Beliaghata Bridge, P.O. Beliaghata Bridge, District- North 24 Parganas -743423 Authorised Officer: Avinay Agarwal, Mob: 9007307501	All that p Cottahs s Sa No. 29- Khatian No. 2635, Panchayet No. - 1549 Volume No registered a of Sanjoy P By:- On the South by -3 common Pas Das.

Date: 10.10.2021, Place : Saltlake

यूको बैंक UCO BANK
 (A Govt. of India Undertaking)

No. 3 & 4 DD Blo
 Telephone: 033

NOTICE U/S 13(2) OF THE SAR
 This demand notice is hereby given under section 13(2) of the Securitization and Reconstruction and Enforcement of Security Interest (Enforcement) Rules, 2002 here
 2002 (54 of 2002) read with Rule 3 of the Security Interest (Enforcement) Rules, 2002 here
 repay the

স্ট পরিদর্শন করেন। প্ল্যান্ট ড় তোলায় জন্য সিএলডাব্লু যে দ্যাগ গ্রহণ করেছেন তার ঙসা করেন কেন্দ্রীয় মন্ত্রী।

টের সৌর বিদ্যুতের করল বিক্রম সোলার

৫ উৎপাদন করবে। ১,২৬০ কার্বন-ড্রাই-অক্সাইড প্রতিবছর শন হবে। বিক্রম সোলারের নজিং ডিরেক্টর জ্ঞানেশ্বরী। আমরা পোর্ট টাস্টের এক জোড় কাজ কনসেট খুবই প্রশংসিত আগামী দিনে ও কলকাতা পোর্টটাস্টের সৌর বিদ্যুতের প্ল্যান্ট স্থাপনে যাগে কাজ করব। হলদিয়া যব

ই-এর

সম্মেলন

গতিসেসের তরফ থেকে লিপিকা প্রভৃতি।
সিএসআইআর-সিএমইআরআই ও দুর্গাপুরের মাইকেল মধুসূদন মোমোরিয়াল কলেজের মধ্যে এদিন একটি মৌচুক্তি স্বাক্ষরিত হয়। ছাত্র-ছাত্রীদের দক্ষতা বৃদ্ধির উপর এই চুক্তিতে গুরুত্ব আরোপ করা হয়েছে। ছাত্র-ছাত্রীরা যাতে জলের মান পরীক্ষা করতে পারে সেই বিষয়ে তাদের প্রশিক্ষণ দেওয়া হবে। অমল্য সিনিয়ার, কলকাতা ও কনফারেন্সের আয়োজন করা হবে।
সিএসআইআর-সিএমইআরআই সোলার তৈরি চুলা বাজার আসছে।

কমপ্লেক্সের ইঞ্জিনিয়ার এ গণেশন ১ মেগাওয়াটের সৌর বিদ্যুতের প্ল্যান্ট বসানোয় আমরা খুবই খুশি।

জনস্বার্থে বিজ্ঞপ্তি

হালকা কোর্সেইন, ডিস্ট্রিক্টস - প্রাইভেট লিমিটেড প্রস্তাবিত ৬৬০ কেএলপিভি গ্রেইন বেস ডিস্ট্রিচারি, ১০ কেএলপিভি ম্যান্ট স্পিরিট প্ল্যান্ট এবং ২২এমডব্লু কোজেনারেশন পাওয়ার প্ল্যান্ট এর পরিবেশের ছাড়পত্র পেয়েছে যোটি পানাগড় ইন্ডাস্ট্রিয়াল পার্ক, পানাগড়, ব্রুক কাঁসা, জেলা পশ্চিম বর্ধমান, জেলা পশ্চিম বর্ধমান, পশ্চিমবঙ্গ এ অবস্থিত “প্রাকৃতিক, বন এবং আবহাওয়া পরিবর্তন মন্ত্রক, ভারত সরকারের চিঠি নং IA-J-11011/207/2020-IA-II (I) তারিখ ০৫ অক্টোবর, ২০২১। এই প্রাকৃতিক ছাড়পত্র কপির চিঠির পাওয়া যাবে এসপিসিবি/কমিটি এবং তা দেখা যাবে মন্ত্রকের ওয়েবসাইট <https://parivesh.nic.in/>

মেসার্স আলকোহেইন

ডিস্ট্রিচারি প্রাইভেট লিমিটেড

Government of West Bengal NOTICE INVITING QUOTATION NIQNO: 10/Q/EE/NBITD of 2021-22

Sealed Quotations are invited by the undersigned for and on behalf of the Governor of West Bengal from resourceful, bonafide outsider for (Temporary SITC of Public System)

(FORMERLY KN
Registered Office: Peerb
Tel: 033 40185000; F
Website: www
CI

NOTICE is hereby given to all unit holders of Securities and Exchange Board of India (SEBI) for the period ended September 30, 2021. Investors can request for physical copies of the following means: through any of the following means: a. Telephone: Give a call at our Contact Centre. b. Email: Send an email to mf@navi. c. Letter: Submit a letter at the registered office.

Place: Bengaluru
Date: October 09, 2021

MUTUAL FUND INVESTORS READ ALL SCHEDULES

যুক্তি বঁক DUCO BANK

গোহেতু, ইউকে ব্যাঙ্কের নিম্ন স্বাক্ষরকারী অনুমোদিত অফ সিকিউরিটি ইন্টারেস্ট (আইন ২০০২ (৫৪) বি.সি) সিকিউরিটি ইন্টারেস্ট (এনফোর্সমেন্ট) রুলস, ২০০২, চার্জ ইত্যাদি যুক্ত হবে এই বিজ্ঞপ্তির প্রকাশের পরে।
দেনাদারগণ উক্ত অর্থাৎ প্রদানের ব্যর্থ হওয়ায় এ আইনের ১৩ ধারা ও উপধারা (৪) অনুসারে এর ফল।

দেনাদারগণ উক্ত সম্পত্তি কোনোভাবেই লেনা করেন।
এর সঙ্গে বায়, চার্জ ইত্যাদি যুক্ত হবে।
দেনাদারগণ আইনের ১৩ ধারা ও উপধারা (৮) অনুসারে এর ফল।

ক্র. নং	দেনাদারের নাম/ জামিনদার/আর্থিক শাখা
১	মেসার্স ক্রিস্টাল ফস্টে, মালিক-মলয়া মণ্ডল, গ্রীন পার্ক, থানা-সাঁওরাগাছি, বাকসারা, হাওড়া-৭১১১১০ শাখা: বাকসারা, এক.এম.সি. নরকী, বাকসারা, হাওড়া-৭১১১১০ অনুমোদিত আর্থিক শাখা: প্রমোদ কুমার ঠাকুর, মোবাইল: ৯৭৩৩২২৪১৮৬
২	সঞ্জয় পাল, পিতা-সুবল পাল এবং মিতালি পাল (সহ-স্বত্বাধারী)